

Cleveland

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
1996	VAS woods	H.E.T. Graphite	True Temper	231W	85-90	.335"	.580"	3B2H / 4B2H / 5B2H
1996	VAS woods	H.E.T. Graphite	True Temper	234W	85-90	.335"	.580"	3B2H / 4B2H / 5B2H
1996	VAS woods	Steel	True Temper	R,F	115	.335"	.600"	3B2M / 4B2M
1996	VAS Ti - Diamond woods	Firm 85-100	True Temper	Firm	65	.335"	.600"	4D2S
1996	VAS Ti - Square woods	MED 75-90	True Temper	MED	64	.335"	.600"	3D2S
1996	VAS+ Diamond Irons	Boron Composite	True Temper	Firm	90	.355"	.600"	4C1H
1996	VAS+ Square Irons	Boron Composite	True Temper	Med.	93	.355"	.600"	3B1H
1996	VAS+ Square Irons	Steel - Square	True Temper	Med.	115	.355"	.600"	TT-Dynalite Gold R300 Taper Tip - 3B3H
1996	VAS+Diamond	Steel - Diamond	True Temper	Firm	115	.355"	.600"	TT-Dynalite Gold S300 Taper Tip - 4B3H
1996	VAS-Diamond 222I	Boron Composite	True Temper	Firm	90	.355"	.600"	4C1H
1996	VAS- Square Irons	Steel-Square	True Temper	Med.	121	.355"	.580"	TT-Dynalite Gold R300 Taper Tip - 3B3H
1996	VAS- Square Irons	Boron Composite	True Temper	Med.	93	.355"	.600"	4C1H
1998	Tour Action TA3 Irons	Dynamic	True Temper	S	121	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
1998	VAS 792 Irons	Boron Composite	True Temper	Firm	66	.355"	.600"	4C1H
1999	Quadpro CuTg/Cu/Cu Woods	Quadpro Pro Active	Grafalloy	R,S	64	.335"	.600"	3D2S / 4D2S
1999	Titanium Square Woods	Cleveland GT Wood	True Temper	Med.	65	.350"	.610"	3D2S*
1999	Tour Action TA5 Irons	Steel Variable Step	True Temper	S	117	.370"	.600"	TT-Dynalite Gold R300 Taper Tip - 3B3H
2000	Quad Pro Irons	Variable Step	True Temper	R	104	.370"	.600"	TT-Dynalite Gold R300 Taper Tip - 3B3H
2000	Quad Pro Ti Woods	Quad Pro Ti	True Temper	R, S	61	.335"	.600"	3B2M / 4B2M
2000	TA1 Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip - 3C1M
2000	TA1 Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
2000	TA1 Irons	Dynamic Gold	True Temper	X100	130	.355"	.600"	TT-Dynamic Gold X100 Taper Tip - 5C1M
2000	TA3 Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip - 3C1M
2000	TA3 Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
2000	TA3 Irons	Dynamic Gold	True Temper	X100	130	.355"	.600"	TT-Dynamic Gold X100 Taper Tip - 5C1M
2000	Tour Action Wedges	Dynamic Gold	True Temper	S	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
2002	Launcher Driver (330)	Launcher Gold	Fujikura	R,S,X	65	.335"	.600"	3B2M / 4B2M / 5B2M
2002	Launcher Fairway Woods	Launcher Gold	Fujikura	A,R,S,X	65	.335"	.600"	2D3M / 3B2M / 4B2M / 5B2M
2002	Launcher Driver (400)	Launcher Gold	Fujikura	S,X	65	.350"	.600"	4B2M / 5B2M *
2002	Launcher Driver (400)	Launcher Gold	Fujikura	R	55	.350"	.600"	4B2M / 5B2M *
2002	TA-7 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"	3B2M
2002	TA-5 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"	3B2M
2003	TA-7 Tour Irons	Dynamic Gold	True Temper	R3,S3,X1	127-130	.370"	.600"	TT-Dynamic Gold - 3C1M / 4C1M / 5C1M
2003	TA-7 Tour Irons	Graphite Design GAT 95	Graphite Design	R,S	97	.370"	.600"	3B2H / 4B2H
2003	900 Form Forged Wedges	Dynalite Gold	True Temper	S3	130	.355"	.600"	TT-Dynalite Gold S300 Taper Tip - 4B3H
2003	588 Tour Action Wedges	Dynamic Gold (Black Chrome)	True Temper	S4	130	.355"	.600"	TT-Dynamic Gold S400 Taper Tip - 4C1M
2003	Launcher Driver (460)	Launcher Gold	Fujikura	S,X	65	.350"	.600"	4B2H / 5B2H *
2003	Launcher Driver (460)	Launcher Gold	Fujikura	R	55	.350"	.600"	3D3M *
2003	TA-2 Irons (Micro-Cavity)	Dynamic Gold	True Temper	R3,S3,X1	127-130	.370"	.600"	TT-Dynamic Gold - 3C1M / 4C1M / 5C1M
2003	TA-5 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"	3B3H
2003	TA-5 Irons (Senior)	Graphite		A		.370"		2D3H
2004	TA-6 Irons	Action Lite Steel*	True Temper	A,R,S	121	.370"	.600"	TT-Dynalite - 2D3H / 3D3H / 4D3H
2004	TA-6 Irons	Action Lite Graphite		A,R,S	75-83	.370"	.600"	2B2M / 3B2M / 4B2M
2004	CG10 Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
2004	CG10 Black Pearl Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
2004	Launcher Titanium Fairway Woods	Launcher Graphite		A,R,S,X	55-65	.350"		2B2M / 3B2M / 4B2M / 5B2M *
<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>	<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip. Dia</b>	<b>Butt Dia.</b>	<b>Replacement Shaft / MPF Code</b>
2004	Launcher 460 Comp driver	Launcher Comp Graphite	Fujikura	A,R	55	.350"		2B1M / 3D3M *
2004	Launcher 460 Comp driver	Launcher Comp Graphite	Fujikura	S	65	.350"		4B2H *
2005	Launcher Comp Fairway Woods	Launcher Comp Black		A,R / S,X	55 / 65	.350"		3D3M / 4B2M *
2004	Sport OS 410 Driver	UltraLite Graphite		R	55			3D2S
2004	Sport OS 410 Driver	UltraLite Graphite		S	65			4D2S
2004	Sport OS Fairway Woods	UltraLite Graphite		R	55			3D2S
2004	Sport OS Fairway Woods	UltraLite Graphite		S	65			4D2S

Cleveland

2004	CG1 Irons	Dynamic Gold	True Temper	R3	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip - 3C1M
2004	CG1 Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold S300, X100 Taper Tip - 4C1M / 5C1M
2004	CG1 Irons	Graphite Design GAT 95	Graphite Design	R,S,X	96	.355"	.600"	Grafalloy ProLaunch Red (.355" taper tip) 3B1H / 4C1H
2004	Launcher Irons	Action Lite Steel*	True Temper	A,R,S	111	.370"	.600"	TT-Dynalite - 2D3H / 3D3H / 4D3H
2004	Launcher Irons	Action Lite Graphite		A,R,S	75-83	.370"	.600"	2D3S / 3B2S / 4B2S
2004	LDI (Long Driving Iron)	Dynamic Gold SL	True Temper	R3,S3,X1	106-109	.370"	.600"	TT-Dynamic Gold SL - 3B3H / 4B3H / 5B3H
2004	LDI (Long Driving Iron)	Aldila NV 85 Hybrid	Aldila	R,S	84	.370"	.630"	Aldila NV 85 Hybrid - 3B2H / 4B2H
2004	LDI (Long Driving Iron)	Aldila NV 105	Aldila	R,S	105	.370"	.630"	Aldila NV 105 Hybrid - 3B1H / 4B1H
2005	Halo Hybrids	Halo Graphite		A,R,S	75/78/83	.370"	.600"	2D3M / 3D3M / 4D3M
2005	Halo Hybrids	Dynamic Gold SL	True Temper	R3, S3, X1	106-109	.370"	.600"	TT-Dynamic Gold SL - 3B3H / 4B3H / 5B3H
2005	CG2 Irons	Grafalloy Blue	Grafalloy	R,S,X	86-89	.355"	.600"	3B1H / 4B1H / 5B1H
2005	CG2 Irons	Dynamic Gold	True Temper	R3	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip - 3C1M
2005	CG2 Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M / 5C1M
2005	CG4 Irons	Action Lite Graphite		A,R,S	75-83	.370"	.600"	2D3S / 3B2S / 4B2S
2005	CG4 Irons	Action Lite Steel*	True Temper	A,R,S	111	.370"	.600"	2D3H / 3D3H / 4D3H
2005	Launcher Ti460 & Ti460 Offset Driver	Cleveland Launcher Silver Graphite		A,R	55	.350"	.600"	2B2M / 3B2M *
2005	Launcher Ti460 & Ti460 Offset Driver	Cleveland Launcher Silver Graphite		S,X	65	.350"	.600"	4B2M / 5B2M *
2005	Launcher Steel & Steel Offset Fairway Wds.	Cleveland Launcher Silver Graphite		A,R	55	.350"	.600"	2B2M / 3B2M *
2005	Launcher Steel & Steel Offset Fairway Wds.	Cleveland Launcher Silver Graphite		S,X	65	.350"	.600"	4B2M / 5B2M *
2005	CG11 Wedges	Wedge Flex Graphite		Wedge	106	.355"	.600"	4B1H / 5B1H **
2005	CG11 Wedges	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip - 3C1M
2005	CG11 Wedges	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Golf S3, X1 Taper Tip 4C1M / 5C1M
2005	W-Series Launcher Driver (Women's)	W-Series Launcher Graphite		Women's	67	.350"	.590"	1D3S **
2005	W-Series Launcher Driver (Women's)	W-Series Launcher Fairway Woods (Women)		Women's	67	.350"	.590"	1D3M **
2005	W-Series Offset Driver (Women's)	W-Series Offset Graphite		Women's	66	.350"	.590"	1D3M **
2005	W-Series Offset Fairway Woods (Women's)	W-Series Offset Graphite		Women's	66	.350"	.590"	1D3M **
2005	W-Series Launcher Irons (Women's)	W-Series Offset Graphite		Women's	66	.370"	.590"	1D3M
2005	W-Series Offset TA-6 Irons (Women's)	W-Series Offset Graphite		Women's	66	.370"	.590"	1D3M
2005	W-Series Halo Hybrid (Women's)	W-Series Launcher Graphite		Women's	67	.370"	.590"	1D3M
2005	W-Series 588W Wedges (Women's)	W-Series Wedge Graphite		Women's	66	.370"	.590"	1D3M
2005	W-Series 588W Wedges (Women's)	Dynalite	True Temper	Womens	110	.370"	.590"	TT-Dynalite L Flex - 1D3H
2006	Hi Bore Driver	Hi Bore Graphite	Fujikura	A,R	55	.350"	.600"	2B1M / 3D3M **
2006	Hi Bore Driver	Hi Bore Graphite	Fujikura	S,X	65	.350"	.600"	4B2M / 5B2M **
2006	Hi Bore Fairway Woods	Hi Bore Graphite	Fujikura	A,R	55	.350"	.600"	2B1M / 3D3M **
2006	Hi Bore Fairway Woods	Hi Bore Graphite	Fujikura	S,X	65	.350"	.600"	4B2M / 5B2M **
2006	Hi Bore Hybrid	Hi Bore Hybrid Silver Graphite		A,R	75/78	.370"	.600"	2D3H / 3B3H
2006	Hi Bore Hybrid	Hi Bore Hybrid Silver Graphite		S	83	.370"	.600"	4B2H
2006	Launcher LP Irons	Cleveland Action Lite Steel*	True Temper	A,R,S	111	.370"	.600"	TT-Dynalite - 2D3H / 3D3H / 4D3H
2006	CG4 Tour Irons	Cleveland Action Lite Tour Steel	True Temper	R,S	122	.370"	.600"	3B3M / 4B2M
<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>	<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip. Dia</b>	<b>Butt Dia.</b>	<b>Replacement Shaft / MPF Code</b>
2006	CG4 Tour Irons	ProLaunch Blue Graphite	Grafalloy	R,S	76	.370"	.600"	3B2H / 4B2H
2006	CG11 Black Pearl Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"	TT Dynamic Gold S300 taper tip - 4C1M
2006	Hi Bore XL Driver	Hi Bore XL Gold	Fujikura	A,R,S	55/55/60	.350"	.600"	2B1M / 3B2M 4B2H **
2006	Hi Bore XL Tour Driver	Hi Bore XL Red Tour	Fujikura	R,S,X	60/65/70	.350"	.600"	3B2M / 4B2H / 5B2H **
2006	CG1 Black Pearl Irons	Dynamic Gold	True Temper	R300	125	.355"	.580"	TT Dynamic Gold R300 Taper Tip - 3C1M
2006	CG1 Black Pearl Irons	Dynamic Gold	True Temper	S300 / X100	130	.355"	.600"	TT Dynamic Gold S300 & X100 Taper Tip - 4C1M / 5C1M
2006	Hi Bore Irons	Hi Bore Silver Graphite	Graphite Design	A,R,S	75/78/83	.370"	.600"	2D2M / 3B2M / 4B2M
2006	Hi Bore Irons	Hi Bore Steel*	True Temper	A,R,S	111	.370"	.600"	TT-Dynalite - 2D3H / 3D3H / 4D3H
2006	588 RS Wedge	Dynalite Steel	True Temper	Wedge	106	.355"	.600"	TT Dynalite Gold SL S300 Taper Tip - 4C1M
2006	588 DSG Wedge & 588 DSG RTG Wedge	Dynamic Gold	True Temper	Wedge	130	.355"	.600"	TT Dynamic Gold S300 taper tip - 4C1M
2006	W-Series Hi Bore XL Driver (Women's)	W-Series Women's Hi Bore Graphite		Women's	50	.350"	.600"	1D3S **
2006	W-Series Hi Bore XL Fairway Woods	W-Series Women's Hi Bore Graphite		Women's	50	.350"	.600"	1D3S **
2006	W-Series Hi Bore Irons (Women's)	Hi Bore Silver Graphite		Women's	83	.370"	.600"	1B3M
2006	W-Series 588 RS Wedges (Womens)	W-Series 588 RS Graphite		Women's	59	.370"	.585"	1D3M
2006	W-Series CG11 Wedge (Women's)	W-Series CG11 Graphite		Women's	59	.370"	.585"	1D3M

Cleveland

2006	W-Series Hi Bore Hybrid (Women's)	Hi Bore Hybrid Silver Graphite		Women's	75	.370"	600"	1B3M
2007	CG Red Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip - 3C1M
2007	CG Red Irons	Dynamic Gold	True Temper	S3 / X1	130	.355"	600"	TT-Dynamic Gold S3 & X1 Taper Tip - 4C1M / 5C1M
2007	CG Gold Irons	Action Lite Flighted Steel	Royal Precision	R,S	111	.370"	.600"	3B3M 4B2M
2007	CG Gold Irons	CG Gold Graphite		A,R,S	75/78/83	.370"	.600"	2D2M / 3B2M / 4B2M
2007	CG 12 Chrome Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
2007	CG 12 Black Pearl Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
2007	CG 14 Chrome Wedges	Traction Steel		Wedge	125	.355"	.600"	4B2M
2007	CG 14 Black Pearl Wedges	Traction Steel		Wedge	125	.355"	.600"	4B2M
2008	Hi Bore XLS Driver	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55 - 60	.350"	.600"	2B1M / 3D3M / 4B3M / 5B2M **
2008	Hi Bore XLS Driver	Fit-On M Red Graphite	Fujikura	R,S,X	60 - 70	.350"	.600"	3B2M / 4B2H / 5B2H **
2008	Hi Bore XLS Draw Driver	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55 - 60	.350"	.600"	2B1M / 3D3M / 4B3M / 5B2M **
2008	Hi Bore XLS Draw Driver	Fit-On M Red Graphite	Fujikura	R,S,X	60 - 70	.350"	.600"	3B2M / 4B2H / 5B2H **
2008	Hi Bore XLS Tour Driver	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55 - 60	.350"	.600"	2B1M / 3D3M / 4B3M / 5B2M **
2008	Hi Bore XLS Tour Driver	Fit-On M Red Graphite	Fujikura	R,S,X	60 - 70	.350"	.600"	3B2M / 4B2H / 5B2H **
2008	Hi Bore XLS Fairway Woods	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55 - 60	.350"	.600"	2B1M / 3D3M / 4B3M / 5B2M **
2008	Hi Bore XLS Fairway Woods	Fit-On M Red Graphite	Fujikura	R,S,X	60 - 70	.350"	.600"	3B2M / 4B2H / 5B2H **
2008	Hi Bore XLS Hybrids	Fit-On M Gold Graphite	Fujikura	A,R,S	65	.370"	.600"	2D3H / 3B3H / 4B3H
2008	Hi Bore XLS Hybrids	Fit-On M Red Graphite	Fujikura	R,S,X	85	.370"	.600"	3B1H / 4B1H / 5B1H
2008	Hi Bore XLS Hybrids	Dynamic Gold SL	True Temper	R3, S3, X1	106	.370"	.600"	TT Dynamic Gold SL - 3C1M / 4C1M / 5C1M
2008	CG1 Tour Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 Taper Tip - 3C1M
2008	CG1 Tour Irons	Dynamic Gold	True Temper	S300, X100	130	.355"	.600"	TT Dynamic Gold S300 or X100 Taper Tip - 4C1M / 5C1M
2008	Hi Bore Gold Combo Hybrids & Irons	CG Gold Graphite		A,R,S	75 - 83	.370"	.600"	2D2M / 3B2M / 4B2M
2008	Hi Bore Gold Combo Hybrids & Irons	Action Lite Flighted Steel		R,S	111	.370"	.600"	TT Dynalite Gold SL - 3B3H / 4B3H
2008	Launcher Driver	FlightSpeed Fit-On M Gold Graphite	Fujikura	A,R,S,X	50	.350"	.600"	2B1M / 3D3M / 4B3M / 5B2M **
2008	Launcher Fairway Woods	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55 - 60	.350"	.600"	3B2M / 4B2H / 5B2H **
2008	Launcher Hybrids	Fit-On M Gold Hybrid Graphite	Fujikura	A,R,S	65	.370"	.600"	2B2M / 3B2M 4B2M
2009	Hi-Bore Monster XLS & XLS Draw Drivers	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55 - 60	.350"	.600"	2B1M / 3D3M / 4B3M / 5B2M **
2009	Hi-Bore Monster XLS Tour Driver	Fit-On M Gold Graphite	Fujikura	A,R,S,X	55 - 60	.350"	.600"	2B1M / 3D3M / 4B3M / 5B2M **
2009	Hi-Bore XLI Irons	Hi-Bore Silver Graphite		A,R,S	80	.370"	.600"	2B3M / 3B3M / 4B3M
2009	Hi-Bore XLS Hybrids	Fit-On M Gold Hybrid Graphite	Fujikura	A,R,S	65	.370"	.600"	2B2M / 3B2M 4B2M
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
2009	CG Tour Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 Taper Tip - 3C1M
2009	CG Tour Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT Dynamic Gold S3, X1 Taper Tip - 4C1M / 5C1M
2009	CG-7 Irons	CG-7 Graphite		A,R,S	80	.370"	.600"	2B2M / 3B2M 4B2M
2009	CG-7 Tour Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 Taper Tip - 3C1M
2009	CG-7 Tour Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT Dynamic Gold S3, X1 Taper Tip - 4C1M / 5C1M
2009	Niblick	Action Lite	True Temper	Wedge	110	.370"	.600"	TT Dynamic Gold SL S300 - 4C1M
2009	Launcher Ultralite Driver	UltraLite Edition	Graphite Design	A	40	.350"	.600"	2D3M *
2010	Launcher DST Driver	Ultralite Diamana Red 44 Graphite	Mitsubishi	A,R,S	47	.350"	.650"	2D3M / 3D3M / 4B3M *
2010	Launcher DST Draw Driver	Ultralite Diamana Red 44 Graphite	Mitsubishi	A,R,S	47	.350"	.650"	2D3M / 3D3M / 4B3M *
2010	Launcher DST Tour Driver	Diamana White 64 Graphite	Mitsubishi	R,S,X	67	.350"	.600"	3B2M / 4B2M / 5B2M *
2010	Launcher DST Fairway Woods	Ultralite Diamana Red 64 Graphite	Mitsubishi	R,S,X	64	.350"	.600"	3D3M / 4B3M *
2010	CG 7 Black Pearl Irons	FlightSpeed Steel		R,S	118	.370"	.600"	3B2H / 4B2H
2010	CG 7 Black Pearl Irons	CG 7 Graphite		A,R,S	78	.370"	.600"	2D3M / 3D3M / 4B3M
2010	CG 7 Tour Black Pearl Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 Taper Tip - 3C1M
2010	CG 7 Tour Black Pearl Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT Dynamic Gold S3, X1 .355" taper tip - 4C1M / 5C1M
2010	Launcher Irons	FlightSpeed Graphite		A,R,S	78	.370"	.600"	2D3M / 3D3M / 4B3M
2010	Launcher Irons	FlightSpeed Steel		R,S	118	.370"	.600"	3B2H / 4B2H
2010	CG 15 Wedges (All Finishes)	Traction Steel		Wedge	125	.355"	.600"	4B2H
2010	CG 15 Wedges (All Finishes)	Wedge Flex Graphite		Wedge	106	.355"	.600"	4B2H
2010	HB3 Irons	Action Ultralite Graphite		A,R,S	65	.370"	.600"	2B2M / 3B2M / 4B2M
2011	Launcher XL270 & XL270 Draw Drivers	C. Kua 39 Graphite	Miyazaki	A,R,S	44 / 47	.350"	.600"	Miyazaki C. Kua 39 - 2D2S / 3D2S / 4B2S
2011	Launcher SL290 Driver	C. Kua 43 Graphite	Miyazaki	A,R,S	48 / 53	.350"	.600"	Miyazaki C. Kua 43 - 2B2M / 3B2M / 4B2M**
2011	Launcher TL310 Driver	C. Kua 59 Graphite	Miyazaki	R,S,X	59 / 63	.350"	.600"	Miyazaki C. Kua 59 - 3B1M / 4B2M / 5B2M**

Cleveland

2011	Launcher FL Fairway Woods	C. Kua 43 Graphite	Miyazaki	A,R,S	48 / 53	.350"	600"	Miyazaki C. Kua 43 - 2B2M / 3B2M / 4B2M**
2011	CG16 Black Pearl & Chrome Irons	Traction 85 Steel		R,S	85	.370"	600"	GS-85 - 3B3H / 4B3H
2011	CG16 Tour Black Pearl & Chrome Irons	Dynamic Gold Steel	True Temper	R300	127	.355"	580"	Dynamic Gold R300 Taper Tip - 3C1M
2011	CG16 Tour Black Pearl & Chrome Irons	Dynamic Gold Steel	True Temper	S3, X1	130	.355"	.600"	Dynamic Gold S300 / X100 Taper Tip - 4C1M / 5C1M
2011	TA7 Irons	Action Lite Steel		Uniflex	125	.370"	600"	Dynalite - 3D3H / 4D3H
2011	TA7 Irons	Action Lite Graphite		Uniflex	68	.370"	.580"	Grafalloy ProCustom - 3D3M / 4D3M
2011	CG16 Black Pearl & chrome Wedges	Traction Steel		Wedge	125	.355"	600"	Dynamic Gold S300 Taper Tip - 4C1M
2011	Mashie Hybrid	C.Kua 59 Hybrid Graphite	Miyazaki	R,S	57 / 63	.370"	600"	C. Kua 59 Hybrid - 3B2M / 4B2M
2011	XL270 Driver (Women's)	Action Ultralite Graphite		L	45	.350"	600"	Grafalloy ProLaunch Blue 45 - 1D2S**
2011	FL Fairway Woods (Women's)	Action Ultralite Graphite		L	45	.350"	600"	Grafalloy ProLaunch Blue 45 - 1D2S**
2011	Mashie Hybrid (Women's)	Graphite		L	49	.370"	.600"	Maltby L-Tech Iron / Hybrid 1D3M
2011	CG16 Wedge	Graphite		L	59	.370"	.600"	Maltby L-Tech Iron / Hybrid 1D3M
2011	CG Black Driver	C. Kua 39 Limited Edition Graphite	Miyazaki	A,R,S	44 - 47	.350"	.600"	Miyazaki C.Kua 39 2D2S / 3D2S / 4B2S
2011	CG Black Fairway Wood	C. Kua 39 Limited Edition Graphite	Miyazaki	A,R,S	44 - 47	.350"	.600"	Miyazaki C.Kua 39 2D2S / 3D2S / 4B2S
2011	CG Black Irons	C. Kua 59 Graphite	Miyazaki	A,R,S	57 - 62	.370"	.590"	2D3S / 3D3S / 4D2S
2011	CG Black Wedges	C. Kua 95 Graphite	Miyazaki	Wedge	95	.355"	.600"	4B2H
2011	CG Black Wedges	NS Pro 850GH Steel	Nippon	Wedge	91	.355"	.600"	4B2H
2012	Classic 270 Driver	C. Kua 39 Graphite	Miyazaki	A,R,S	44,45,47	.350"	.600"	2D2S, 3D2S, 4B2S
2012	Classic 290 Driver	C. Kua 43 Graphite	Miyazaki	A,R,S,X	48 - 53	.350"	.600"	2B2M, 3B2M, 4B2M
2012	Classic Tour Driver	Kusala Black 61 Graphite	Miyazaki	R,S,X	59,61,63	.350"	.610"	3B1M, 4B1M, 5B1M
2012	Mashie Fairway Wood	C. Kua 59 Graphite	Miyazaki	A,R,S,X	57 - 63	.350"	.600"	2B2M, 3B2M, 4B2M, 5B2M
2012	Mashie Irons	Action Lite 65 Graphite		A,R,S	62,65,68	.370"	.600"	2B3M / 3B3M / 4B2M
2012	Mashie Irons	FlightSpeed Steel		R,S	117, 120	.370"	.600"	3B3H / 4B3H
<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>	<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip. Dia</b>	<b>Butt Dia.</b>	<b>Replacement Shaft / MPF Code</b>
2012	588 Chrome, Satin & Black Pearl Wedges	Tour Concept Wedge Steel	True Temper	Wedge	118	.355"	.600"	DG Spinner type shaft in playing characteristics 3B4H / 4B2H
2012	Mashie Hybrid (2012 Version)	Hybrid C. Kua 59 Graphite	Miyazaki	A,R,S,X	57 - 63	.370"	.600"	2B2M, 3B2M, 4B2M, 5B2M
2012	Mashie Fairway Woods	Fairway C. Kua 59 Graphite	Miyazaki	A,R,S,X	57 - 63	.350"	.600"	2B2M, 3B2M, 4B2M, 5B2M
2012	588 Forged CB Irons	Dynamic Gold Steel	True Temper	R3	127	.355"	.580"	TT Dynamic Gold Taper Tip - 3C1M
2012	588 Forged CB Irons	Dynamic Gold Steel	True Temper	S3, X1	130	.355"	.600"	TT Dynamic Gold Taper Tip - 4C1M / 5C1M
2012	588 Forged MB Irons	Dynamic Gold Steel	True Temper	R3	127	.355"	.580"	TT Dynamic Gold Taper Tip - 3C1M
2012	588 Forged MB Irons	Dynamic Gold Steel	True Temper	S3, X1	130	.355"	.600"	TT Dynamic Gold Taper Tip - 4C1M / 5C1M
2012	588 Altitude Irons	Action Lite 55 Graphite		A,R,S	58,62,64	.370"	.600"	2D3S / 3D3S / 4B2S
2012	588 Altitude Irons	Traction 85 Steel		R,S	85	.370"	.600"	3B2H / 4B2H
2012	588 RTX CB Black Pearl Wedge	Dynamic Gold Steel	True Temper	Wedge	130	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2012	588 RTX CB Satin Chrome Wedge	Dynamic Gold Steel	True Temper	Wedge	130	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2013	Classic XL Driver	B.Asha 4 Graphite	Miyazaki	A,R,S	47 - 53	.350"	.620"	2D2S / 3B2S / 4B2S
2013	Classic XL Custom Driver	Numberous Stock Graphite Options				.350"		
2013	Classic XL Fairway Woods	Ozik X-Con 6 Graphite	Matrix Composite	A,R,S	65 - 68	.350"		2B2M / 3B2H / 4B2H
2013	588 MT Irons	Traction 85 Steel	True Temper	R,S	85	.370"	.600"	3B2H / 4B2H
2013	588 TT Irons	Traction 85 Steel	True Temper	R,S	85	.370"	.600"	3B2H / 4B2H
2013	Classic Hybrid	Ozik X-Con h6 Graphite	Matrix Composite			.370"		
2013	Altitude Driver	Radix Graphite	Matrix Composite	A,R	49	.350"	.605"	2D3M / 3D3M
2013	Altitude Driver	Radix Graphite	Matrix Composite	S	50	.350"	.610"	4B2M
2013	Smart Sole S Wedge	Traction Steel	True Temper	Wedge	125	.355"	.600"	4B2H
2013	Smart Sole S Wedge	Wedge Flex Graphite		Wedge	106	.355"	.600"	4B2H
2013	Smart Sole C Wedge	Traction Steel	True Temper	Wedge	125	.355"	.600"	4B2H
2013	Smart Sole C Wedge	Wedge Flex Graphite		Wedge	106	.355"	.600"	4B2H
2014	588 Custom Driver	Ozik 6Q3 Graphite	Matrix Composite	A,R,S,X	54 - 60	.350"	.605"	2D2S / 3B2S / 4B2S / 5B2S
2014	588 Fairway Woods	Ozik 6Q3 Graphite	Matrix Composite	A,R,S,X	50 - 57	.350"	.620"	2D2S / 3B2S / 4B2S / 5B2S
2014	588 Hybrid	Ozik Altus Graphite	Matrix Composite	A,R,S,X	53 - 62	.370"	.630"	2D2S / 3B2S / 4B2S / 5B2S
2015	CG Black Driver	Bassara E45 Graphite	Mitsubishi Rayon	A,R,S	45	.335"	.604"	2D2S / 3B2S / 4B2S
2015	CG Black Fairway Wood	Bassara E45 Graphite	Mitsubishi Rayon	A,R,S	45	.335"	.604"	2D2S / 3B2S / 4B2S
2015	CG Black Hybrids	Bassara E55 Graphite	Mitsubishi	A,R,S	55	.370"	.600"	2D2S / 3B2S / 4B2S
2015	CG Black Irons	Recoil 660 & 670 Graphite	UST Mamiya	A,R,S	68,75,78	.370"	.600", .605"	UST Recoil 660 A flex, 670 R,S flexes 2B2M / 3B2M / 4B2M
2015	CG Black Irons	N.S. Pro 1050 Steel	Nippon	A,R,S	110	.370"	.600"	2B2H / 3B2H / 4B2H

Cleveland

2015	588 RTX 2.0 Tour Satin Wedges	Dynamic Gold steel	True Temper	S300	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2015	588 RTX 2.0 Black Satin Wedges	Dynamic Gold steel	True Temper	S300	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2015	588 RTX 2.0 CB Black Satin Wedges	Dynamic Gold steel	True Temper	S300	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2015	CG Black 215 Custom Driver	Bassara E50 Graphite	Mitsubishi Rayon	A,R,S	50	.335"	.605"	2B2S / 3B2S / 4B2S
2015	CG Black 215 Driver	Bassara E45 Graphite	Mitsubishi Rayon	A,R,S	45	.335"	.604"	2D2S / 3B2S / 4B2S
2015	CG Black CB Irons	NS Pro 1050GH Steel	Nippon	R,S	106, 109	.370"	.600"	2B2H / 3B2H / 4B2H
2015	Smart Sole 2.0 C Wedge	Traction Steel	True Temper	Wedge	125	.355"	.600"	4B2H
2015	Smart Sole 2.0 S Wedge	Traction Steel	True Temper	Wedge	125	.355"	.600"	4B2H
2015	588 RTX 2.0 Wide Sole Wedge (60 degree)	Dynamic Gold steel	True Temper	S300	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2015	588 RTX 2.0 Custom Edition Wedges	Dynamic Gold steel	True Temper	S300	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2016	RTX-3 Black Satin Wedges	Dynamic Gold Steel	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2016	RTX-3 Tour Satin Wedges	Dynamic Gold Steel	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2016	RTX-3 Tour Raw Wedges	Dynamic Gold Steel	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2016	RTX-3 CB Tour Satin Wedges	Dynamic Gold Steel	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2016	Explore Smart Sole Wedges	Traction Steel	True Temper	Wedge	125	.355"	.600"	4B2H
2017	Launcher HB Driver	C Kua 50 Graphite	Miyazkai	A,R,S	50	.335"		2D3M / 3D3M / 4B3M
2017	Launcher HB Fairway Woods	C Kua 50 Graphite	Miyazkai	A,R,S	50	.335"		2D3M / 3D3M / 4B3M
2017	Launcher HB Hybrid	C Kua 60 Graphite	Miyazkai	A,R,S	60	.370"		2D3M / 3D3M / 4B3M
2017	Launcher HB Irons	C Kua 60 Graphite	Miyazkai	A,R,S	60	.370"		2D3M / 3D3M / 4B3M
2017	Launcher HB Irons	Dynamic Gold DST 98 Steel	True Temper	R,S	122	.370"		3B2H / 4B2H
2017	Launcher CBX Irons	C Kua 60 Graphite	Miyazkai	A,R,S	60	.355"		2D3M / 3D3M / 4B3M
2017	Launcher CBX Irons	Dynamic Gold DST 98 Steel	True Temper	R,S	122	.355"		3B2H / 4B2H
2018	CBX Wedge	Dynamic Gold 115Wedge Steel	True Temper	S300	115	.355"	.600"	TT Dynamic Gold 115 S300 4B2H
2018	RTX-4 Wedges (All Finishes)	Dynaamic Gold Tour Issue Steel	True Temper	S400	132	.355"	.600"	TT Dynamic Gold Tour Issue 4C1H
<i>Cleveland used additional tip trimming on the Men's Release to create an R or S flex</i>								
<i>* A Shim or Adaptor Ferrule will be needed if using a .335" tip diameter shaft into the .350" hosel bore</i>								
<i>** must be rebored to accept a .370" parallel tip iron shaft</i>								
<b>11/15/18</b>								