

Ping

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
1995	Eye 2 Irons	ZZ-Lite	True Temper	ZZ Lite	115	.355"	.600"	TT-Lite XL Taper Tip - 4B2M
1995	Zing 2 Irons	JZ Steel	True Temper	JZ	125	.355"	.600"	4C1M Taper Tip
1995	Zing 2 Irons	Karsten 101	Aldila	K-101	89	.355"	.600"	3B3M / 4B2M **
1995	Zing 2 Irons	Karsten 201	Aldila	K-201	89	.355"	.600"	3B3M / 4B2M **
1995	Zing 2 Irons	W54 Ping Graphite	Aldila/G Loomis	W54	93	.355"	.600"	3B3M / 4B2M **
1995	Zing 2 Irons	X65 Ping Graphite	Aldila/G Loomis	X65	97	.355"	.600"	3B3M / 4B2M **
1996	Ping ISI K Irons	JZ Steel	True Temper	JZ	115	.355"	.600"	4C1M Taper Tip
1996	Ping ISI K Irons	U44 Graphite	G. Loomis Graphite	U44	74	.355"	.580"	3B3M / 4B2M **
1996	Ping Zing Irons	JZ Steel	True Temper	JZ	125	.355"	.600"	4C1M Taper Tip
1996	Ping Zing 2 Irons	JZ Steel	True Temper	JZ	125	.355"	.600"	4C1M Taper Tip
1996	Ping Zing 2 Irons	101 Graphite	Aldila	K-101	89	.355"	.585"	3B3M / 4B2M **
1996	Zing Laminated Woods	JZ Steel	True Temper	JZ	132	.326"	.610"	TT-Dynamic Gold S300 *** - 4C1M
1998	ISI Irons	W54 Graphite	G. Loomis Graphite	W54	93	.355"	.600"	3B3M / 4B2M **
1998	TISI Titanium Woods	Ping 350 Series Cushion	Aldila & HST	A,R,S	57 - 62	.344"	.590"	2B2M / 3B2M / 4B2M (.350" tip)
1998	Ping ISI K	JZ Cushion	True Temper	JZ	125	.355"	.610"	4C1M Taper Tip
2000	i3 O Size Irons	350 Series by Aldila	Aldila	L	62	.355"	.580"	1D3S **
2000	i3 O Size Irons	350 Series by Aldila	Aldila	R,S	72-85	.355"	.590"	3B3M / 4B2M **
2000	i3 O Size Irons	JZ Cushion	True Temper	R,S	119-124	.355"	.600"	3C1M / 4C1M Taper Tip w/Sensicore
2000	i3 O Size Irons	350 Series by Aldila	Aldila	Light	62.4	.355"	.580"	2D3S **
2000	i3 Blade Irons	JZ Steel	True Temper	R	119	.355"	.580"	3C1M Taper Tip
2000	i3 Blade Irons	JZ Steel	True Temper	S	124	.355"	.610"	4C1M Taper Tip
2001	Ti3 Driver & Fairway Woods	Ping 350 Series	Aldila	R,S,X	71	.350"	.600"	3B2M / 4B2M / 5B2M *
2002	TISI Tec Driver	Ping 350 Series	Aldila	R,S,X	71	.350"	.600"	3B2M / 4B2M / 5B2M *
2002	TISI Tec Fairway Woods	Ping 350 Series	Aldila	R,S,X	71	.350"	.600"	3B2M / 4B2M / 5B2M *
2003	Si3 Driver	Ping Si3 Graphite		R,S,X	60-64	.350"	.610"	3B2M / 4B2M / 5B2M *
2003	i3+ Blade Irons	CS Lite	True Temper	R,S	94-107	.355"	.600"	3B3H / 4B3H Taper Tip
2003	i3+ Blade Irons	CS Lite	True Temper	X	123	.355"	.600"	5B3H Taper Tip
2003	i3+ Blade Irons	i3+ Graphite		R,S	72-86	.355"	.600"	3B3M / 4B2M **
2003	Ping Wedges	Steel	True Temper		108	.355"	.600"	4C1M Taper Tip
2003	G2 Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	3B3H Taper Tip
2003	G2 Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	4B3H Taper Tip
2003	G2 Irons	CS Lite Steel	True Temper	S	122	.355"	.600"	4C1M Taper Tip
2003	G2 Irons	TFC 100 Graphite		R,S	71-86	.355"	.600"	3B3M / 4B2M **
2003	G2 Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	3B3H Taper Tip
2003	G2 EZ Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	4B3H Taper Tip
2003	G2 EZ Irons	CS Lite Steel	True Temper	X	122	.355"	.600"	5B3H Taper Tip
2003	G2 EZ Irons	TFC 100 Graphite		R,S	71-86	.355"	.600"	3B3M / 4B2M **
2003	G2 L Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	3B3H Taper Tip
2003	G2 L Irons	CS Lite Steel	True Temper	R,S,X	107	.355"	.600"	3B3H / 4B3H / 5B3H Taper Tip
2003	G2 L Irons	TFC 100 Graphite		R,S	71-86	.355"	.600"	3B3M / 4B2M **
2003	G2 L Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	3B3H Taper Tip
2003	G2 HL Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	4B3H Taper Tip
2003	G2 HL Irons	CS Lite Steel	True Temper	X	122	.355"	.600"	5B3H Taper Tip
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
2003	G2 HL Irons	TFC 100 Graphite		R,S	71-86	.355"	.600"	3B3M / 4B2M **
2003	G2 HL Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	3B3H Taper Tip
2003	S 59 Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	4B3H Taper Tip
2003	S 59 Irons	CS Lite Steel	True Temper	X	122	.355"	.600"	5B3H Taper Tip
2003	S 59 Irons	TFC 100 Graphite	UST / Aldila	R,S	71-86	.355"	.600"	3B3M / 4B2M **

Ping

2003	G2 Fairway Woods	JZ Steel	True Temper	R,S,X	106	.350"	.600"	3C1M / 4C1M / 5C1M *
2003	G2 Fairway Woods	TFC 100 Graphite	UST / Aldila	R,S,X	84-90	.350"	.600"	3B2H / 4B2H / 5B2H *
2004	S 59 Tour Irons	ZZ 65 Lite	True Temper	Uniflex	108	.355"	.600"	4C1M / 5C1M Taper Tip
2004	G2 Driver	TFC100D Graphite	UST / Aldila	R,S,X	65	.350"	.600"	3B2M / 4B2M / 5B2M *
2004	G2 Driver	TFC100D Graphite	UST / Aldila	Soft R	60	.350"	.600"	2B2M *
2005	G5 Driver	TFC100D Graphite	UST / Aldila	R,S,X	65	.350"	.600"	3B2M / 4B2M / 5B2M *
2005	G5 Driver	TFC100D Graphite	UST / Aldila	Soft R	60	.350"	.600"	2B2M *
2005	G5 Driver (Offset)	TFC100D Graphite	UST / Aldila	R,S,X	65	.350"	.600"	3B2M / 4B2M / 5B2M *
2005	G5 Driver (Offset)	TFC100D Graphite	UST / Aldila	Soft R	60	.350"	.600"	2B2M *
2005	G5 Fairway Woods	TFC100D Graphite	UST / Aldila	R,S,X	65	.350"	.600"	3B2M / 4B2M / 5B2M *
2005	G5 Fairway Woods	JZ Steel	True Temper	R,S,X	106	.350"	.600"	3C1M / 4C1M / 5C1M (.350" tip) *
2005	G5 Hybrid	TFC100H Graphite	UST / Aldila	Soft R	65	.355"	.600"	2B2M Taper Tip
2005	G5 Hybrid	TFC100H Graphite	UST / Aldila	R	75	.355"	.600"	3B2M Taper Tip
2005	G5 Hybrid	TFC100H Graphite	UST / Aldila	S	84	.355"	.600"	4B32M Taper Tip
2005	G5 Hybrid	CS Lite	True Temper	R	94	.355"	.600"	3B3H Taper Tip
2005	G5 Hybrid	CS Lite	True Temper	S	107	.355"	.600"	4B3H Taper Tip
2005	G5 Irons	TFC100i Graphite	UST / Aldila	Soft R	65	.355"	.600"	2B2M **
2005	G5 Irons	TFC100i Graphite	UST / Aldila	R	75	.355"	.600"	3B2M **
2005	G5 Irons	TFC100i Graphite	UST / Aldila	S	84	.355"	.600"	4B2M **
2005	G5 Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	3B3H Taper Tip
2005	G5 Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	4B3H Taper Tip
2005	i5 Irons	TFC100i Graphite	UST / Aldila	Soft R	65	.355"	.600"	2B2M **
2005	i5 Irons	TFC100i Graphite	UST / Aldila	R	75	.355"	.600"	3B2M **
2005	i5 Irons	TFC100i Graphite	UST / Aldila	S	84	.355"	.600"	4B2M **
2005	i5 Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	3B3H Taper Tip
2005	i5 Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	4B3H Taper Tip
2005	Tour Wedges	ZZ-65 Steel	True Temper	S	109	.355"	.600"	4B3H Taper Tip
2006	Rapture Driver	TFC 909D Graphite				.350"		3B2M *
2006	Rapture Driver	VS Proto 65	Aldila	R,S,X	60/61/63	.350"		3B2M / 4B2M / 5B2M *
2006	Rapture Fairway Woods	TFC 909F Graphite				.350"		3B2M / 4B2M **
2006	Rapture Fairway Woods	VS Proto 85	Aldila			.350"		Aldila VS Proto 85 - 3B2H / 4B2H *
2006	Rapture Hybrid	TFC 909H Graphite				.355"		3B2M / 4B2M **
2006	Rapture Hybrid	VS Proto 80	Aldila			.355"		Aldila VS Proto 80 Taper Tip (Special Order)
2006	Rapture Irons	AWT Steel		R,S,X	99/108/117	.355"		3B3H / 4B3H / 5B3H Taper Tip
2006	Rapture Irons	TFC 909i Graphite		R,S	68/73	.355"		3B2M / 4B2M (Rebore heads to .370")
2006	S58 Irons	AWT Steel		R,S,X	99/108/117	.355"		3B3H / 4B3H / 5B3H Taper Tip
2006	iWedge	AWT Steel		R,S	99/108	.355"		3B3H / 4B3H Taper Tip
2007	Rhapsody Driver	ULT 129 D Graphite		L	51	.350"		1D3S (BB9016) *
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
2007	Rhapsody Fairway Woods	ULT 129 F Graphite		L	53	.350"		1D3S (BB9016) *
2007	Rhapsody Hybrids	ULT 129 H Graphite		L	55	.355"		1D3S (BB9016) *
2007	Rhapsody Irons	ULT 129 I Graphite		L	44	.355"		1D3S (Rebore heads to .370")
2007	G5 L Driver	ULT 50 D Graphite		L	55	.350"		1D3S (BB9016) *
2007	G5 L Fairway Woods	ULT 50 F Graphite		L	51	.350"		1D3S (BB9016) *
2007	G5 L Hybrids	ULT 50 H Graphite		L	62	.350"		1D3S (BB9016) *
2007	G10 & G10 Draw Drivers	TFC 129 D Graphite		R,S,X	60/63/68	.350"		3B2M / 4B2M / 5B2M *
2007	G10 & G10 Draw Fairway Woods	TFC 129 F Graphite		R,S,X	64/68/71	.350"		3B2M / 4B2M / 5B2M *
2007	G10 Hybrids	TFC 129 H Graphite		R,S,X	74/76/77	.355"		Aldila Gamer Hybrid Taper Tip (Special Order)
2007	G10 Irons	AWT Steel		R,S,X	99/108/117	.355"		3B3H / 4B3H / 5B3H Taper Tip
2007	G10 Irons	TFC 129I Graphite		R,S	74/86	.355"		MPF Series Iron Shafts (Rebore heads to .370")

Ping

2007	I10 Irons	AWT Steel		R,S,X	99/108/117	.355"		3B3H / 4B3H / 5B3H Taper Tip
2007	I10 Irons	TFC 129I Graphite		R,S	74/86	.355"		3B2M / 4B2M (Rebore heads to .370")
2007	Tour W Wedges	AWT Steel		R,S,X	99/108/117	.355"		3B3H / 4B3H / 5B3H Taper Tip
2008	Rapture V2 Driver	TFC 939D Graphite		R,S,X	52 - 62	.350"		3B2M / 4B2M / 5B2M (BB9016) *
2008	Rapture V2 Fairway Woods	TFC 939F Graphite		R,S,X	59 - 69	.350"		3B2M / 4B2M / 5B2M (BB9016) *
2008	Rapture V2 Hybrid	TFC 939H Graphite		R,S,X	63 - 69	.355"		3B2M / 4B2M / 5B2M (Rebore heads to .370")
2008	Rapture V2 Irons	TFC 939I Graphite		SR,S,X	57 - 79	.355"		3B2M / 4B2M / 5B2M (Rebore heads to .370")
2008	Rapture V2 Irons	AWT Steel	True Temper	R,S,X	99/108/117	.355"		3B3H / 4B3H / 5B3H Taper Tip
2010	G15 Driver	TFC 149D Graphite		SR,R,S,X	52 - 63	.350"		2D2S / 3B2S / 4B2S / 5B2S *
2010	G15 Driver	TFC 149D Graphite		L	47	.350"		1D3S *
2010	G15 Draw Driver	TFC 149D Graphite		SR,R,S,X	52 - 63	.350"		2D2S / 3B2S / 4B2S / 5B2S *
2010	G15 Draw Driver	TFC 149D Graphite		L	47	.350"		1D3S *
2010	I15 Driver	TFC 700D Graphite		R,S,X	60 - 68	.350"		3B2M / 4B2M / 5B2M *
2010	G15 Fairway Woods	TFC 149F Graphite		SR, R,S,X	61 - 71	.350"		2B2M / 3B2M / 4B2M / 5B2H *
2010	G15 Fairway Woods	TFC 149F Graphite		L	53	.350"		1D3S *
2010	G15 Draw Fairway Woods	TFC 149F Graphite		SR, R,S,X	61 - 71	.350"		2B2M / 3B2M / 4B2M / 5B2H *
2010	G15 Draw Fairway Woods	TFC 149F Graphite		L	53	.350"		1D3S *
2010	I15 Fairway Woods	TFC 700F Graphite		R,S,X	64 - 85	.350"		3B2M / 4B1H / 5B1H *
2010	G15 Hybrid	TFC 149H Graphite		SR,R,S,X	70 - 77	.355"		2B2M / 3B2H / 4B2H / 5B2H **
2010	G15 Hybrid	TFC 149H Graphite		L	55	.355"		1D3M **
2010	I15 Hybrid	TFC 700H Graphite		R,S,X	74 - 91	.355"		3B2H / 4B2H / 5B1H **
2010	G15 Irons	TFC 149I Graphite		SR,R,S	74 / 86	.355"		2B3M / 3B2H / 4B2H **
2010	G15 Irons	TFC 149I Graphite		L	44	.355"		1D3M **
2010	G15 Irons	AWT Steel	True Temper	R,S,X	99/108/117	.355"		3B2H / 4B2H / 5B2H Taper Tip
2010	I15 Irons	TFC 149I Graphite		A,R,S	70 / 86	.355"		2B3M / 3B2H / 4B2H **
2010	I15 Irons	TFC 149I Graphite		L	44	.355"		1D3M **
2010	I15 Irons	AWT Steel	True Temper	R,S,X	99/108/117	.355"	.600"	3B2H / 4B2H / 5B2H Taper Tip
2011	K15 Driver	TFC 149 D Graphite		L	47	.350"	.600"	1D3S *
2011	K15 Driver	TFC 149 D Graphite		Soft R, R	52 / 55	.350"	.600"	2D2S / 3B2S *
2011	K15 Driver	TFC 149 D Graphite		S,X	60 / 63	.350"	.600"	4B2S / 5B2S *
2011	K15 Fairway Woods	TFC 149F Graphite		L	53	.350"	.600"	1D3S *
2011	K15 Fairway Woods	TFC 149F Graphite		Soft R	61	.350"	.600"	2B2M *
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia	Butt Dia.	Replacement Shaft / MPF Code
2011	K15 Fairway Woods	TFC 149F Graphite		R	64	.350"	.600"	3B2M *
2011	K15 Fairway Woods	TFC 149F Graphite		S	68	.350"	.600"	4B2M *
2011	K15 Fairway Woods	TFC 149F Graphite		X	71	.350"	.600"	5B2H *
2011	K15 Hybrid Irons	AWT Steel	True Temper	R,S,X	99/108/117	.355"	.600"	3B2H / 4B2H / 5B2H Taper Tip
2011	K15 Hybrid Irons	TFC 149I Graphite		L	44	.355"	.600"	1D3M **
2011	K15 Hybrid Irons	TFC 149I Graphite		Soft R	70	.355"	.600"	2B3M **
2011	K15 Hybrid Irons	TFC 149I Graphite		R	74	.355"	.600"	3B2H **
2011	K15 Hybrid Irons	TFC 149I Graphite		S	86	.355"	.600"	4B2H **
2011	K15 Hybrid Irons	TFC 149H Graphite		X	77	.355"	.600"	5B2H **
2011	K15 Hybrid Irons	TFC 149H Graphite		S	76	.355"	.600"	4B2H **
2011	K15 Hybrid Irons	TFC 149H Graphite		R	74	.355"	.600"	3B2H **
2011	K15 Hybrid Irons	TFC 149H Graphite		Soft R	70	.355"	.600"	2B2M **
2011	K15 Hybrid Irons	TFC 149H Graphite		L	55	.355"	.600"	1D3M **
2011	G20 Driver	TFC 169D Graphite		L,SR,R,S,X	45 - 62	.350"	.600"	1D3S / 2D3S / 3D3S / 4D3S / 5B3M*
2011	G20 Fairway Woods	TFC 169F Graphite		L,SR,R,S,X	49 - 69	.350"	.600"	1D3S / 2D3S / 3D3S / 4D3S / 5B3M*
2011	G20 Hybrid	TFC 169H Graphite		L,SR,R,S	51 - 78	.355"	.600"	1D3M / 2D3M / 3D3M / 4B3M**
2011	G20 Irons	TFC 169I Graphite		SR,R,S		.355"	.600"	2B2M / 3B2M / 4B2H /

Ping

2011	G20 Irons	CFS Steel	True Temper	SR,R,S,X	94 - 114	.355"	.600"	2D3H / 3B3H / 4B3H / 5B3H
2011	Anser Irons	Project X Steel	Royal Precision	5.0 - 6.5	115-125	.355"	.600"	RP Project X Taper Tip 3B1M / 3.5B1M / 4B1M / 5B1M
2011	Tour S Rustique Wedge	Dynamic Gold Spinner Steel	True Temper	S300	127	.355"	.600"	TT Dynamic Gold Taper Tip S300 4C1M
2011	Anser Wedges	Dynamic Gold Spinner Steel	True Temper	Wedge	124	.355"	.600"	TT Dynamic Gold Spinner Wedge 3B2H
2012	Serene Driver (Ladies)	ULT 210D Graphite		UL, L	42 - 49	.350"		1D3S
2012	Serene Fairway Woods (Ladies)	ULT 210F Graphite		UL, L	40 - 47	.350"		1D3S
2012	Serene Irons (Ladies)	ULT 201I Graphite		UL, L	44 - 51	.355"		1D3M
2012	i20 Driver	TFC 707D Graphite		R,S,X	58 - 67	.350"	.600"	3B2M / 4B2M / 5B1H
2012	i20 Fairway Woods	TFC 707F Graphite		R,S,X	64 - 86	.350"	.600"	3B2H / 4B2H / 5C1H
2012	i20 Hybrid	TFC 707H Graphite		R,S,X	75 - 90	.355"	.600"	3B2H / 4B2H / 5C1H
2012	i20 Irons	CFS Steel	True Temper	SR,R,S,X	94 - 114	.355"	.600"	2B3H / 3B2H / 4B2H / 5B2H
2012	i20 Irons	TFC 169I Graphite		SR,R,S	70 - 86	.355"	.600"	2B2H / 3B2H / 5B2H
2013	Anser Driver	TFC 800D Graphite		SR,R,S,X	51 - 68	.335"	.600"	2D2S / 3B2S / 4B2M / 5B1M
2013	Anser Fairway Woods	TFC 800F Graphite		SR,R,S,X	63 - 75	.335"	.600"	2B2M / 3B2M / 4B2H / 5C1H
2013	Anser Hybrid	TFC 800H Graphite		SR,R,S,X	74 - 88	.355"	.600"	2B2M / 3B2H / 4B2H / 5C1H
2013	G25 Driver	TFC 189D Graphite		SR,R,S,X	48 - 64	.335"	.600"	2D3S / 3B2S / 4B2M / 5B1M
2013	G25 Fairway Woods	TFC 189F Graphite		SR,R,S,X	62 - 74	.350"	.600"	2D3M / 3B2H / 4B2H / 5C1M
2013	G25 Hybrid	TFC 189H Graphite		SR,R,S,X	73 - 82	.355"	.600"	2D3H / 3B2H / 4B2H / 5B1H
2013	G25 Irons	CFS Steel	True Temper	SR,R,S,X	94 - 114	.355"	.600"	2B3H / 3B2H / 4B2H / 5B2H
2013	G25 Irons	TFC 189I Graphite		SR,R,S	70 - 86	.355"	.600"	2B2H / 3B2H / 5B2H
2013	Tour Wedges (Gorge Grooves)	CFS Steel	True Temper	SR,R,S,X	94 - 114	.355"	.600"	2B3H / 3B2H / 4B2H / 5B2H
2013	Eye 2 XG Wedges	Dynamic Gold	True Temper	S300	124	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2013	S55 Irons	CFS Steel	True Temper	SR,R,S,X	94 - 114	.355"	.600"	2B3H / 3B2H / 4B2H / 5B2H
2013	S55 Irons	TFC 189I Graphite		SR,R,S	70 - 86	.355"	.600"	2B2H / 3B2H / 5B2H
2013	Rapture DI Hybrid Iron	TFC 949 Graphite		R,S,X	77 - 83	.355"		3B2H / 4B2H / 5B1H
2014	i25 Driver	PWR 55 Graphite		R,S	52	.335"		3B2S / 4B2S
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
2014	i25 Fairway Woods	PWR 55 Graphite		R,S	52	.335"		3B2S / 4B2S
2014	i25 Hybrid	PWR 80 Hybrid Graphite		R,S,TS	76 - 80	.355"		3B2H / 4B2H / 5B1H
2014	i25 Irons	CFS Steel	True Temper	SR,R,S,X	94 - 114	.355"	.600"	2B3H / 3B2H / 4B2H / 5B2H
2014	i25 Irons	TFC 189I Graphite		SR,R,S	70 - 86	.355"	.600"	2B2H / 3B2H / 5B2H
2014	Karsten Hybrid Irons	KS 40I Graphite		SR,R,S	61 - 76	.355"		2B2H / 3B2H / 4B2H
2014	Karsten Hybrid Irons	CFS Distance Steel	True Temper	SR,R,S,X	95 - 115	.355"		2B2H / 2B2H / 4B2H / 5B1H
2014	G30 Driver	TFC 419D Graphite		SR, R,S,X	53 - 63	.335"		2D2S / 3B2S / 4B2M / 5B1M
2014	G30 SF Tec Driver	TFC 419D Graphite		SR, R,S,X	53 - 63	.335"		2D2S / 3B2S / 4B2M / 5B1M
2015	G30 LS Tec Driver	TFC 419D Graphite		SR, R,S,X	53 - 63	.335"		2D2S / 3B2S / 4B2M / 5B1M
2014	G30 Fairway Woods	TFC 419F Graphite		SR,R,S,X	63 - 69	.335"		2D3M / 3B2M / 4B2M / 5B1M
2014	G30 Hybrids	TFC 419H Graphite		SR,R,S,X	64 - 77	.355"		2B2H / 3B2H / 4B2H / 5B1H
2014	G30 Irons	CFS Distance Steel	True Temper	SR,R,S,X	95 - 115	.355"		3B3H / 4B3H / 5C1H
2014	G30 Irons	TFC 419I Graphite		SR,R,S	70 - 86	.355"		2B2H / 3B2H / 4B2H
2014	Rapture 3 Wood	TFC 949 Graphite		R,S,X	52, 58, 64	.335"		3B2S / 4B2M / 5B1M
2015	G30 LS Tec Driver	TFC 419D Graphite		SR, R,S,X	53 - 63	.335"		2D2S / 3B2S / 4B2M / 5B1M
2015	Glide Wedges	CFS Wedge	True Temper	Wedge	118	.355"		4B1H
2015	i Irons	CFS Distance Steel	True Temper	SR,R,S,X	95 - 115	.355"		3B3H / 4B3H / 5C1H
2015	i Irons	CGS Distance Graphite		SR,R,S	62,66,78	.355"		2D3M / 3B3M / 4B3M
2015	G Max Irons	CFS Distance Steel	True Temper	SR,R,S,X	95 - 115	.355"		3B3H / 4B3H / 5C1H
2015	G Max Irons	CGS Distance Graphite		SR,R,S	62,66,78	.355"		2D3M / 3B3M / 4B3M
2016	G Driver	Alta 55 Graphite		R,S	55, 59	.335"		3B2S / 4B2M
2016	G Fairway Wood	Alta 65 Graphite		R,S	64, 68	.335"		3B2M / 4B2M
2016	G Hybrid	Alta 70 Graphite		R,S	73, 76	.355"		3B2M / 4B2H

