

Taylor Made

| Year | Club Model                        | Shaft Description                      | Shaft Manufacture     | Flex        | Shaft Wt. | Tip. Dia | Butt Dia. | Replacement Shaft / MPF Code                          |
|------|-----------------------------------|--|-----------------------|-------------|-----------|----------|-----------|---|
| 1996 | Titanium Bubble Driver            | Bubble Graphite                        | Aldila, Fujikura, HST | R80, S90    | 88        | .335"    | .810"     | 3B3M / 4B3M   |
| 1996 | Oversize Burner Irons             | Rifle                                  | FM Precision          | R80         | 123       | .370"    | .600"     | FM Rifle 4.5 - 2B2M                                   |
| 1996 | Oversize Burner Irons             | Bubble L60+                            | Aldila, Fujikura, HST | L60+        | 78        | .370"    | .810"     | 1B2M  |
| 1996 | Oversize Burner Irons             | Bubble R80                             | Aldila, Fujikura, HST | R80         | 88        | .370"    | .810"     | 3B3M  |
| 1996 | Oversize Burner Irons             | Bubble S90                             | Aldila, Fujikura, HST | S90         | 101       | .370"    | .810"     | 4B3M  |
| 1997 | Burner Bubble Woods               | Bubble R80                             | Aldila, Fujikura, HST | R80         | 65-69     | .335"    | .810"     | 3B3M  |
| 1997 | Burner Bubble Woods               | Bubble S90                             | Aldila, Fujikura, HST | S90         | 78-82     | .335"    | .810"     | 4B3M  |
| 1997 | Burner Bubble Woods               | Bubble                                 | Aldila, Fujikura, HST | Senior      | 70-75     | .335"    | .810"     | 2B2M  |
| 1997 | Burner Bubble Irons               | Bubble L60+                            | Aldila, Fujikura, HST | L60+        | 60-65     | .370"    | .810"     | 1B2M  |
| 1997 | Tour Wedge                        | Wedge                                  | FM Precision          | Wedge       | 130       | .370"    | .600"     | Royal Precision Rifle 6.5 - 5B1M                      |
| 1998 | Burner Bubble Woods               | Bubble Graphite                        | Aldila, Fujikura, HST | TS100       | 60-65     | .405"    | .810"     | 3B3M / 4B3M *   |
| 1998 | Ti Bubble II Woods                | Bubble 2 R80                           | Aldila, Fujikura, HST | R80         | 76        | .405"    | .810"     | 3B2M *  |
| 1998 | Ti Bubble II Woods                | Bubble 2 S90                           | Aldila, Fujikura, HST | S90         | 82        | .405"    | .810"     | 4B2M *  |
| 1998 | Burner Oversize Irons             | Precision Rifle                        | Royal Precision       | S90         | 125       | .370"    | .600"     | Royal Precision Rifle 5.5 - 3.5B2M                    |
| 1998 | LCG Burner Irons                  | Precision Rifle                        | Royal Precision       | S90         | 125       | .370"    | .600"     | Royal Precision Rifle 5.5 - 3.5B2M                    |
| 1998 | LCG Burner Irons                  | Bubble 2                               | Aldila, Fujikura, HST | S90         | 109       | .405"    | .810"     | 4B3M (SADI) *   |
| 1998 | LCG Burner Irons                  | Precision Rifle                        | Royal Precision       | R80         | 112       | .370"    | .600"     | FM Rifle 4.0 1B2M                                     |
| 1998 | Ti Bubble Woods                   | Ti Bubble R80+                         | Aldila, Fujikura, HST | R80+        | 75        | .335"    | .810"     | 3B3M  |
| 1998 | Ti Bubble Woods                   | Ti Bubble R90+                         | Aldila, Fujikura, HST | S90+        | 82        | .335"    | .810"     | 4B3M  |
| 1998 | Bubble 2 Irons                    | Ti Bubble 2 Graphite                   | Aldila, Fujikura, HST | R80         | 77        | .395"    | .810"     | 3B3M (SADI) *   |
| 1998 | Tour Bubble Irons                 | Bubble                                 | Aldila, Fujikura, HST | R80         | 85        | .395"    | .810"     | 3B3M (SADI) *   |
| 1998 | Tour Preferred Woods              | Tour Gold                              | Aldila                | R,S         | 94        | .335"    | .600"     | 3B1H / 4B1H   |
| 1998 | Tour Preferred System 2 Woods     | Flex Twist                             | Aldila                | R,S         | 90        | .335"    | .600"     | 3B1H / 4B1H   |
| 1999 | Firesole Titanium Woods           | Bubble R-80                            | Aldila, Fujikura, HST | R80         | 75        | .405"    | .810"     | 3B3M (SADW) *   |
| 1999 | Firesole Titanium Woods           | Bubble S-90                            | Aldila, Fujikura, HST | S90         | 76        | .405"    | .810"     | 4B3M (SADW) *   |
| 1999 | Firesole Irons                    | Bubble Graphite                        | Aldila, Fujikura, HST | R80, S90    |           | .395"    | .810"     | 3B3M / 4B3M (SADI) *                                  |
| 1999 | Firesole Tour Irons               | Dynamic Gold                           | True Temper           | S300        | 127       | .355"    | .600"     | TT Dynamic Gold S300 Taper Tip - 4C1M                 |
| 2000 | Taylor Made 300 Ti Driver         | Taylor Made Tour                       | Fujikura              | R80, S90    | 70-72     | .350"    | .600"     | 3B2M / 4B2M *   |
| 2000 | Taylor Made 320 Ti Driver         | Taylor Made Tour                       | Fujikura              | R80, S90    | 70-72     | .350"    | .600"     | 3B2M / 4B2M *   |
| 2000 | Taylor Made 360 Ti Driver         | Taylor Made Bubble UL                  | Fujikura              | R80, S90    | 70-72     | .405"    | .810"     | 3B2M / 4B2M (SADW) *                                  |
| 2000 | Supersteel Metalwoods             | Bubble Graphite                        | HST                   | R80, S90    | 75        | .405"    | .810"     | 3B3M / 4B3M (SADW) *                                  |
| 2000 | Supersteel Metalwoods             | Steel Shafts                           | Royal Precision       | R80, S90    |           | .405"    | .600"     | 3B2M / 4B2M (SADW) *                                  |
| 2000 | Supersteel Irons                  | Bubble Graphite                        | HST                   | R80, S90    |           | .395"    | .810"     | 3B3H / 4B3H (SADI) *                                  |
| 2000 | Supersteel Irons                  | Precision Rifle                        | Royal Precision       | R80         | 115       | .395"    | .600"     | RP-Rifle 4.5 - 3B2M (SADI) *                          |
| 2000 | Firesole Woods (Stainless)        | Precision Rifle                        | Royal Precision       | R80         | 115       | .395"    | .600"     | RP-Rifle 4.5 - 3B2M (SADW) *                          |
| 2000 | Rescue Wood                       | Precision Rifle                        | Royal Precision       | R80, S90    |           | .395"    | .600"     | 3B2M / 4B2M (SADW) *                                  |
| 2000 | Rescue Wood                       | Bubble Graphite                        | HST                   | R80, S90    |           | .395"    | .810"     | 3B3M / 4B3M (SADW) *                                  |
| 2001 | Taylor Made 300 Fairway Woods     | Taylor Made Tour                       | Fujikura              | R80, S90    | 76-78     | .350"    | .600"     | 3B2M / 4B2M *   |
| 2002 | Taylor Made 200 Series Metalwoods | Lite Graphite                          | Fujikura              | R80,S90     | 63,65     | .350"    | .600"     | 3B2M / 4B2M *   |
| 2002 | Taylor Made 200 Series Metalwoods | Rifle                                  | Royal Precision       | R80,S90     | 111       | .350"    | .600"     | 3B2M / 4B2M *   |
| 2002 | Taylor Made 200 Series Irons      | Lite Graphite                          |                       | M,R,S       |           | .370"    | .600"     | 2B2M / 3B2M / 4B2M                                    |
| 2002 | Taylor Made 200 Series Irons      | Steel                                  |                       | M,R,S       |           | .370"    | .600"     | 2B2M / 3B2M / 4B2M                                    |
| 2002 | "Retro" Spoon & Raylor            | HM-40 Tour Gold                        | Aldila                | R,S,X       | 93-98     | .335"    | .600"     | 3B1H / 4B1H / 5B1H                                    |
| Year | Club Model                        | Shaft Description                      | Shaft Manufacture     | Flex        | Shaft Wt. | Tip. Dia | Butt Dia. | Replacement Shaft / MPF Code                          |
| 2002 | "Retro" Spoon & Raylor            | Dynamic Gold                           | True Temper           | R3,S3,X1    | 122-120   | .335"    | .600"     | TT-Dynamic Gold - 3C1M / 4C1M / 5C1M                  |
| 2002 | 300 Forged Irons                  | Tour Flighted Rifle                    | Royal Precision       | 5.0,6.0,6.5 | 109-115   | .355"    | .600"     | RP Tour Flighted Rifle Taper Tip - 3B2M / 4B2M / 5B1M |
| 2002 | 320 Irons                         | Lite Flighted Constant Weight Graphite |                       | M,R,S,TS    |           | .370"    |           | 2B2M / 3B2M / 4B2M / 5B2M                             |
| 2002 | 320 Irons                         | Flighted Constant Weight Rifle         | Royal Precision       | R,S,TS      |           | .370"    | .600"     | RP Tour Flighted Rifle Taper Tip - 3B2M / 4B2M / 5B1M |
| 2002 | 360 Irons                         | Lite Flighted Constant Weight Graphite |                       | M,R,S,TS    |           | .370"    |           | 2B2M / 3B2M / 4B2M / 5B2M                             |
| 2002 | 360 Irons                         | Flighted Constant Weight Rifle         | Royal Precision       | R,S,TS      |           | .370"    | .600"     | RP Tour Flighted Rifle Taper Tip - 3B2M / 4B2M / 5B1M |
| 2002 | 300 Series Wedges                 | Lite Flighted Constant Weight Graphite |                       | M,R,S,TS    |           | .370"    |           | 2B2M / 3B2M / 4B2M / 5B2M                             |

Taylor Made

|             |                                 |                                  |                          |               |                  |                 |                  |   |
|-------------|---------------------------------|----------------------------------|--------------------------|---------------|------------------|-----------------|------------------|---|
| 2002        | 300 Series Wedges               | Flighted Constant Weight Rifle   | Royal Precision          | R,S,TS        |                  | .370"           | .600"            | RP Tour Flighted Rifle Taper Tip - 3B2M / 4B2M / 5B1M |
| 2002        | R510 Driver                     | M.A.S.2 - 75 Graphite            |                          | R,S,TS        | 75               | .350"           | .600"            | 3B2M / 4B2M / 5B2M *                                  |
| 2002        | R540 Driver                     | M.A.S.2 - 70 Graphite            |                          | M,R,S,TS      | 70               | .350"           | .600"            | 2B2M / 3B2M / 4B2M / 5B2M *                           |
| 2002        | R540 Driver                     | M.A.S.2 - 70 Graphite            |                          | L             | 70               | .350"           | .600"            | 1D3S *  |
| 2002        | R580 Driver                     | M.A.S.2 - 60 Graphite            |                          | M,R,S,TS      | 60               | .350"           | .700"            | 2B2M / 3B2M / 4B2M / 5B2M *                           |
| 2002        | R580 Driver                     | M.A.S.2 - 60 Graphite            |                          | L             | 60               | .350"           | .700"            | 1D3S *  |
| 2002        | RAC Wedges                      | Dynamic Gold                     | True Temper              | Wedge         | 130              | .355"           | .600"            | TT-Dynamic Gold S300 Taper Tip - 4C1M                 |
| 2002        | RAC Irons                       | Taylor Made Ultralite Graphite   |                          |               | 70               | .370"           | .605"            | 3B2M  |
| 2003        | R580 Fairway Woods              | M.A.S.2 - 60 Graphite            |                          | R,S           | 63 / 64          | .350"           | .700"            | 3B2M / 4B2M *   |
| 2003        | Burner 420 Driver               | Burner Lite                      |                          | M,R,S         | 63               | .350"           | .600"            | 2B2M / 3B2M / 4B2M *                                  |
| 2003        | R510 TP Driver (390cc)          | Speeder 757                      | Fujikura                 | R,S           | 75               | .335"           | .620"            | Fujikura Speeder 757 (Special Order) - 3B1H / 4B1H    |
| 2003        | V-Steel Fairway Woods           | M.A.S.2 - FW Graphite            |                          | L,M,R,S,TS    | 73               | .350"           | .600"            | 1B2M / 2B2M / 3B2M / 4B2M / 5B2M *                    |
| 2003        | V-Steel Fairway Woods           | Dynamic Gold Lite                | True Temper              | R3,S3,X1      | 102              | .350"           | .610"            | 3C1H / 4C1H / 5C1H *                                  |
| 2003        | Rescue Mid (Utility Wood)       | Taylor Made Ultralite Graphite   |                          | L,M,R,S       | 65               | .370"           | .600"            | 1B2M / 2B2M / 3B2M / 4B2M                             |
| 2003        | Rescue Mid (Utility Wood)       | Precision MicroTaper Steel       | Royal Precision          | R,S           | 100              | .370"           | .600"            | 3B2M / 4B2M   |
| 2003        | RAC OS Irons                    | Graphite                         |                          | R,S           |                  | .370"           | .600"            | 3B2M / 4B2M   |
| 2003        | RAC OS Irons                    | Rifle Steel                      | Royal Precision          | R80, S90      | 107 / 111        | .370"           | .600"            | Rifle 4.5 / 5.5 - 2B2M / 3.5B2M                       |
| 2003        | RAC LT Irons                    | Graphite                         |                          |               |                  | .370"           |                  | 3B2M / 4B2M   |
| 2003        | RAC LT Irons                    | Rifle Steel                      | Royal Precision          | 5.0, 5.5, 6.0 | 109 - 113        | .370"           | .600"            | RP Rifle 5.0 / 5.5 / 6.0 - 3B2M / 3.5B2M / 4B1M       |
| 2003        | RAC LT Irons                    | Rifle Steel                      | Royal Precision          | 6.5           | 115              | .370"           | .600"            | Rifle 6.5 - 5B1M                                      |
| 2003        | RAC MB Irons                    | Rifle Steel                      | Royal Precision          | 5.0, 5.5, 6.0 | 109 - 113        | .355"           | .600"            | RP Rifle 5.0 / 5.5 / 6.0 - 3B2M / 3.5B2M / 4B1M       |
| 2003        | R540XD Driver (400cc)           | M.A.S. 2 55                      |                          | M,R,S,X       | 55               | .350"           |                  | 2B2M / 3B2M / 4B2M / 5B2M *                           |
| 2003        | R580XD Driver (440cc)           | M.A.S. 2 65                      |                          | M,R,S,X       | 65               | .350"           |                  | 2B2M / 3B2M / 4B2M / 5B2M *                           |
| 2003        | R580XD TP Driver (440cc)        | Custom Shaft Options Available   |                          |               |                  | .335"           |                  | Custom Shaft Options Available                        |
| 2003        | RAC Combo Irons (CB)            | Dynamic Gold                     | True Temper              | S3, X1        | 130              | .355"           | .600"            | TT-Dynamic Gold Taper Tip - 4C1M / 5C1M               |
| 2003        | RAC Combo Irons (CB)            | Dynamic Gold                     | True Temper              | R3            | 127              | .355"           | .580"            | TT-Dynamic Gold Taper Tip - 3C1M                      |
| 2003        | Rescue Mid TP (Utility Wood)    | Dynamic Gold                     | True Temper              | S4, X1        | 131              | .355"           | .600"            | TT-Dynamic Gold Taper Tip - 4C1M / 5C1M               |
| 2003        | Rescue Mid TP (Utility Wood)    | Vista Pro 90                     | Fujikura                 | S,X           | 90               | .335"           | .600"            | 4B2M / 5B1M   |
| 2004        | R7 Quad Driver                  | M.A.S. 7-65                      |                          | R,S           | 65               | .350"           | .600"            | 3B2M / 4B2M *   |
| 2004        | R5 Dual Driver (Type D Draw)    | M.A.S.2 5-55                     |                          | M,R,S,TS      | 57               | .350"           | .600"            | 2B2M / 3B2M / 4B2M / 5B1M *                           |
| 2004        | R5 Dual Driver (Type N Neutral) | M.A.S.2 5-65                     |                          | M,R,S,TS      | 63               | .350"           | .600"            | 2B2M / 3B2M / 4B2M / 5B1M *                           |
| 2005        | R5 TP Driver                    | Custom Shaft Options Available   |                          |               |                  | .335"           |                  | Custom Shaft Options Available                        |
| 2004        | CGB Irons                       | Taylor Made Ascending Mass Grap. |                          | R,S           | 60-70            | .370"           |                  | 3B2M / 4B2M   |
| 2004        | CGB Irons                       | R7 T Step Ascending Mass Steel   |                          | R,S,          | 90-100-110       | .370"           |                  | 3B3H / 4B3H   |
| 2004        | TP Irons                        | Dynamic Gold                     | True Temper              | S300          | 127              | .355"           | .600"            | TT-Dyanmic Gold Taper Tip - 4C1M                      |
| 2004        | HT Irons                        | Graphite Shafts                  |                          |               |                  | .370"           |                  | 3B2M / 4B2M   |
| <b>Year</b> | <b>Club Model</b>               | <b>Shaft Description</b>         | <b>Shaft Manufacture</b> | <b>Flex</b>   | <b>Shaft Wt.</b> | <b>Tip. Dia</b> | <b>Butt Dia.</b> | <b>Replacement Shaft / MPF Code</b>                   |
| 2005        | R7 Quad TP Driver               | Custom Shaft Options Available   |                          |               |                  | .335"           |                  | Custom Shaft Options Available                        |
| 2005        | R7 HT Driver                    | 7-55 M.A.S.2                     |                          | R,S           | 56 / 57          | .350"           | .600"            | 3B2M / 4B2M *   |
| 2005        | R5 Dual Fairway Woods           | M.A.S.2 Graphite Fairway Shaft   |                          |               |                  | .350"           |                  | 3B2M / 4B2M *   |
| 2005        | RAC OS Irons (New 2005 Model)   | T-Step Ultralite Steel           |                          |               | 90               | .370"           |                  | 3B3H / 4B3H   |
| 2005        | RAC OS Irons (New 2005 Model)   | UG 65 Graphite                   |                          |               | 65               | .370"           |                  | 3B2M / 4B2M   |
| 2005        | Rescue Dual                     | Hybrid 65 Graphite               |                          | L,M,R,S       | 57-64            | .370"           | .600"            | 1B2M / 2B2M / 3B2M / 4B2M                             |
| 2005        | Rescue Dual                     | T-Step Ultralite Steel           |                          | R,S           | 88 / 91          | .370"           | .600"            | 3B3H / 4B3H   |
| 2005        | Rescue Dual TP                  | Mitsubishi Diamana H             | Mitsubishi Rayon         | R,S,X         | 81-85            | .355"           | .600"            | Aldila NV Hybrid 85 (Spec. Order taper tip)           |
| 2005        | Rescue Dual TP                  | Dynamic Gold                     | True Temper              | R300          | 127              | .355"           | .580"            | TT-Dynamic Gold Taper Tip - 3C1M                      |
| 2005        | Rescue Dual TP                  | Dynamic Gold                     | True Temper              | S3, X1        | 130              | .355"           | .600"            | TT-Dynamic Gold Taper Tip - 4C1M / 5C1M               |
| 2005        | R7 XD Irons                     | T-Step Ultralite Steel           |                          |               | 90               | .370"           |                  | 3B3H / 4B3H   |
| 2005        | R7 CGB MAX Irons                | T-Step Ascending Mass Steel      |                          |               |                  | .370"           |                  | 3B3H / 4B3H   |
| 2005        | R7 425 Driver                   | RE*AX 65 Graphite                | Fujikura                 | R, S          | 65               | .350"           | .600"            | 3B2M / 4B2M (BB9008) *                                |
| 2005        | R7 425 TP Driver                | RE*AX 55 TP Graphite             | Fujikura                 | R,S,X         | 55               | .335"           | .600"            | 3B1M / 4B1M / 5B1M                                    |
| 2005        | R7 425 TP Driver                | RE*AX 65 TP Graphite             | Fujikura                 | R,S,X         | 65               | .335"           | .600"            | 3B1M / 4B1M / 5B1M                                    |

Taylor Made

|             |                            |  |                          |             |                  |                 |                  |   |
|-------------|----------------------------|--|--------------------------|-------------|------------------|-----------------|------------------|---|
| 2005        | R7 425 TP Driver           | RE*AX 75 TP Graphite                     | Fujikura                 | R,S,X       | 75               | .335"           | .600"            | 3B1M / 4B1M / 5B1M                                    |
| 2006        | R7 460 Driver              | RE*AX 60 Graphite                        | Fujikura                 | M,R,S,X     | 56/58/65         | .350"           | .600"            | 2B2M / 3B2M / 4B2M / 5B2M (BB9008) *                  |
| 2006        | R7 460 TP Driver           | RE*AX 54 & RE*AX 60 Graphite             | Fujikura                 | X           | 54/64            | .335"           | .600"            | 5B2M  |
| 2006        | R7 460 Draw Driver         | RE*AX 55 Graphite                        | Fujikura                 | M           | 55               | .350"           | .600"            | 2B2M (BB9008) *                                       |
| 2006        | R7 460 Draw Driver         | RE*AX 55 Graphite                        | Fujikura                 | R,S         | 55               | .350"           | .600"            | 3B2M / 4B2M (BB9008) *                                |
| 2006        | R7 Steel Fairway Woods     | RE*AX 70 Graphite                        | Fujikura                 | M,R,S,X     | 74               | .350"           |                  | 2B2M / 3B2M / 4B2M / 5B2M (BB9008) *                  |
| 2006        | R7 Titanium Fairway Woods  | RE*AX 60 Graphite                        | Fujikura                 | M,R,S,X     | 56               | .350"           |                  | 2B2M / 3B2M / 4B2M / 5B2M (BB9008) *                  |
| 2006        | R7 TP Fairway Wood         | RE*AX 85 Graphite                        | Fujikura                 | R,S,X       | 82               | .335"           |                  | 3B1M / 4B1M / 5B1M                                    |
| 2006        | R7 SuperQuad Driver        | RE*AX 65 Graphite                        | Fujikura                 | M,R,S,X     | 65               | .350"           | .600"            | 2B2M / 3B2M / 4B2M / 5B2M (BB9008) *                  |
| 2006        | R7 SuperQuad TP Driver     | RE*AX 55 TP Graphite                     | Fujikura                 | R,S,X       | 55               | .335"           | .600"            | 3B1M / 4B1M / 5B1M                                    |
| 2006        | R7 SuperQuad TP Driver     | RE*AX 65 TP Graphite                     | Fujikura                 | R,S,X       | 65               | .335"           | .600"            | 3B1M / 4B1M / 5B1M                                    |
| 2006        | R7 SuperQuad TP Driver     | RE*AX 75 TP Graphite                     | Fujikura                 | R,S,X       | 75               | .335"           | .600"            | 3B1M / 4B1M / 5B1M                                    |
| 2006        | Burner Driver              | RE*AX 50 Graphite                        | Fujikura                 | M,R,S,X     | 50               | .350"           | .620"            | 2B2M / 3B2M / 4B2M / 5B2M (BB9008) *                  |
| 2006        | Burner TP Driver           | RE*AX Superfast TP 50                    | Fujikura                 | R,S,X       | 50               | .335"           | .600"            | 3B1M / 4B1M / 5B1M                                    |
| 2006        | R7 Draw Fairway Woods      | RE*AX 55 Graphite                        | Fujikura                 | M,R,S       | 55               | .350"           | .600"            | 2B2M / 3B2M / 4B2M (BB9008) *                         |
| 2006        | R7 Draw Rescue             | RE*AX 55 Graphite                        | Fujikura                 | M,R,S       | 59 - 64          | .370"           | .600"            | 2B2M / 3B2M / 4B2M                                    |
| 2006        | R7 Irons                   | T-Step Ultralite Steel                   |                          | M,R,S,X     | 90               | .370"           |                  | 2D3H / 3D3H / 4D3H                                    |
| 2006        | R7 Irons                   | RE*AX 65 Graphite                        | Fujikura                 | M,R,S,X     | 65               | .370"           |                  | 2D3S / 3D3S / 4D3S / 5B1M                             |
| 2006        | R7 TP Irons                | Dynamic Gold                             | True Temper              | S300        | 130              | .355"           | .600"            | TT-Dynamic Gold Taper Tip - 4C1M                      |
| 2006        | R7 Draw Irons              | T-Step Ultralite Steel                   | FST                      | M,R,S       | 90               | .370"           |                  | 2D3H / 3D3H / 4D3H                                    |
| 2006        | R7 Draw Irons              | RE*AX 55 Graphite                        | Fujikura                 | M,R,S       | 59 - 64          | .370"           | .600"            | 2B2M / 3B2M / 4B2M                                    |
| 2006        | RAC MB TP Irons            | Tour Flighted Rifle                      | Royal Precision          | 5.0/6.0/6.5 | 119 - 130        | .355"           | .600"            | RP Tour Flighted Rifle Taper Tip - 3B2M / 4B1M / 5B1M |
| 2006        | RAC Black TP Wedges        | Dynamic Gold                             | True Temper              | S300        | 130              | .355"           | .600"            | TT- Dynamic Gold Taper Tip - 4C1M                     |
| 2006        | RAC Satin TP Wedges        | Dynamic Gold                             | True Temper              | S300        | 130              | .355"           | .600"            | TT- Dynamic Gold Taper Tip - 4C1M                     |
| 2007        | Rescue Burner              | Re*Ax Superfast Graphite                 | Fujikura                 | M,R,S       | 66               | .370"           |                  | 2B2M / 3B2M / 4B2M                                    |
| 2007        | Rescue Burner              | T Step Steel                             |                          | M,R,S       | 90               | .370"           | .600"            | 2B3H / 3B3H / 4B3H                                    |
| 2007        | Rescue TP                  | RE*AX 85 Graphite                        | Fujikura                 | R,S,X       | 85               | .355"           |                  | 3B1H / 4B1H / 5B1H Taper Tip                          |
| 2007        | Rescue TP                  | Dynamic Gold Steel                       | True Temper              | R300        | 127              | .355"           | .580"            | TT Dynamic Gold Taper Tip - 3C1M                      |
| <b>Year</b> | <b>Club Model</b>          | <b>Shaft Description</b>                 | <b>Shaft Manufacture</b> | <b>Flex</b> | <b>Shaft Wt.</b> | <b>Tip. Dia</b> | <b>Butt Dia.</b> | <b>Replacement Shaft / MPF Code</b>                   |
| 2007        | Rescue TP                  | Dynamic Gold Steel                       | True Temper              | S300, X100  | 130              | .355"           | .600"            | TT Dynamic Gold Taper Tip - 4C1M / 5C1M               |
| 2007        | R7 CGB Max Driver          | Re*Ax SF 45 Graphite                     | Mitsubishi Rayon         |             | 45               | .350"           |                  | 2D2S / 3B2S / 4B2S *                                  |
| 2008        | R7 CGB Max Limited Driver  | Taylor Made Interchangeable Shaft System |                          |             |                  | .350"           | .600"            |   |
| 2008        | Tour Burner Driver         | RE*AX Superfast 60 Graphite              | Fujikura                 | R,S,X       | 60               | .350"           |                  | 3B2M / 4B2H / 5B2H (BB9008) *                         |
| 2008        | Tour Burner TP Driver      | Custom Shaft Options Available           |                          | R,S,X       |                  | .335"           |                  |   |
| 2008        | R7 CGB Max Driver          | RE*AX SF 45 Graphite                     | Mitsubishi Rayon         |             | 45               | .350"           |                  | 2D2S / 3B2S / 4B2S (BB9008) *                         |
| 2008        | R7 CGB Max Fairway Woods   | RE*AX SF 45 Graphite                     | Mitsubishi Rayon         |             | 45               | .350"           |                  | 2D2S / 3B2S / 4B2S (BB9008) *                         |
| 2008        | Burner Steel Fairway Woods | RE*AX 50 Fairway Graphite                |                          |             | 50               | .350"           |                  | 2B2M / 3B2M / 4B2M (BB9008) *                         |
| 2008        | Burner TP Fairway Woods    | RE*AX SF TP 75 Graphite                  |                          |             | 75               | .335"           | .600"            | 3B2M / 4B2M   |
| 2008        | R7 CGB Max Rescue          | RE*AX Superfast 55 Graphite              | Mitsubishi Rayon         | M,R,S       | 55               | .370"           | .600"            | 2D3S / 3D3S / 4D3S                                    |
| 2008        | Tour Burner Irons          | RE*AX 65 Graphite                        | Fujikura                 | R,S,X       | 65               | .370"           |                  | 3B2M / 4B2M / 5B2M                                    |
| 2008        | Tour Burner Irons          | Burner Steel                             |                          |             | 105              | .370"           |                  | 3B3H / 4B3H   |
| 2008        | R7 CGB Max Irons           | RE*AX Superfast 55 Graphite              |                          |             | 55               | .370"           |                  | 2D3S / 3D3S / 4D3S                                    |
| 2008        | Z TP Wedges                | Dynamic Gold                             | True Temper              | Wedge       | 127              | .355"           | .600"            | TT Dynamic Gold Taper Tip - 4C1M                      |
| 2008        | R7 Limited Driver          | Matrix Ozik XCON 5.5 Graphite            | MCC                      | A,R,S       | 60               | .350"           | .600"            |   |
| 2008        | Burner High Launch Fairway | RE*AX 70 Fairway Graphite                |                          | M,R,S       | 74               | .350"           | .600"            | 2B2M / 3B2M / 4B2M (BB9008) *                         |
| 2008        | Burner Tour Launch Fairway | RE*AX 70 Fairway Graphite                |                          | M,R,S       | 74               | .350"           | .600"            | 2B2M / 3B2M / 4B2M (BB9008) *                         |
| 2008        | Burner Rescue High Launch  | RE*AX SF 60 Graphite                     |                          | M,R,S       | 60               | .370"           | .600"            | 2D3S / 3D3S / 4D2S                                    |
| 2008        | Burner Rescue High Launch  | RE*AX SF 85 H Graphite                   |                          | R,S,X       | 90               | .355"           | .600"            | 3B2H / 4B2H / 5B2H (.355" Taper Tip)                  |
| 2008        | Burner Rescue Tour Launch  | RE*AX SF 60 Graphite                     |                          | M,R,S       | 60               | .370"           | .600"            | 2D3S / 3D3S / 4D2S                                    |
| 2008        | Burner Rescue Tour Launch  | RE*AX SF 85 H Graphite                   |                          | R,S,X       | 90               | .355"           | .600"            | 3B2H / 4B2H / 5B2H (.355" Taper Tip)                  |
| 2008        | TP MB Irons                | Rifle Tour Flighted Steel                | Royal Precision          | 6           | 120              | .355"           | .600"            | RP Rifle Tour Flighted 6.0 taper tip - 4B2M           |
| 2008        | Burner Plus Irons          | Burner Superfast 85 Steel                |                          | R,S         | 85               | .370"           | .600"            | 3B3H / 4B3H   |

Taylor Made

| 2008 | Burner Plus Irons                     | Burner Superfast 60 Graphite |                   | M,R,S       | 60        | .370"   | .600"     | 2B3H / 3B3H / 4B3H                             |
|------|---------------------------------------|------------------------------|-------------------|-------------|-----------|---------|-----------|--|
| 2008 | Tour Preferred Irons                  | Dynamic Gold Steel           | True Temper       | R300        | 127       | .355"   | .600"     | TT Dynamic Gold R300 taper tip - 3C1M          |
| 2008 | Tour Preferred Irons                  | Dynamic Gold Steel           | True Temper       | S3, X1      | 130       | .355"   | .600"     | TT Dynamic Gold S3, X1 taper tip - 4C1M / 5C1M |
| 2008 | TP MB Irons                           | Rifle Tour Flighted Steel    | Royal Precision   | 6.0         | 120       | .355"   | .600"     | RP Rifle Tour Flighted 6.0 taper tip - 4B2M    |
| 2008 | TP MB Smoke Irons                     | Rifle Tour Flighted Steel    | Royal Precision   | 6.0         | 120       | .355"   | .600"     | RP Rifle Tour Flighted 6.0 taper tip - 4B2M    |
| 2009 | R9 Driver                             | Motore Graphite              | Fujikura          | M,R,S,X     | 65        | .350"   | .600"     | 2B2M / 3B2M / 4B2M / 5B2M **                   |
| 2009 | R9 TP Driver                          | Motore F1 Graphite           | Fujikura          | R,S,X       | 65        | .335"   | .610"     | 3B2M / 4B2M / 5B2M **                          |
| 2009 | R9 460 Driver                         | Motore Graphite              | Fujikura          | M,R,S,X     | 65        | .335"   | .600"     | 2B2M / 3B2M / 4B2M / 5B2M **                   |
| 2009 | R9 460 TP Driver                      | Motore F1 Graphite           | Fujikura          | R,S,X       | 65        | .335"   | .600"     | 3B2M / 4B2M / 5B2M **                          |
| 2009 | R9 Fairway Woods                      | Motore 70 Graphite           | Fujikura          | R,S,X       | 73        | .335"   | .600"     | 3B2M / 4B2M / 5B2M **                          |
| 2009 | R9 TP Fairway Woods                   | Motore F1 65 Graphite        | Fujikura          | R,S,X       | 65        | .335"   | .610"     | 3B2M / 4B2M / 5B2M **                          |
| 2009 | R9 Hybrid                             | RE*AX 65                     | Adila             | M,R,S       | 64        | .370"   | .600"     | 2B2M / 3B2M / 4B2M                             |
| 2009 | R9 TP Hybrid                          | Project X                    | Royal Precision   | 5.5/6.0/6.5 | 115 - 130 | .355"   | .600"     | RP Project X taper tip - 3.5B1m / 4B1M / 5B1M  |
| 2009 | Burner Irons                          | Superfast 85 Steel           |                   | R,S         | 85        | .370"   | .600"     | 3B3H / 4B3H                                    |
| 2009 | Burner Irons                          | Superfast 65 Graphite        |                   | M,R,S       | 65        | .370"   | .600"     | 2B3H / 3B3H / 4B3H                             |
| 2010 | R9 Irons                              | KBS Tour Parallel Tip Steel  | FST               | R,S         | 120 - 133 | .370"   | .600"     | KBS Tour Parallel Tip - 3B2H / 4C2H            |
| 2010 | R9 TP Irons                           | KBS Tour Taper Tip Steel     | FST               | R,S,X       | 110 - 130 | .355"   | .600"     | KBS Tour Taper Tip - 3B2H / 4B1H / 5C1H        |
| 2010 | XFT Wedge                             | Hi-Rev Wedge                 | FST               | S           | 120       | .355"   | .600"     | FST Hi-Rev Wedge - 4B2H                        |
| 2010 | R9 Supertri Driver                    | Motore 60 Graphite           | Fujikura          | M,R,S,X     | 59        | .350"   | .600"     | 2B2M / 3B2M / 4B2M / 5B2M **                   |
| 2010 | R9 Supertri TP Driver                 | Motore 65 Graphite           | Fujikura          | R,S,X       | 65        | .335"   | .610"     | 3B2M / 4B2M / 5B2M **                          |
| Year | Club Model                            | Shaft Description            | Shaft Manufacture | Flex        | Shaft Wt. | Tip Dia | Butt Dia. | Replacement Shaft / MPF Code                   |
| 2010 | Burner Superfast Driver               | Matrix Xcon 4.8 Graphite     | MCC               | M,R,S,X     | 47        | .350"   | .620"     | 2B2M / 3B2M / 4B2M / 5B2M                      |
| 2010 | Burner High Launch Rescue Hybrid      | RE*AX 85 Steel               |                   | R,S         | 85        | .370"   | .600"     | 3B3H / 4B3H                                    |
| 2010 | Burner Super Launch Rescue            | RE*AX 60 Graphite            |                   | M,R,S       | 60        | .370"   | .600"     | 2B2M / 3B2M / 4B2M                             |
| 2011 | R11 Driver                            | Blur 60 Graphite             | Fujikura          | MR,S,X      | 60        | .350"   | .600"     | 2B2M / 3B2M / 4B2M / 5B2M                      |
| 2011 | R11 TP Driver                         | Blur 65 Graphite             | Fujikura          | R,S         | 63        | .335"   | .600"     | 3B1M / 4B1M                                    |
| 2011 | R11 TP Driver                         | Blur 65 Graphite             | Fujikura          | X           | 64        | .335"   | .605"     | 5B1M   |
| 2011 | R11 Fairway Woods                     | Blur 70 Graphite             | Fujikura          | M,R,S,X     | 57/59     | .350"   | .600"     | 2B2M / 3B2M / 4B2M / 5B2M                      |
| 2011 | R11 TP Fairway Woods                  | Motore F3 Graphite           | Fujikura          | R,S,X       | 80        | .335"   | .600"     | 3B2M / 4B2M / 5B2M                             |
| 2011 | Burner Superfast 2.0 Driver           | Matrix Xcon 4.8 Graphite     | MCC               | X           | 46        | .350"   | .620"     | 5B2M   |
| 2011 | Burner Superfast 2.0 Driver           | Matrix Xcon 4.8 Graphite     | MCC               | R,S         | 45        | .350"   | .620"     | 3B2M / 4B2M                                    |
| 2011 | Burner Superfast 2.0 Driver           | Matrix Xcon 4.8 Graphite     | MCC               | M           | 44        | .350"   | .620"     | 2B2M   |
| 2011 | Burner Superfast 2.0 Driver           | Matrix Xcon 4.8 Graphite     | MCC               | L           | 44        | .350"   | .600"     | 1B2M   |
| 2011 | Burner Superfast 2.0 TP Driver        | Matrix Xcon 5 Graphite       | MCC               | R           | 56        | .335"   | .600"     | 3B2M   |
| 2011 | Burner Superfast 2.0 TP Driver        | Matrix HD6 Graphite          | MCC               | S,X         | 65        | .335"   | .615"     | 4B2H / 5B2H                                    |
| 2011 | Burner Superfast 2.0 Fairway Woods    | Matrix Xcon 4.8 Graphite     | MCC               | X           | 46        | .350"   | .620"     | 5B2M   |
| 2011 | Burner Superfast 2.0 Fairway Woods    | Matrix Xcon 4.8 Graphite     | MCC               | R,S         | 45        | .350"   | .620"     | 3B2M / 4B2M                                    |
| 2011 | Burner Superfast 2.0 Fairway Woods    | Matrix Xcon 4.8 Graphite     | MCC               | M           | 44        | .350"   | .620"     | 2B2M   |
| 2011 | Burner Superfast 2.0 Fairway Woods    | Matrix Xcon 4.8 Graphite     | MCC               | L           | 44        | .350"   | .600"     | 1B2M   |
| 2011 | Burner Superfast 2.0 TP Fairway Woods | Matrix HD6 Graphite          | MCC               | S,X         | 65        | .335"   | .615"     | 4B2H / 5B2H                                    |
| 2011 | Rescue 11                             | RIP 65 Graphite              | Aldila            | R,S         | 65        | .370"   | .610"     | 3B2H / 4B2H                                    |
| 2011 | Rescue 11 TP                          | RIP 85 HB Graphite           | Aldila            | R,S,X       | 85        | .355"   | .615"     | 3B1H / 4B1H                                    |
| 2011 | Burner Superfast 2.0 Rescue           | RE*AX SL 60 Graphite         |                   | R,S         | 60        | .370"   | .600"     | 3B3H / 4B3H                                    |
| 2011 | Burner 2.0 Irons                      | Burner 2.0 85 Steel          |                   | R,S         | 85        | .370"   | .600"     | 3B3H / 4B3H                                    |
| 2011 | Burner 2.0 Irons                      | RE*AX Superfast 65 Graphite  |                   | M,R,S       | 65        | .370"   | .600"     | 3B3H / 4B3H                                    |
| 2011 | Tour Preferred MB Irons               | Dyanmic Gold Steel           | True Temper       | R300        | 127       | .355"   | .580"     | TT Dynamic Gold R300 taper tip - 3C1M          |
| 2011 | Tour Preferred MB Irons               | Dyanmic Gold Steel           | True Temper       | S3, X1      | 130       | .355"   | .600"     | TT Dynamic Gold S3, X1 taper tip - 4C1M / 5C1M |
| 2011 | Tour Preferred MC Irons               | Dyanmic Gold Steel           | True Temper       | R300        | 127       | .355"   | .580"     | TT Dynamic Gold R300 taper tip - 3C1M          |
| 2011 | Tour Preferred MC Irons               | Dyanmic Gold Steel           | True Temper       | S3, X1      | 130       | .355"   | .600"     | TT Dynamic Gold S3, X1 taper tip - 4C1M / 5C1M |
| 2011 | Tour Preferred CB Irons               | Dynamic Gold XP Steel        | True Temper       | R3, S3, X1  | 110 - 115 | .355"   | .600"     | 3B2H / 4B2H / 5B2H                             |
| 2011 | Tour Preferred CB Irons               | TP 90 Graphite               | Fujikura          | R,S         | 84, 90    | .355"   | .600"     | 3B2M / 4B2M                                    |
| 2011 | R11 Irons                             | KBS Tour 90 Steel            | FST               | R,S         | 95 - 100  | .370"   | .600"     | KBS Tour 90 - 3B2H / 4B1H                      |

Taylor Made

|             |   |                                     |                          |             |                  |                |                  |                                       |
|-------------|---|-------------------------------------|--------------------------|-------------|------------------|----------------|------------------|---------------------------------------|
| 2011        | R11 Irons                                 | Motore Graphite                     | Fujikura                 | M,R,S       | 55 - 75          | .370"          | .610"            | 2B2M / 3B2M / 4B2M                    |
| 2012        | R11S Driver                               | RIP Phenom 60 Graphite              | Aldila                   | M,R,S,X     | 60               | .350"          |                  | 2B2M / 3B2M / 4B2M / 5B2M             |
| 2012        | R11S Fairway Woods                        | RIP Phenom 70 Graphite              | Aldila                   | M,R,S,X     | 72               | .350"          |                  | 2B2M / 3B2M / 4B2H / 5B2H             |
| 2012        | R11S TP Fairway Woods                     | RIP Phenom 80 Graphite              | Aldila                   | R,S,X       | 85               | .335"          |                  | 3B1M / 4B1M / 5B1M                    |
| 2012        | R11S TP Driver                            | RIP Phenom 65 Graphite              | Aldila                   | R,S,X       | 58 / 63 / 68     | .335"          |                  | 3B2M / 4B2M / 5B2M                    |
| 2012        | RocketBallz Driver                        | RIP Phenom 60 Graphite              | Aldila                   | M,R,S,X     | 60               | .350"          |                  | 2B2M / 3B2M / 4B2M                    |
| 2012        | RocketBallz Fairway Woods                 | Xcon 5 Graphite                     | Matrix                   | M,R,S,X     | 45               | .350"          |                  | 2B2M / 3B2M / 4B2M                    |
| 2012        | RocketBallz Rescue                        | RBZ Graphite                        |                          | M,R,S       | 65               | .370"          |                  | 2D3H / 3B3H / 4B3H                    |
| 2012        | RocketBallz Tour Driver                   | Xcon 6 or HD6 Graphite              | Matrix                   | R,S,X       | 67               | .350"          |                  | 3B2M / 4B2M / 5B2M                    |
| 2012        | RocketBallz Tour Fairway Woods            | Xcon 7 or RUL 70 Graphite           | Matrix                   | R,S,X       | 76               | .335"          |                  | 3B2H / 4B2H / 5B2H                    |
| 2012        | RocketBallz Tour Rescue                   | RE*AX 85 HB Graphite                |                          | R,S,X       | 85               | .355"          | .600"            | 3B2H / 4B2H / 5B2H                    |
| 2012        | RocketBallz Tour TP Driver                | Xcon 6 or HD6 Graphite              | Matrix                   | R,S,X       | 67               | .335"          |                  | 3B2M / 4B2M / 5B2H                    |
| <b>Year</b> | <b>Club Model</b>                         | <b>Shaft Description</b>            | <b>Shaft Manufacture</b> | <b>Flex</b> | <b>Shaft Wt.</b> | <b>Tip Dia</b> | <b>Butt Dia.</b> | <b>Replacement Shaft / MPF Code</b>   |
| 2012        | RocketBallz Tour TP Fairway Woods         | Xcon 7 or RUL 70 Graphite           | Matrix                   | R,S,X       | 73               | .335"          |                  | 3B2H / 4B2H / 5B2H                    |
| 2012        | RocketBallz Tour TP Rescue                | Altus 85 Hybrid graphite            | Matrix                   | R,S,X       | 87               | .355"          | .600"            | 3B2M / 4B2H / 5B2H                    |
| 2012        | RocketBallz Irons                         | RBZ Steel                           |                          | R,S         | 106              | .370"          | .600"            | 3B2M / 4B2M                           |
| 2012        | RocketBallz Irons                         | RBZ 65 Graphite                     |                          | L,A,R,S     | 65               | .370"          | .600"            | 1D3M / 2D3M / 3B3M / 4B3M             |
| 2012        | RocketBallz Max Irons                     | KBS Satin 90 Steel                  | FST                      | R,S         | 90               | .370"          | .600"            | 3B2H / 4B2H                           |
| 2012        | RocketBallz Max Irons                     | Matrix Program 55 Graphite          | Matrix                   | M,R,S       | 55               | .370"          | .610"            | 1D3M / 2D3M / 3B3M / 4B3M             |
| 2012        | ATV Wedge                                 | KBS Tour Steel                      | FST                      | Wedge       | 130              | .355"          | .600"            | 4B2H                                  |
| 2013        | Rocketbladez Irons                        | Rocketfuel 85 Flighted Steel        | FST                      | R, S        | 85               | .370"          | .600"            | 3D3H / 4B3H                           |
| 2013        | Rocketbladez Irons                        | Rocketfuel 65 Graphite              |                          | M,R,S       | 65               | .370"          | .600"            | 2D3H / 3B3H / 4B3H                    |
| 2013        | Rocketbladez Irons Women's                | Rocketfuel 45 Graphite              |                          | L           | 45               | .370"          | .600"            | 1D3H                                  |
| 2013        | Rocketbladez Tour Irons                   | KBS Tour Steel                      | FST                      | R,S,X       | 130              | .355"          | .600"            | KBS Tour taper tip 3B3H / 4B2H / 5C2H |
| 2013        | R1 Driver                                 | RIP Phenom Graphite                 | Aldila                   | R,S,X       | 55               | .350"          |                  | Aldila RIP Phenom 3B2S / 4B2M / 5B2M  |
| 2013        | R1 TP Driver                              |                                     |                          | R,S,X       |                  | .335"          |                  |                                       |
| 2013        | Rocketballz Stage 2 Driver                | Rocket Fuel 50 Graphite             | Fujikura                 | M,R,S,X     | 49 - 53          | .350"          | .620"            | 2B2M / 3B2M / 4B2M                    |
| 2013        | Rocketballz Stage 2 Fairway Woods         | Matrix Rocketfuel 50 Graphite       | Matrix                   | M,R,S,X     | 55 - 61          | .350"          | .620"            | 2B2M / 3B2M / 4B2M                    |
| 2013        | Rocketballz Stage 2 Tour Driver           | Matrix 6Q3 Graphite                 | Matrix                   | R,S,X       | 58 - 60          | .350"          | .600"            | 3B2M / 4B2M / 5B1M                    |
| 2013        | Rocketballz Stage 2 Tour Fairway Woods    | Matrix Rocketfuel 70 Graphite       | Matrix                   | R,S,X       | 68 - 72          | .335"          | .600"            | 3B2M / 4B2M / 5B1H                    |
| 2013        | Rocketballz Stage 2 TP Driver             | Matrix 7Q3 TP Graphite              | Matrix                   | R,S,X       | 70 - 74          | .335"          | .600"            | 3B2H / 4B2H / 5B2H                    |
| 2013        | Rocketballz Stage 2 Tour TP Fairway Woods | Matrix RUL 80 Graphite              | Matrix                   | R,S,X       | 78 - 82          | .335"          | .600"            | 3B2H / 4B1H / 5B1H                    |
| 2013        | Rocketballz Stage 2 Rescue                | Matrix Rocketfuel 65 Graphite       | Matrix                   | M,R,S       | 61 - 62          | .370"          | .600"            | 2B2M / 3B2M / 4B2H                    |
| 2013        | Rocketballz Stage 2 Tour Rescue           | Matrix Rocketfuel 80 Graphite       | Matrix                   | R,S,X       | 78 - 82          | .370"          | .600"            | 3B2M / 4B2M / 5B2M                    |
| 2013        | Rocketballz Stage 2 Tour TP Rescue        | Matrix Altus 85 Graphite            | Matrix                   | S,X         | 81 - 85          | .370"          | .600"            | 4B1H / 5B1H                           |
| 2013        | Rocketbladz Max Irons                     | Matrix Program 55 Graphite          | Matrix                   | M,R,S       | 55               | .370"          | .600"            | 2D3M / 3B3M / 4B3M                    |
| 2013        | Rocketballz HP Irons                      | RBZ Steel 85 Steel                  | FST                      | R,S         | 85               | .370"          | .600"            | 3B2M / 4B2M                           |
| 2013        | R1 Black Driver                           | RIP Phenom 55 Graphite              | Aldila                   | M,R,S,X     | 53-61            | .350"          | .600"            | 3B2S / 4B2M / 5B2M                    |
| 2013        | R1 Black TP Driver                        | RIP Phenom 65 Graphite              | Aldila                   | R,S,X       | 65               | .335"          | .600"            | 3B2M / 4B2M / 5B2M                    |
| 2013        | SLDR Driver                               | Speeder 57 Graphite                 | Fujikura                 | R,S,X       | 58               | .350"          | .620"            | 3B2M / 4B2M / 5B2M                    |
| 2013        | SLDR TP Driver                            | Motore Speeder TS 6.3 (TP) Graphite | Fujikura                 | R,S,X       | 65               | .335"          | .600"            | 3B2H / 4B2H / 5B2H                    |
| 2013        | SLDR Fairway Woods                        | Speeder 77 Graphite                 | Fujikura                 | R,S,X       | 70               | .350"          | .600"            | 3B2M / 4B2M / 5B2M                    |
| 2013        | SLDR TP Fairway Woods                     | Motore Speeder TS 8.3 (TP) Graphite | Fujikura                 | R,S,X       | 80               | .335"          | .600"            | 3B2H / 4B2H / 5B2H                    |
| 2013        | SLDR Rescue Hybrids                       | Speeder 82 Graphite                 | Fujikura                 | R,S,X       | 80               | .370"          | .600"            | 3B2M / 4B2M / 5B2M                    |
| 2013        | SLDR Rescue Hybrids                       | Motore Speeder TS 9.3 (TP) Graphite | Fujikura                 | S,X         | 83               | .370"          | .600"            | 4B2H / 5B2H                           |
| 2013        | SpeedBlade Irons                          | SpeedBlade 85 Steel                 | FST                      | R,S         | 85               | .370"          | .600"            | 3B3H / 4B3H                           |
| 2013        | SpeedBlade Irons                          | Velox T Graphite                    | Matrix                   | M,R,S       | 55,65,75         | .370"          | .610"            | 2B2M / 3B2M / 4B2M                    |
| 2014        | Jet Speed Driver                          | Velox T 49 Graphite                 | Matrix                   | M,R,S,X     | 48 - 53          | .350"          | .620"            | 2B2M / 3B2M / 4B2M                    |
| 2014        | Jet Speed TP Driver                       | Velox SP 60 (TP) Graphite           | Matrix                   | R,S,X       | 58 - 62          | .335"          | .600"            | 3B1M / 4B1M / 5B1M                    |
| 2014        | Jet Speed Fairway Woods                   | Velox T 69 Graphite                 | Matrix                   | M,R,S,X     | 66 - 72          | .350"          | .620"            | 2B2M / 3B2M / 4B2M / 5B2M             |
| 2014        | Jet Speed Rescue Hybrid                   | Velox T 55 M, 65 R, 75 S            | Matrix                   | M,R,X       | 55, 65,75        | .370"          | .600"            | 2B2M / 3B2M / 4B2M                    |
| 2014        | Tour Preferred MC Irons                   | KBS Tour Steel                      | FST                      | R,S,X       | 110 - 130        | .355"          | .600"            | KBS Tour 3B2H / 4B1H / 5C1H           |

Taylor Made

|             |  |   |                          |             |                  |                |                  |  |
|-------------|--|---|--------------------------|-------------|------------------|----------------|------------------|--|
| 2014        | Tour Preferred MB Irons                | KBS Tour Steel  | FST                      | R,S,X       | 110 - 130        | .355"          | .600"            | KBS Tour 3B2H / 4B1H / 5C1H              |
| 2014        | Tour Preferred CB Irons                | KBS Tour Steel  | FST                      | R,S,X       | 110 - 130        | .355"          | .600"            | KBS Tour 3B2H / 4B1H / 5C1H              |
| 2014        | SLDR Mini Driver                       | Speeder 57 Graphite   | Fujikura                 | M,R,S       | 54               | .350"          | .600"            | 2B2M / 3B2M / 4B2M                       |
| 2014        | SLDR Mini TP Driver                    | Motore Speeder TS 7.3 Graphite  | Fujikura                 | M,S,X       | 70               | .335"          | .600"            | 3B2H / 4B2H / 5B2H                       |
| <b>Year</b> | <b>Club Model</b>                      | <b>Shaft Description</b>  | <b>Shaft Manufacture</b> | <b>Flex</b> | <b>Shaft Wt.</b> | <b>Tip Dia</b> | <b>Butt Dia.</b> | <b>Replacement Shaft / MPF Code</b>      |
| 2014        | SLDR White Driver                      | Speeder 57 Graphite   | Fujikura                 | M,R,S,X     | 53 - 61          | .350"          | .620"            | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2014        | SLDR S Driver                          | Speeder 57 Graphite   | Fujikura                 | M,R,S,X     | 53 - 61          | .350"          | .620"            | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2014        | SLDR S Fairway Woods                   | Speeder 65 Graphite   | Fujikura                 | M,R,S,X     | 67 - 72          | .350"          | .620"            | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2014        | SLDR S Hybrids                         | Speeder 72 Graphite   | Fujikura                 | M,R,S       | 64 - 67          | .370"          | .600"            | 2B2M / 3B2M / 4B2M                       |
| 2014        | SLDR Irons                             | KBS C-Taper 90 Steel  | FST                      | R,S         | 90               | .370"          | .600"            | 3B2H / 4B1H                              |
| 2014        | SLDR Irons                             | SLDR Graphite   | Fujikura                 | M,R,S       | 57 67 77         | .370"          |                  | 2B2M / 3B2M                              |
| 2014        | Tour Preferred Wedge                   | KBS Tour V Wedge  | FST                      | Wedge       | 110              | .355"          | .600"            | KBS Tour V taper tip 4B1H                |
| 2014        | Tour Preferred ATV Grind Wedge         | KBS Tour V Wedge  | FST                      | Wedge       | 110              | .355"          | .600"            | KBS Tour V taper tip 4B1H                |
| 2014        | UDI Iron                               | KBS Tour C-taper Lite Steel   | FST                      | R,S,X       | 105 - 115        | .355"          | .600"            | KBS Tour C-taper Lite 3B2H / 4B1H / 5B1H |
| 2014        | UDI Iron                               | <i>Taylor Made made the UDI in both .355" taper and .370" parallel hosel bores.</i> |                          |             |                  |                | .370"            |  |
| 2014        | Rsi 1 Irons                            | REAX Steel  | FST                      | R,S         | 90, 95           | .370"          | .600"            | 3B2M / 4B2M                              |
| 2014        | Rsi 1 Irons                            | REAX Graphite   |                          | L,M,R,S     | 55 - 75          | .370"          |                  | 1D3M / 2D2M / 3B2M / 4B2M                |
| 2014        | Rsi 2 Irons                            | KBS 105 Steel   | FST                      | R,S         | 100, 105         | .370"          | .600"            | 3B2H / 4B1H                              |
| 2014        | Rsi 2 Irons                            | Program F15 Graphite  | Matrix                   | R,S         | 77, 79           | .370"          | .600"            | 3B2M / 4B2M                              |
| 2014        | Rsi TP Irons                           | KBS Tour Steel  | FST                      | R,S,X       | 110 - 130        | .355"          | .600"            | KBS Tour taper tip 3B2H / 4B1H / 5C1H    |
| 2015        | Rsi Ladies Irons                       | REAX Graphite   |                          | L           | 45               | .370"          |                  | 1D3S                                     |
| 2015        | R15 Driver (White & Black finishes)    | Speeder 57 Evolution graphite   | Fujikura                 | M,R,S,X     | 57               | .335"          |                  | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2015        | R15 430 Driver                         | Speeder 67 Evolution graphite   | Fujikura                 | R,S,X       | 67               | .335"          |                  | 3B2M / 4B2M / 5B2M                       |
| 2015        | R15 Fairway Woods                      | Speeder 67 Evolution graphite   | Fujikura                 | M,R,S,X     | 67               | .335"          |                  | 3B2M / 4B2M / 5B2M                       |
| 2015        | R15 Rescue                             | Speeder 77 Evolution graphite   | Fujikura                 | R,S,X       | 77               | .370"          |                  | 3B2M / 4B2M / 5B2M                       |
| 2015        | R15 TP Driver (White & Black finishes) | Speeder 661 Evolution TS graphite   | Fujikura                 | R,S,X       |                  | .335"          |                  | 3B2M / 4B2M / 5B2M                       |
| 2015        | R15 430 TP Driver                      | Speeder 661 Evolution TS graphite   | Fujikura                 | R,S,X       |                  | .335"          |                  | 3B2M / 4B2M / 5B2M                       |
| 2015        | R15 TP Fairway Woods                   | Speeder 757 Evolution TS graphite   | Fujikura                 | R,S,X       |                  | .335"          |                  | 3B2H / 4B2H / 5B2H                       |
| 2015        | R15 TP Rescue                          | Speeder 869 Evolution TS graphite   | Fujikura                 | R,S,X       |                  | .370"          |                  | 3B1M / 4B1M / 5B1M                       |
| 2015        | AeroBurner Driver                      | Speed RUL-Z50 graphite  | Matrix                   | M,R,S,X     | 50               | .350"          |                  | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2015        | AeroBurner Fairway Woods               | Speed RUL-Z60 graphite  | Matrix                   | R,S,X       | 60               | .350"          |                  | 3B2M / 4B2M / 5B2M                       |
| 2015        | AeroBurner Rescue                      | Speed RUL-Z70 graphite  | Matrix                   | M,R,S,X     | 70               | .370"          |                  | 3B2M / 4B2M / 5B2M                       |
| 2015        | AeroBurner TP Driver                   | OZIK White Tie 60X4 graphite  | Matrix                   | R,S,X       | 60               | .335"          |                  | 3B3M / 4B3M / 5B2M                       |
| 2015        | AeroBurner TP Mini Driver              | OZIK White Tie 70X4 graphite  | Matrix                   | R,S,X       | 70               | .335"          |                  | 3B3M / 4B3M / 5B2M                       |
| 2015        | AeroBurner TP Fairway Woods            | OZIK White Tie 70X4 graphite  | Matrix                   | M,S,X       | 70               | .335"          |                  | 3B3M / 4B3M / 5B2M                       |
| 2015        | AeroBurner TP Rescue                   | OZIK White Tie HX4 graphite   | Matrix                   | R,S,X       |                  | .370"          |                  | 3B3M / 4B3M / 5B2M                       |
| 2015        | AeroBurner Irons                       | REAX 88 HL Steel  | FST                      | R,S         | 88               | .370"          | .600"            | 3B3H / 4B3H                              |
| 2015        | AeroBurner Irons                       | REAX 60 Graphite  |                          | A,R,S       | 60               | .370"          |                  | 2B2M / 3B2M / 4B2M                       |
| 2015        | Tour Preferred EF Wedge                | KBS Tour Wedge Steel  | FST                      | Wedge       | 125              | .355"          | .600"            | KBS Tour Wedge 4B1H                      |
| 2015        | M1 Driver                              | Pro 60 Graphite   | Fujikura                 | M,R,S,X     | 60,64,65,68      | .335"          | .620"            | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2015        | M1 430 Driver                          | Pro 60 Graphite   | Fujikura                 | M,R,S,X     | 60,64,65,68      | .335"          | .620"            | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2015        | M1 Fairway Woods                       | Pro 70 Graphite   | Fujikura                 | M,R,S,X     | 71,74,75,77      | .335"          | .600"            | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2015        | M1 Rescue                              | Pro 80 Graphite   | Fujikura                 | M,R,S,X     | 79,84,86,87      | .370"          | .600"            | 2B2M / 3B2M / 4B2M / 5B2M                |
| 2015        | Psi Irons                              | KBS 105 Steel   | FST                      | R,S         | 100, 105         | .370"          | .600"            | 3B2H / 4B1H                              |
| 2015        | Psi Tour Irons                         | Dynamic Gold Steel  | True Temper              | S300        | 130              | .355"          | .600"            | TT Dynamic Gold - 4C1M                   |
| 2016        | M2 Driver                              | Fujikura Pro 50 graphite  | Fujikura                 | M,R         | 50               | .335"          | .602"            | Fujikura Pro 50 - 2B1M / 3B1M            |
| 2016        | M2 Driver                              | Fujikura Pro 60 graphite  | Fujikura                 | S,X         | 60               | .335"          | .610"            | Fujikura Pro 60 - 4B1M / 5B1M            |
| 2016        | M2 Fairway Woods                       | TM REAX 65 graphite   |                          | R,S,X       | 65               | .335"          |                  | 3B2M, 4B2M, 5B2M                         |
| 2016        | M2 Rescue                              | TM REAX 55, 65 & 75 graphite  |                          | M,R,S       | 55, 65, 75       | .370"          |                  | 2B2M / 3B2M / 4B2M                       |
| 2016        | M2 Irons                               | REAX 88SL steel   |                          | R,S         | 88               | .370"          |                  | 3B3H / 4B3H                              |
| 2016        | M2 Irons                               | TM REAX 55, 65 & 75 graphite  |                          | M,R,S       | 55, 65, 75       | .370"          |                  | 2B2M / 3B2M / 4B2M                       |
| 2016        | M2 Tour Irons                          | XP 95 steel   | True Temper              | R3, S3      | 98, 100          | .370"          | .605"            | TT XP 95 - 3B3H / 4B3H                   |

Taylor Made

|  |                              |                                     |                  |            |                |       |       |   |
|--|------------------------------|-------------------------------------|------------------|------------|----------------|-------|-------|---|
| 2016   | M1 Driver Special Edition    | Speeder Evolution TS 661 graphite   | Fujikura         | R,S        |                | .335" |       |   |
| 2017   | M1 Driver (2017 Model)       | Pro XRL8 56 graphite                | Fujikura         | A,R,S,X    |                | .335" |       |   |
| 2017   | M1 440 Driver (2017 Model)   | Pro XRL8 56 graphite                | Fujikura         | A,R,S,X    |                | .335" |       | Numerous Stock Graphite Options                     |
| 2017   | M1 Fairway Woods (2017)      | Kuro Kage Silver TiNi 70FW graphite | Mitsubishi Rayon | R,S,X      | 70             | .335" |       | 3B2M / 4B2M / 5B2M                                  |
| 2017   | M1 Rescue (2017 Model)       | Kuro Kage Silver 80HY graphite      | Mitsubishi Rayon | R,S,X      | 80             | .370" |       | 3B2M / 4B2M / 5B2M                                  |
| 2017   | M2 Driver (2017 Model)       | Pro XRL8 56 graphite                | Fujikura         | A,R,S,X    |                | .335" |       | 2B2M / 3B2M / 4B2M / 5B2M                           |
| 2017   | M2 D-Type Driver             | MFS5 White Tie 55 graphite          | Matrix           | A,R,S      | 55             | .335" |       | 2B3M / 3B3M / 4B2M                                  |
| 2017   | M2 Fairway Woods (2017)      | REAX 55 & 65 graphite               |                  | A,R,S,X    | 55, 65         | .335" |       | 2B3M / 3B3M / 4B2M / 5B2M                           |
| 2017   | M2 Tour Fairway Woods (2017) | Kuro Kage TiNi 70FW graphite        | Mitsubishi Rayon | R,S,X      | 70             | .335" |       | 3B2M / 4B2M / 5B2M                                  |
| 2017   | M2 Rescue (2017 Model)       | REAX 45,55,65,75 graphite           |                  | L,A,R,S    | 45,55,65,75    | .370" |       | 2B2M / 3B2M / 4B2M                                  |
| 2017   | M1 Irons (2017 Model)        | XP 95 steel                         | True Temper      | R,S        | 98,100         | .370" | .605" | TT XP 95 - 3B3H / 4B3H                              |
| 2017   | M2 Irons (2017 Model)        | REAX 88 HL Steel                    | FST              | R,S        | 88             | .370" |       | 3B3H / 4B3H   |
| 2017   | Milled Grind Wedges          | Dynamic Gold Steel                  | True Temper      | Wedge      | 127            | .355" | .600" | TT Dynamic Gold S300 - 4C1H                         |
| 2017   | P790 Irons                   | Dynamic Gold 105 Steel              | True Temper      | R3, S3     | 101, 103       | .355" | .600" | TT Dynamic Gold 105                                 |
| 2017   | P770 Irons                   | KBS Tour FLT Steel                  | FST              | S,X        | 110, 120       | .355" | .600" | KBS Tour FLT - 3B2H / 4B1H                          |
| 2017   | P750 Tour Proto Irons        | Dynamic Gold Steel                  | True Temper      | S3, X1     | 127,130        | .355" | .600" | TT Dynamic Gold - 4C1H / 5C1H                       |
| 2017   | P730 Forged Irons            | Dynamic Gold Steel                  | True Temper      | S300       | 130            | .355" | .600" | TT Dynamic Gold - 4C1M                              |
| 2017   | M CGB Ironos                 | N.S. Pro 840 Steel                  | Nippon           | R,S        | 82, 84         | .370" | .600" | 3B3H / 4B2H   |
| 2017   | M CGB Ironos                 | Recoil 460ES Graphite               | UST Mamiya       | F2,F3,F4   | 65             | .370" | .600" | UST Recoil 460ES 2B2M / 3B2M / 4B2M                 |
| 2017   | M2 L.I.F.T.                  | Hrzdus Black Graphite               | Project X        |            |                | .355" |       |   |
| 2018   | M3 Driver                    | Tensei Blue 60 Graphite             | Mitsubishi Rayon | R,S,X      | 64, 67, 70     | .335" |       | Mitsubishi Tensei CK Blue 60 3B2M / 4B2M / 5B2M     |
| 2018   | M3 440 Driver                | Tensei Blue 60 Graphite             | Mitsubishi Rayon | R,S,X      | 64, 67, 70     | .335" |       | Mitsubishi Tensei CK Blue 60 3B2M / 4B2M / 5B2M     |
| 2018   | M3 Fairway Woods             | Tensei Blue 65 Graphite             | Mitsubishi Rayon | R,S,X      | 63, 66, 68     | .335" |       | Mitsubishi Tensei CK Blue 60 3B2M / 4B2M / 5B2M     |
| 2018   | M3 Rescue                    | Tensei Blue 70 Graphite             | Mitsubishi Rayon | A,R        | 70, 75         | .370" |       | Mitsubishi Tensei CK Blue Hybrid 2B2M / 3B2M / 4B2M |
| 2018   | M3 Rescue                    | Tensei Blue 80 Graphite             | Mitsubishi Rayon | S,X        | 79, 82         | .370" |       | Mitsubishi Tensei CK Blue Hybrid 2B2M / 3B2M / 4B2M |
| 2018   | M4 Driver                    | Atmos Red 5 Graphite                | Fujikura         | A,R,S      | 53, 54, 55     | .335" |       | Fujikura Atmos Red 5 2.5D3S / 3D2S / 4B2S           |
| 2018   | M4 D-Type Driver             | Platinum White Tie MFS5 55 Graphite | Matrix           | R,S        | 55, 57         | .335" |       | 3D3M / 4B3M   |
| 2018   | M4 Fairway Woods             | Atmos Red 5 Fairway Graphite        | Fujikura         | A,R        | 54, 55         | .335" |       | 3B2M / 4B2M   |
| 2018   | M4 Fairway Woods             | Atmos Red 6 Fairway Graphite        | Fujikura         | S,X        | 65, 67         | .335" |       | 3B2M / 4B2M   |
| 2018   | M4 Tour Fairway Woods        | Tensei Blue 65 Graphite             | Mitsubishi Rayon | A,R,S      | 63, 66, 68     | .335" |       | 2B2S / 3B2M / 4B2M                                  |
| 2018   | M4 Resuce                    | Atmos Red Graphite                  | Fujikura         | A,R,S      | 61, 72.5, 83   | .370" |       | 2D3M / 3B3H / 4B2H                                  |
| 2018   | M4 Women's Driver            | Taylor Made Tuned 45 Graphite       |                  | L          | 59.7           | .370" |       | 1D3M  |
| 2018   | M4 D-Type Women's Driver     | Platinum White Tie MFS5 45 Graphite | Matrix           | L, A       | 48, 49         | .370" |       | 1D3S / 2D3S   |
| 2018   | M4 Women's Fairway Woods     | Taylor Made Tuned 45 Graphite       |                  | L          | 59.7           | .370" |       | 1D3M  |
| 2018   | M4 Ladies Rescue             | Taylor Made Tuned 45 Graphite       |                  | L          | 59.7           | .370" |       | 1D3M  |
| 2018   | M3 Irons                     | XP 100 Steel                        | True Temper      | R300, S300 | 105, 107       | .370" |       | TT XP 100 3B3H / 4B3H                               |
| 2018   | M3 Irons                     | Tensei Blue Graphite Iron           | Mitsubishi Rayon | A,R,S      | 74, 77, 80     | .370" |       | 2D3H / 3B3H / 4B2H                                  |
| 2018   | M4 Irons                     | KBS Max 85 Steel                    | FST (KBS)        | R,S        | 108            | .370" | .600" | KBS Max 80 3B3H / 4B3H                              |
| 2018   | M4 Irons                     | Atmos Red Graphite Iron             | Fujikura         | A,R,S      | 61, 72.5, 83   | .370" |       | 2D3M / 3B3H / 4B2H                                  |
| 2018   | P790 UDI Irons               | Hrzdus 85 Graphite Iron             | Project X        | R,S,X      | 85             | .355" |       | 3B1H / 4C1H   |
| 2018   | Milled Grind Hi-Toe Wedges   | Hi-Rev 2.0 Wedge Steel              | FST (KBS)        | Wedge      | 115            | .355" | .600" | KBS Hi Rev 2.0 Wedge 3B3H / 4B3H / 5B3H             |
| 2018   | M3 Wedges                    | XP 100 Steel                        | True Temper      | R300, S300 | 105, 107       | .370" |       | TT XP 100 3B3H / 4B3H                               |
| 2018   | M4 Wedges                    | KBS Max 85 Steel                    | FST (KBS)        | R,S        | 108            | .370" | .600" | KBS Max 80 3B3H / 4B3H                              |
| 2018   | GARP LO Hybrid Iron          | KBS Hybrid Graphite                 | FST (KBS)        | A,R,S,X    | 70, 77, 81, 82 | .370" |       | 2B2H / 3B2H / 4B2H / 5B2H                           |
| 2018   | GARP MID Hybrid Iron         | KBS Hybrid Graphite                 | FST (KBS)        | A,R,S,X    | 70, 77, 81, 82 | .370" |       | 2B2H / 3B2H / 4B2H / 5B2H                           |
| 2018   | GARP HI Hybrid               | KBS Hybrid Graphite                 | FST (KBS)        | A,R,S,X    | 70, 77, 81, 82 | .370" |       | 2B2H / 3B2H / 4B2H / 5B2H                           |
| 2018   | P790 Black Irons             | Dynamic Gold 105 Black Steel        | True Temper      | R3, S3, X1 | 101, 103, 105  | .355" | .600" | TT Dynamic Gold 105 3B1H / 4B1H / 5B1H              |
| 2018   | P760 Irons                   | Dynamic Gold 120 Steel              | True Temper      | R3, S3, X1 | 116, 118, 120  | .355" | .600" | TT Dynamic Gold 120 3B1H / 4C1H / 5C1H              |
|  |                              |                                     |                  |            |                |       |       |   |
|  |                              |                                     |                  |            |                |       |       |   |
|  |                              |                                     |                  |            |                |       |       |   |
|  |                              |                                     |                  |            |                |       |       |   |
| * A Shim or Adaptor Ferrule will be needed if using a .335" tip diameter shaft into the .350" hosel bore |                              |                                     |                  |            |                |       |       |   |
| ** An R9 Adaptor could be used for shaft replacement   |                              |                                     |                  |            |                |       |       |   |

Taylor Made

|          |  |  |  |  |  |  |  |  |
|----------|--|--|--|--|--|--|--|--|
|          |  |  |  |  |  |  |  |  |
|          |  |  |  |  |  |  |  |  |
| 10/18/18 |  |  |  |  |  |  |  |  |
|          |  |  |  |  |  |  |  |  |