Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.	Closest Replacement Shaft
1996	Midsize Irons	Firestick-Steel	True Temper	2.8	122	.370"	.600"	Dynamic Gold S300 - 4C1M
1996	Midsize RM Irons	Firestick-Steel	True Temper	2.8	120	.370"	.600"	Dynamic Gold S300 - 4C1M
1996	Progressive Irons	Firestick-Steel	True Temper	2.8	123	.370"	.600"	Dynamic Gold S300 - 4C1M
1996	Ultra System-45 Irons	Firestick-Steel	True Temper	3.5	117	.370"	.600"	Dynalite Gold R300 - 3C1M
1997	FS Wilson Staff Irons	Fat Shaft Graphite	True Temper	R	84	.500"	.610"	***(Return to Wilson)***
1997	FS Wilson Staff Irons	Fat Shaft Steel	True Temper	S	110	.500"	.600"	***(Return to Wilson)***
1997	P.S. Oversize Irons	Carbon Fiber Graphite	Carbon Fiber	R	79	.370"	.600"	3B2S
1997	Staff Oversize Irons	Re-flex Graphite	Carbon Fiber	R	79	.370"	.610"	3B2S
1997	Invex Woods	Firestick 4.5	UST	L	75	.335"	.590"	1D3S
1997	Invex Woods	Firestick 4.0	Aldila	4.0	87	.335"	.605"	3B2S
1997	Invex Woods	Firestick 3.5	Aldila	3.5	90	.335"	.605"	3B3M
1997	Invex Woods	Firestick 2.8	Aldila	2.8	93	.335"	.605"	4B3M
1997	Invex Woods	Firestick 2.0	Aldila	2.0	92	.335"	.605"	5B2M
1997	Invex Woods	Firestick 4.5 Steel	True Temper	4.5	109	.335"	.600"	3B2M
1997	Invex Woods	Firestick 4.0 Steel	True Temper	4.0	110	.335"	.600"	4B2M
1997	Invex Woods	Firestick 3.5 Steel	True Temper	3.5	122	.335"	.600"	3B2M
1997	Invex Woods	Firestick 2.0 Steel	True Temper	2.0	118	.335"	.600"	4B2M
1997	Invex Woods	Steel Gold Label 2.8	True Temper	2.8	124	.335"	.600"	4C1H
1997	Invex Woods	Steel Silver Label 2.8	True Temper	2.8	125	.335"	.600"	5C1H
1997	Invex Ti Woods	UST-Firestick 2.8	UST	2.8	75	.335"	.605"	4B2M
1997	Invex Ti Woods	UST-Firestick 3.5	UST	3.5	75	.335"	.605"	3B2M
1998	FS Wilson Staff Irons	Fat Shaft	True Temper	S	85	.500"	.600"	***(Return to Wilson)***
1998	FS Wilson Staff Midsize Irons	Fat Shaft	Apollo/True Temper	S	121	.500"	.600"	***(Return to Wilson)***
1998	Staff Midsize RM Irons	Firestick-Steel	True Temper	3.5	100	.355"	.600"	3B2M - Taper Tip
1999	FSTi 33cm2 AHA	Fat Shaft by True Temper	True Temper	Lite	68	.500"	.610"	***(Return to Wilson)***
1999	FSTi 33cm2 AHA	Fat Shaft by True Temper	True Temper	S	74	.500"	.610"	***(Return to Wilson)***
1998	Staff Ti	UST-Firestick 3.5	UST	3.5	71	.335"	.605"	3B2M
2002	Fat Shaft Robert Mandrella Series					.450"		***(Return to Wilson)***
2002	Fat Shaft Robert Mandrella Series Wedges					.450"		***(Return to Wilson)***
2002	Deep Red Woods	ProLite Hyper Carbon Graphite	Grafalloy	A,R,S,X	67	.495"	.600"	***(Return to Wilson)***
2002	Deep Red Irons	Fat Shaft Tri-Ply Graphite	UST	A,R,S,X	87	.540"	.610"	***(Return to Wilson)***
2002	Deep Red Irons	Fat Shaft "Fluid Feel" Steel	True Temper	A,R,S,X		.705"	.600"	***(Return to Wilson)***
2002	Deep Red Beta Ti Woods	Fat Shaft HypProlite	Grafalloy	R	67	.495"	.600"	***(Return to Wilson)***
2003	Deep Red II Tour Driver	Grafalloy ProLite +	Grafalloy	R,S	67	.350"	.600'	Grafalloy ProLite 35+ (SHIM 15)*
2003	Deep Red II Distance Driver	Grafalloy ProLite + Fat Shaft	Grafalloy	R,S	65	.428"	.600"	***(Return to Wilson)***
2003	Deep Red 305cc Driver	Grafalloy ProLite Fat Shaft	Grafalloy	R,S		.480"	.600"	***(Return to Wilson)***
2003	Deep Red 365cc Driver	Grafalloy ProLite Fat Shaft	Grafalloy	R,S	60	.480"	.600"	***(Return to Wilson)***
2003	Deep Red 425cc Driver	Grafalloy ProLite Fat Shaft	Grafalloy	R,S	60	.480"	.600"	***(Return to Wilson)***
2003	Deep Red Fairway Woods	Grafalloy ProLite Fat Shaft	Grafalloy	R,S	68	.480"	.600"	***(Return to Wilson)***
2003	Deep Red II Tour Fairway Woods	Grafalloy ProLite + Fat Shaft	Grafalloy	R,S	78	.350"	.600"	Grafalloy ProLite 35+ (SHIM 15)*
2003	Deep Red II Distance Fairway Woods	Grafalloy ProLite + Fat Shaft	Grafalloy	R,S	77	.428"	.600"	***(Return to Wilson)***
2003	Deep Red Irons	Tri-Ply Graphite Shaft		A,R,S		.535"	.600"	***(Return to Wilson)***
2003	Deep Red Irons	Fluid Feel Steel Fat Shaft		A,R,S		.500"	.600"	***(Return to Wilson)***
2003	Deep Red II Tour Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold S3, X1 Taper Tip - 4C1M / 5C1M
2003	Deep Red II Tour Irons	Dynamic Gold	True Temper	R3	127	.355"	.580"	TT-Dynamic Gold R3 Taper Tip - 3C1M
2003	Dyna-Power Wedges	Dynamic Gold	True Temper	S2 - S4	130	.355"	.600"	TT-Dynamic Gold Taper Tip - 4C1M
Year	**Club Model**	**Shaft Description**	**Shaft Manufacture**	**Flex**	**Shaft Wt.**	**Tip Dia.**	**Butt Dia.**	**Closest Replacement Shaft**

2004	Deep Red II Max	Grafalloy ProLite Max	Grafalloy	A,R,S,X	65	.428"		***(Return to Wilson)***
2005	Fi5 Forged Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R3 Taper Tip - 3C1M
2005	FI5 Forged Irons	Dynamic Gold	True Temper	S300 / X100	130	.355"	.600"	TT-Dynamic Gold S3, X1Taper Tip - 4C1M / 5C1M
2005	Pi5 Performance Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R3 Taper Tip - 3C1M
2005	Pi5 Performance Irons	Dynamic Gold	True Temper	S300 / X100	130	.355"	.600"	TT-Dynamic Gold S3, X1 Taper Tip - 4C1M / 5C1M
2005	Di5 Distance Irons	Taper Tech Steel	True Temper	R,S	108-112	.370"		3B3H / 4B3H
2005	Di5 Distance Irons	Nano Tech Graphite	UST	R,S	72-79	.370"		3B2M / 4B2M
2005	Tour Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S3 Taper Tip - 4C1M
2005	Pd5 Driver	Nano Tech Graphite	Grafalloy	R,S	66-72	.350"		3B2M / 4B2M (SHIM 15)*
2005	Dd5 Driver	Nano Tech Graphite	Grafalloy			.428"		***(Return to Wilson)***
2005	FwC Composite Fairway Woods	Nano Tech Graphite		RL,R,S,X	73-79	.350"		3B2M / 4B2M (SHIM 15)*
2005	Hb5 Hybrid Utility Clubs	Nano Tech Graphite		R,S,X	75-79	.370"		3B3H / 4B3H / 5B3H
2005	Hb5 Hybrid Utility Clubs	Taper-Tech HB		RL,R,S,X	108-112	.370"		3B3H / 4B3H / 5B3H
2006	Di7 Distance Irons	ProForce V2	UST		77	.370"		3B2M / 4B2M
2006	Di7 Irons	TX Lightweight	True Temper		110			***(Return to Wilson)***
2006	Dd6 Driver	NVS DL 65 Graphite	Aldila	R,S	65	.350"		Aldila NVS 65 (.350" tip) - 3B2M / 4B2M
2006	Df6 Fairway Woods	NVS DL 75 Graphite	Aldila	R,S	75	.350"		Aldila NVS 75 (.350" tip) - 3B2M / 4B2M
2006	Dh6 Hybrids	NVS DL 85 Hybrid Graphite	Aldila	R,S	85	.350"		Aldila NVS 85 Hybrid (.350" tip) - 3B2H / 4B2H
2006	Fw6 Wedges	Dynamic Gold	True Temper	S300	130	.335"	.600"	TT-Dynamic Gold S3 Taper Tip - 4C1M
2007	Fybrid Hybrid	ProForce V2	UST	A,R,S	66	.370"		UST ProForce V2 Hybrid - 2B2H / 3B2H / 4B2H
2007	Spine Driver	ProForce V2 HMOI Graphite	UST	RL,R,S	61	.350"	.603"	2B2M / 3B2M / 4B2M
2009	Spine Fairway Woods	V2 HMOI	UST	RL,R,S	61	.350"	.600"	2B2M / 3B2M / 4B2M
2009	Smooth Driver	E150 Graphite	Fujikura	R2	55	.350"	.600"	Fujikura E150 (Shim 15)* - 2B1M / 3D3M / 4B3M
2009	Smooth Driver	E160 Graphite	Fujikura	R	65	.350"	.600"	Fujikura E160 (Shim 15)* - 2D3M / 3B2M / 4B2H
2009	Smooth Driver	E360 Graphite	Fujikura	R,S	68 / 71	.350"	.600"	Fujikura E360 (Special Order)
2009	Di9 Irons	TX 99	True Temper	Uniflex	99	.450"	.600"	***(Return to Wilson)***
2009	Di9 Irons	ProForce V2	UST	Uniflex	72	.500"	.600"	***(Return to Wilson)***
2009	Ci7 Control Irons	TX 105 Steel	True Temper	R,S	105	.370"	.600"	TT Dynalite Gold SL - 3C1M / 4C1M
2009	FG59 Irons	Dynamic Gold SL	True Temper	S300	106	.355"	.600"	TT Dynamic Gold SL S3 Taper Tip - 4C1M
2009	Tw9 Tour Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT Dynamic Gold SL S3 Taper Tip - 4C1M
2010	FG Tour Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 Taper Tip
2010	FG Tour Irons	Dynamic Gold	True Temper	S300	130	.355"	.580"	TT Dynamic Gold S300 Taper Tip
2010	Ci9 Irons	SS105 Stepless Steel	FST	R,S		.370"	.600"	3D3H / 4B2H
2010	D-Fy Combo Set	Half + Half Graphite / Steel		Uniflex	76	.370"		***(Return to Wilson)***
2011	Dxi Driver	VooDoo SVS6 Graphite	Aldila	R,S	66	.350"		3B1M / 4B1M
2011	DxI Fairway Woods	VooDoo SVS7 Graphite	Aldila	R,S	75	.350"		3B1M / 4B1M
2011	Dxi Hybrids	VooDoo SVS8 Hybrid Graphite	Aldila	Lite, R,S	80	.370"		2B2M / 3B2M / 4B2M
2011	FG62 Irons	Dyanmic Gold Steel	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 Taper Tip - 3C1M
2011	FG62 Irons	Dyanmic Gold Steel	True Temper	S300 / X100	130	.355"	.580"	TT Dynamic Gold S3 & X1Taper Tip - 4C1M / 5C1M
2011	FG Tour Wedges	Dynamic Gold Steel	True Temper	Wedge	130	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2011	Dxi Superlite Driver	Ozik Xcon 4.1	Matrix	R,S	48 - 50	.335"		3D3M / 4B2M
2011	Dxi Superlite Women's Driver	ProForce VTS Graphite	UST	L	48	.335"		1D3S
2012	FG Tour V2 Irons	KBS Tour	FST	R,S	110 - 120	.355"	.600"	KBS Tour taper tip 3B2H / 4B1H
2013	D100 Driver	Matrix Ozik HD4.1 Graphite	Matrix	A,R,S	45	.335"		2B2M / 3B2M / 4B2M
2013	D100 Fairway Woods	Matrix Ozik HD5.1 Graphite	Matrix	A,R,S	55	.335"		2B2M / 3B2M / 4B2M
2013	D100 Hybrids	Matrix Ozik Altus 5.6 Graphite	Matrix	A,R,S	60	.370"		2B2M / 3B2M / 4B2M
Year	**Club Model**	**Shaft Description**	**Shaft Manufacture**	**Flex**	**Shaft Wt.**	**Tip Dia.**	**Butt Dia.**	**Closest Replacement Shaft**
2013	D100 Irons	SL 85 Steel	True Temper	R,S	85	.370"	.600"	3B2H / 4B2H

2013	D100 Irons	Matrix Studio 6.1 Graphite	Matrix	A,R,S	65	.370"		2D3M / 3D3M / 4B2M
2014	FG Tour M3 Irons	Dynamic Gold XP Steel	True Temper	R3,S3,X1	110 - 120	.355"	.600"	3C1M / 4C1M / 5C1M
2014	FG Tour M3 Irons	RIP Phenom Graphite	Aldila	A,R,S	74 - 95	.355"		2B2M / 3B2M / 4B2M
2014	FG Tour Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 Taper Tip 3C1M
2014	FG Tour Irons	Dynamic Gold	True Temper	S300, X100	127 130	.355"	.600"	TT Dynamic Gold S300 & X100 Taper Tip 4C1M / 5C1M
2014	FG TC Tour Wedge	Dynamic Gold	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 taper tip 4C1M
2014	FG TC Tour Black Wedge	Dynamic Gold	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 taper tip 4C1M
2014	Staff C100 Irons	CL 100 Steel	True Temper	R,S	100	.370"		3B2H / 4B2H
2014	Staff C100 Irons	RIP Phenom Xi 75 Graphite	Aldila	A,R,S	75	.370"		2B2M / 3B2M / 4B2M
2014	Staff D100 ES Hybrid Irons	SL 85 Steel	True Temper	R,S	85	.370"	.600"	3B2H / 4B2H
2014	Staff D100 ES Hybrid Irons	Matrix Studio 6.1 Graphite	Matrix	A,R,S	65	.370"		2D3M / 3D3M / 4B2M
2014	Staff FG Tour M3 Driver	RIP Phenom Graphite	Aldila	R,S	49 52	.335"		3B2S / 4B2M
2014	Staff FG Tour M3 Fairway Woods	RIP Phenom 65 Graphite	Aldila	R,S	67	.335"		3B2M / 4B2M
2014	Staff FG Tour M3 Hybrids	RIP Phenom Hybrid Graphite	Aldila	R,S	82	.370"		Aldila RIP Phenom Hybrid 3B2H / 4B2H
2015	Staff D200 Driver	Elements Chrome Graphite	UST Mamiya	A,R,S	44	.335"		2D2S / 3B2S / 4B2S
2015	Staff D200 Fairway Woods	Elements Chrome Graphite	UST Mamiya	A,R,S	49	.335"		2D2S / 3B2S / 4B2S
2015	Staff D200 Hybrids	Elements Chrome Graphite	UST Mamiya	A,R,S	54	.370"		2B2M / 3B2M / 4B2M
2015	FG Tour V4 Utility Iron	Kuro Kage Black 90 Graphite	Mitsubishi Rayon	R,S,X	90	.370"		3B2H / 4B2H / 5B2H
2015	FG Tour TC Gun Blue PVD Wedges	Dynamic Gold Steel	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 taper tip 4C1M
2015	FG Tour 100 Irons	Dynamic Gold Steel	True Temper	S300, X100	130	.355"	.600"	TT Dynamic Golf S300, X100 taper tip - 4C1M / 5C1M
2015	FG Tour V4 Irons	Dynamic Gold DG Pro Steel	True Temper	S300, X100	122,129	.355"	.600"	TT Dynamic Gold DG Pro taper tip - flighted
2016	Staff C200 Irons	KBS Tour 90 Steel	FST	R,S	110, 120	.370"	.600"	KBS Tour 90 3B2H / 4B1H
2016	FG Tour F5 Irons	Dynamic Gold XP Steel	True Temper	R3,S3,X1	110, 115	.355"	.600"	3B2H / 4B2H
2016	FG Tour F5 Irons	Kuro Kage LBP 85 Graphite	Mitsubishi Rayon	R,S		.355"		3B2M / 4B2M
2016	FG Tour F5 Driver	Fubuki Z 50 Graphite	Mitsubishi Rayon	R,S	56, 58	.335"	.607", .615"	3B2M / 4B2M
2016	FG Tour F5 Hybrids	Fubuki Z 80 Graphite	Mitsubishi Rayon	R,S	80	.370"		3B1M / 4B1M / 5B1M
2017	Staff Triton DVD Driver	Rogue Silver 125 MSI 60 graphite	Aldila	R,S,X	60	.335"		Aldila Rogue Silver 3B1M / 4B1M / 5B1M
2017	D300 Driver	Speed Rulz A Type 44 graphite	Matrix	A,R,S		.335"		2D3S / 3D3S / 4B3S
2017	D300 Fairway Woods	Speed Rulz A Type 44 graphite	Matrix	A,R,S		.335"		2D3S / 3D3S / 4B3S
2017	D300 Hybrids	Speed Rulz A graphite	Matrix	A,R,S		.370"		2B2M / 3B2M / 4B2M
2017	Staff Triton DVD Driver	Rogue Silver 125 MSI 60 graphite	Aldila	R,S,X	60	.335"	.635"	Aldila Rogue Silver 3B1M / 4B1M / 5B1M
2017	D300 Driver	Speed Rulz A Type 44 graphite	Matrix	A,R,S		.335"		2D3S / 3D3S / 4B3S
2017	D300 Fairway Woods	Speed Rulz A Type 44 graphite	Matrix	A,R,S		.335"		2D3S / 3D3S / 4B3S
2017	D300 Hybrids	Speed Rulz A graphite	Matrix	A,R,S		.370"		2B2M / 3B2M / 4B2M
2018	Staff FG Tour V6 Irons	Dynamic Gold Pro Steel	True Temper	R3,S3,X1	progressive	.355"	.600"	TT Dynamic Gold Pro 3B2H / 4B2H / 5B2H
2018	Staff C300 Driver	Speeder Pro 58 Graphite	Fujikura	A,R,S,X	65,67,68,68	.335"		3D3M / 4B3M
2018	Staff C300 Fairway Woods	Speeder Pro 68 Graphite	Fujikura	A,R,S	68	.335"		3D3M / 4B3M
2018	Staff C300 Hybrids	Speeder Pro 78h Graphite	Fujikura	A,R,S	78	.370"		3B2M / 4B2M
2018	C300 Irons	KBS Tour 90 Steel	FST (KBS)	R,S		.355"	.600"	KBS Tour 90 3B2H / 4B1H
2018	Staff D350 Irons	SL 80 Steel	FST	R,S	80	.370"	.600"	3B3H / 4B3H
2018	Staff D350 Hybrids	Elements Chrome Graphite	UST	R,S		.370"		3B2M / 4B2M
2018	Staff Cortex Driver	Numerous Stock Graphite Options				.335"		
2018	Staff FG Tour PMP Raw Wedge	KBS Hi Rev 2.0 Steel	FST (KBS)	R,S,X	Wedge	.335"	.600"	KBS Hi Rev 2.0 4B3H
2018	Staff FG Tour PMP Oil Wedge	KBS Hi Rev 2.0 Steel	FST (KBS)	R,S,X	Wedge	.335"	.600"	KBS Hi Rev 2.0 4B3H
2019	Staff D7 Irons	KBS Tour 80 Steel	FST (KBS)	R,S	80	.370"	.600"	3B3H / 4B3H
Year	**Club Model**	**Shaft Description**	**Shaft Manufacture**	**Flex**	**Shaft Wt.**	**Tip Dia.**	**Butt Dia.**	**Closest Replacement Shaft**
2019	Staff D7 Driver	Helium Graphite	UST Mamiya	A,R,S	55, 59, 59	.335"	.590", .600"	UST Helium 40/50 2D2S / 3B2S / 4B2S
2019	Staff D7 Driver	Helium Graphite	UST Mamiya	A,R,S	55, 59, 59	.335"	.590", .600"	UST Helium 40/50 2D2S / 3B2S / 4B2S

Wilson

2019	Staff D7 Fairway Woods	Helium Graphite	UST Mamiya	A,R,S	55, 59, 59	.335"	.590", .600"	UST Helium 40/50 2D2S / 3B2S / 4B2S
2019	Staff D7 Hybrid	Recoil 460 Hybrid	UST Mamiya	A,R,S	66	.370"	.600"	UST Recoil ES Hybrid 2B2M / 3B2M / 4B2M
2019	Staff Utility Iron	KBS Hybrid graphite	FST (KBS)	R,S,X	70,80,80	.370"	.600"	3B2M / 4B2M
2020	Launch Pad Driver	Helium Graphite	UST Mamiya	A,R,S	54,58,59	.335"	.600"	UST Helium 40/50 2D2S / 3B2S / 4B2S
2020	Launch Pad Fairway Woods	Helium Graphite	UST Mamiya	A,R,S	54,58,59	.335"	.600"	UST Helium 40/50 2D2S / 3B2S / 4B2S
2020	Launch Pad Hybrids	Helium Graphite	UST Mamiya			.370"		
2020	Launch Pad Irons	Tour 80	FST (KBS)	R,S	80	.370"	.600"	3B3H / 4B3H
2020	Staff D7 Forged Irons	KBS $-Taper Lite Steel	FST (KBS)	R,S	95, 100	.355"	.600"	KBS $-Taper Lite 3B3H / 4B2H
2021	Staff Model CB Irons	Dynamic Gold Steel	True Temper	S300	130	.355"	.600"	TT Dynamic Gold 4C1M
2021	Staff Model Blades	Dynamic Gold Steel	True Temper	S300	130	.355"	.600"	TT Dynamic Gold 4C1M
A Shim or Adaptor Ferrule will be needed if using a .335" tip diameter shaft into the .350" hosel bore								
4/7/21								