

## Taylor Made

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
1996	Titanium Bubble Driver	Bubble Graphite	Aldila, Fujikura, HST	R80, S90	88	.335"	.810"	3B3M / 4B3M
1996	Oversize Burner Irons	Rifle	FM Precision	R80	123	.370"	.600"	FM Rifle 4.5 - 2B2M
1996	Oversize Burner Irons	Bubble L60+	Aldila, Fujikura, HST	L60+	78	.370"	.810"	1B2M
1996	Oversize Burner Irons	Bubble R80	Aldila, Fujikura, HST	R80	88	.370"	.810"	3B3M
1996	Oversize Burner Irons	Bubble S90	Aldila, Fujikura, HST	S90	101	.370"	.810"	4B3M
1997	Burner Bubble Woods	Bubble R80	Aldila, Fujikura, HST	R80	65-69	.335"	.810"	3B3M
1997	Burner Bubble Woods	Bubble S90	Aldila, Fujikura, HST	S90	78-82	.335"	.810"	4B3M
1997	Burner Bubble Woods	Bubble	Aldila, Fujikura, HST	Senior	70-75	.335"	.810"	2B2M
1997	Burner Bubble Irons	Bubble L60+	Aldila, Fujikura, HST	L60+	60-65	.370"	.810"	1B2M
1997	Tour Wedge	Wedge	FM Precision	Wedge	130	.370"	.600"	Royal Precision Rifle 6.5 - 5B1M
1998	Burner Bubble Woods	Bubble Graphite	Aldila, Fujikura, HST	TS100	60-65	.405"	.810"	3B3M / 4B3M *
1998	Ti Bubble II Woods	Bubble 2 R80	Aldila, Fujikura, HST	R80	76	.405"	.810"	3B2M *
1998	Ti Bubble II Woods	Bubble 2 S90	Aldila, Fujikura, HST	S90	82	.405"	.810"	4B2M *
1998	Burner Oversize Irons	Precision Rifle	Royal Precision	S90	125	.370"	.600"	Royal Precision Rifle 5.5 - 3.5B2M
1998	LCG Burner Irons	Precision Rifle	Royal Precision	S90	125	.370"	.600"	Royal Precision Rifle 5.5 - 3.5B2M
1998	LCG Burner Irons	Bubble 2	Aldila, Fujikura, HST	S90	109	.405"	.810"	4B3M (SADI) *
1998	LCG Burner Irons	Precision Rifle	Royal Precision	R80	112	.370"	.600"	FM Rifle 4.0 1B2M
1998	Ti Bubble Woods	Ti Bubble R80+	Aldila, Fujikura, HST	R80+	75	.335"	.810"	3B3M
1998	Ti Bubble Woods	Ti Bubble R90+	Aldila, Fujikura, HST	S90+	82	.335"	.810"	4B3M
1998	Bubble 2 Irons	Ti Bubble 2 Graphite	Aldila, Fujikura, HST	R80	77	.395"	.810"	3B3M (SADI) *
1998	Tour Bubble Irons	Bubble	Aldila, Fujikura, HST	R80	85	.395"	.810"	3B3M (SADI) *
1998	Tour Preferred Woods	Tour Gold	Aldila	R,S	94	.335"	.600"	3B1H / 4B1H
1998	Tour Preferred System 2 Woods	Flex Twist	Aldila	R,S	90	.335"	.600"	3B1H / 4B1H
1999	Firesole Titanium Woods	Bubble R-80	Aldila, Fujikura, HST	R80	75	.405"	.810"	3B3M (SADW) *
1999	Firesole Titanium Woods	Bubble S-90	Aldila, Fujikura, HST	S90	76	.405"	.810"	4B3M (SADW) *
1999	Firesole Irons	Bubble Graphite	Aldila, Fujikura, HST	R80, S90		.395"	.810"	3B3M / 4B3M (SADI) *
1999	Firesole Tour Irons	Dynamic Gold	True Temper	S300	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip - 4C1M
2000	Taylor Made 300 Ti Driver	Taylor Made Tour	Fujikura	R80, S90	70-72	.350"	.600"	3B2M / 4B2M *
2000	Taylor Made 320 Ti Driver	Taylor Made Tour	Fujikura	R80, S90	70-72	.350"	.600"	3B2M / 4B2M *
2000	Taylor Made 360 Ti Driver	Taylor Made Bubble UL	Fujikura	R80, S90	70-72	.405"	.810"	3B2M / 4B2M (SADW) *
2000	Supersteel Metalwoods	Bubble Graphite	HST	R80, S90	75	.405"	.810"	3B3M / 4B3M (SADW) *
2000	Supersteel Metalwoods	Steel Shafts	Royal Precision	R80, S90		.405"	.600"	3B2M / 4B2M (SADW) *
2000	Supersteel Irons	Bubble Graphite	HST	R80, S90		.395"	.810"	3B3H / 4B3H (SADI) *
2000	Supersteel Irons	Precision Rifle	Royal Precision	R80	115	.395"	.600"	RP-Rifle 4.5 - 3B2M (SADI) *
2000	Firesole Woods (Stainless)	Precision Rifle	Royal Precision	R80	115	.395"	.600"	RP-Rifle 4.5 - 3B2M (SADW) *
2000	Rescue Wood	Precision Rifle	Royal Precision	R80, S90		.395"	.600"	3B2M / 4B2M (SADW) *
2000	Rescue Wood	Bubble Graphite	HST	R80, S90		.395"	.810"	3B3M / 4B3M (SADW) *
2001	Taylor Made 300 Fairway Woods	Taylor Made Tour	Fujikura	R80, S90	76-78	.350"	.600"	3B2M / 4B2M *
2002	Taylor Made 200 Series Metalwoods	Lite Graphite	Fujikura	R80,S90	63,65	.350"	.600"	3B2M / 4B2M *
2002	Taylor Made 200 Series Metalwoods	Rifle	Royal Precision	R80,S90	111	.350"	.600"	3B2M / 4B2M *
2002	Taylor Made 200 Series Irons	Lite Graphite		M,R,S		.370"	.600"	2B2M / 3B2M / 4B2M
2002	Taylor Made 200 Series Irons	Steel		M,R,S		.370"	.600"	2B2M / 3B2M / 4B2M
2002	"Retro" Spoon & Raylor	HM-40 Tour Gold	Aldila	R,S,X	93-98	.335"	.600"	3B1H / 4B1H / 5B1H
2002	"Retro" Spoon & Raylor	Dynamic Gold	True Temper	R3,S3,X1	122-120	.335"	.600"	TT-Dynamic Gold - 3C1M / 4C1M / 5C1M
2002	300 Forged Irons	Tour Flighted Rifle	Royal Precision	5.0,6.0,6.5	109-115	.355"	.600"	RP Tour Flighted Rifle Taper Tip - 3B2M / 4B2M / 5B1M

Taylor Made

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
2002	320 Irons	Lite Flighted Constant Weight Graphite		M,R,S,TS		.370"		2B2M / 3B2M / 4B2M / 5B2M
2002	320 Irons	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"	RP Tour Flighted Rifle Taper Tip - 3B2M / 4B2M / 5B1M
2002	360 Irons	Lite Flighted Constant Weight Graphite		M,R,S,TS		.370"		2B2M / 3B2M / 4B2M / 5B2M
2002	360 Irons	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"	RP Tour Flighted Rifle Taper Tip - 3B2M / 4B2M / 5B1M
2002	300 Series Wedges	Lite Flighted Constant Weight Graphite		M,R,S,TS		.370"		2B2M / 3B2M / 4B2M / 5B2M
2002	300 Series Wedges	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"	RP Tour Flighted Rifle Taper Tip - 3B2M / 4B2M / 5B1M
2002	R510 Driver	M.A.S.2 - 75 Graphite		R,S,TS	75	.350"	.600"	3B2M / 4B2M / 5B2M *
2002	R540 Driver	M.A.S.2 - 70 Graphite		M,R,S,TS	70	.350"	.600"	2B2M / 3B2M / 4B2M / 5B2M *
2002	R540 Driver	M.A.S.2 - 70 Graphite		L	70	.350"	.600"	1D3S *
2002	R580 Driver	M.A.S.2 - 60 Graphite		M,R,S,TS	60	.350"	.700"	2B2M / 3B2M / 4B2M / 5B2M *
2002	R580 Driver	M.A.S.2 - 60 Graphite		L	60	.350"	.700"	1D3S *
2002	RAC Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip - 4C1M
2002	RAC Irons	Taylor Made Ultralite Graphite			70	.370"	.605"	3B2M
2003	R580 Fairway Woods	M.A.S.2 - 60 Graphite		R,S	63 / 64	.350"	.700"	3B2M / 4B2M *
2003	Burner 420 Driver	Burner Lite		M,R,S	63	.350"	.600"	2B2M / 3B2M / 4B2M *
2003	R510 TP Driver (390cc)	Speeder 757	Fujikura	R,S	75	.335"	.620"	Fujikura Speeder 757 (Special Order) - 3B1H / 4B1H
2003	V-Steel Fairway Woods	M.A.S.2 - FW Graphite		L,M,R,S,TS	73	.350"	.600"	1B2M / 2B2M / 3B2M / 4B2M / 5B2M *
2003	V-Steel Fairway Woods	Dynamic Gold Lite	True Temper	R3,S3,X1	102	.350"	.610"	3C1H / 4C1H / 5C1H *
2003	Rescue Mid (Utility Wood)	Taylor Made Ultralite Graphite		L,M,R,S	65	.370"	.600"	1B2M / 2B2M / 3B2M / 4B2M
2003	Rescue Mid (Utility Wood)	Precision MicroTaper Steel	Royal Precision	R,S	100	.370"	.600"	3B2M / 4B2M
2003	RAC OS Irons	Graphite		R,S		.370"	.600"	3B2M / 4B2M
2003	RAC OS Irons	Rifle Steel	Royal Precision	R80, S90	107 / 111	.370"	.600"	Rifle 4.5 / 5.5 - 2B2M / 3.5B2M
2003	RAC LT Irons	Graphite				.370"		3B2M / 4B2M
2003	RAC LT Irons	Rifle Steel	Royal Precision	5.0, 5.5, 6.0	109 - 113	.370"	.600"	RP Rifle 5.0 / 5.5 / 6.0 - 3B2M / 3.5B2M / 4B1M
2003	RAC LT Irons	Rifle Steel	Royal Precision	6.5	115	.370"	.600"	Rifle 6.5 - 5B1M
2003	RAC MB Irons	Rifle Steel	Royal Precision	5.0, 5.5, 6.0	109 - 113	.355"	.600"	RP Rifle 5.0 / 5.5 / 6.0 - 3B2M / 3.5B2M / 4B1M
2003	R540XD Driver (400cc)	M.A.S. 2 55		M,R,S,X	55	.350"		2B2M / 3B2M / 4B2M / 5B2M *
2003	R580XD Driver (440cc)	M.A.S. 2 65		M,R,S,X	65	.350"		2B2M / 3B2M / 4B2M / 5B2M *
2003	R580XD TP Driver (440cc)	Custom Shaft Options Available				.335"		Custom Shaft Options Available
2003	RAC Combo Irons (CB)	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold Taper Tip - 4C1M / 5C1M
2003	RAC Combo Irons (CB)	Dynamic Gold	True Temper	R3	127	.355"	.580"	TT-Dynamic Gold Taper Tip - 3C1M
2003	Rescue Mid TP (Utility Wood)	Dynamic Gold	True Temper	S4, X1	131	.355"	.600"	TT-Dynamic Gold Taper Tip - 4C1M / 5C1M
2003	Rescue Mid TP (Utility Wood)	Vista Pro 90	Fujikura	S,X	90	.335"	.600"	4B2M / 5B1M
2004	R7 Quad Driver	M.A.S. 7-65		R,S	65	.350"	.600"	3B2M / 4B2M *
2004	R5 Dual Driver (Type D Draw)	M.A.S.2 5-55		M,R,S,TS	57	.350"	.600"	2B2M / 3B2M / 4B2M / 5B1M *
2004	R5 Dual Driver (Type N Neutral)	M.A.S.2 5-65		M,R,S,TS	63	.350"	.600"	2B2M / 3B2M / 4B2M / 5B1M *
2005	R5 TP Driver	Custom Shaft Options Available				.335"		Custom Shaft Options Available
2004	CGB Irons	Taylor Made Ascending Mass Grap.		R,S	60-70	.370"		3B2M / 4B2M
2004	CGB Irons	R7 T Step Ascending Mass Steel		R,S	90-100-110	.370"		3B3H / 4B3H
2004	TP Irons	Dynamic Gold	True Temper	S300	127	.355"	.600"	TT-Dyanmic Gold Taper Tip - 4C1M
2004	HT Irons	Graphite Shafts				.370"		3B2M / 4B2M
2005	R7 Quad TP Driver	Custom Shaft Options Available				.335"		Custom Shaft Options Available
2005	R7 HT Driver	7-55 M.A.S.2		R,S	56 / 57	.350"	.600"	3B2M / 4B2M *
2005	R5 Dual Fairway Woods	M.A.S.2 Graphite Fairway Shaft				.350"		3B2M / 4B2M *
2005	RAC OS Irons (New 2005 Model)	T-Step Ultralite Steel			90	.370"		3B3H / 4B3H

Taylor Made

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
2005	RAC OS Irons (New 2005 Model)	UG 65 Graphite			65	.370"		3B2M / 4B2M
2005	Rescue Dual	Hybrid 65 Graphite		L,M,R,S	57-64	.370"	.600"	1B2M / 2B2M / 3B2M / 4B2M
2005	Rescue Dual	T-Step Ultralite Steel		R, S	88 / 91	.370"	.600"	3B3H / 4B3H
2005	Rescue Dual TP	Mitsubishi Diamana H	Mitsubishi Rayon	R,S,X	81-85	.355"	.600"	Aldila NV Hybrid 85 (Spec. Order taper tip)
2005	Rescue Dual TP	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold Taper Tip - 3C1M
2005	Rescue Dual TP	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold Taper Tip - 4C1M / 5C1M
2005	R7 XD Irons	T-Step Ultralite Steel			90	.370"		3B3H / 4B3H
2005	R7 CGB MAX Irons	T-Step Ascending Mass Steel				.370"		3B3H / 4B3H
2005	R7 425 Driver	RE*AX 65 Graphite	Fujikura	R, S	65	.350"	.600"	3B2M / 4B2M (BB9008) *
2005	R7 425 TP Driver	RE*AX 55 TP Graphite	Fujikura	R,S,X	55	.335"	.600"	3B1M / 4B1M / 5B1M
2005	R7 425 TP Driver	RE*AX 65 TP Graphite	Fujikura	R,S,X	65	.335"	.600"	3B1M / 4B1M / 5B1M
2005	R7 425 TP Driver	RE*AX 75 TP Graphite	Fujikura	R,S,X	75	.335"	.600"	3B1M / 4B1M / 5B1M
2006	R7 460 Driver	RE*AX 60 Graphite	Fujikura	M,R,S,X	56/58/65	.350"	.600"	2B2M / 3B2M / 4B2M / 5B2M (BB9008) *
2006	R7 460 TP Driver	RE*AX 54 & RE*AX 60 Graphite	Fujikura	X	54/64	.335"	.600"	5B2M
2006	R7 460 Draw Driver	RE*AX 55 Graphite	Fujikura	M	55	.350"	.600"	2B2M (BB9008) *
2006	R7 460 Draw Driver	RE*AX 55 Graphite	Fujikura	R,S	55	.350"	.600"	3B2M / 4B2M (BB9008) *
2006	R7 Steel Fairway Woods	RE*AX 70 Graphite	Fujikura	M,R,S,X	74	.350"		2B2M / 3B2M / 4B2M / 5B2M (BB9008) *
2006	R7 Titanium Fairway Woods	RE*AX 60 Graphite	Fujikura	M,R,S,X	56	.350"		2B2M / 3B2M / 4B2M / 5B2M (BB9008) *
2006	R7 TP Fairway Wood	RE*AX 85 Graphite	Fujikura	R,S,X	82	.335"		3B1M / 4B1M / 5B1M
2006	R7 SuperQuad Driver	RE*AX 65 Graphite	Fujikura	M,R,S,X	65	.350"	.600"	2B2M / 3B2M / 4B2M / 5B2M (BB9008) *
2006	R7 SuperQuad TP Driver	RE*AX 55 TP Graphite	Fujikura	R,S,X	55	.335"	.600"	3B1M / 4B1M / 5B1M
2006	R7 SuperQuad TP Driver	RE*AX 65 TP Graphite	Fujikura	R,S,X	65	.335"	.600"	3B1M / 4B1M / 5B1M
2006	R7 SuperQuad TP Driver	RE*AX 75 TP Graphite	Fujikura	R,S,X	75	.335"	.600"	3B1M / 4B1M / 5B1M
2006	Burner Driver	RE*AX 50 Graphite	Fujikura	M,R,S,X	50	.350"	.620"	2B2M / 3B2M / 4B2M / 5B2M (BB9008) *
2006	Burner TP Driver	RE*AX Superfast TP 50	Fujikura	R,S,X	50	.335"	.600"	3B1M / 4B1M / 5B1M
2006	R7 Draw Fairway Woods	RE*AX 55 Graphite	Fujikura	M,R,S	55	.350"	.600"	2B2M / 3B2M / 4B2M (BB9008) *
2006	R7 Draw Rescue	RE*AX 55 Graphite	Fujikura	M,R,S	59 - 64	.370"	.600"	2B2M / 3B2M / 4B2M
2006	R7 Irons	T-Step Ultralite Steel		M,R,S,X	90	.370"		2D3H / 3D3H / 4D3H
2006	R7 Irons	RE*AX 65 Graphite	Fujikura	M,R,S,X	65	.370"		2D3S / 3D3S / 4D3S / 5B1M
2006	R7 TP Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold Taper Tip - 4C1M
2006	R7 Draw Irons	T-Step Ultralite Steel	FST	M,R,S	90	.370"		2D3H / 3D3H / 4D3H
2006	R7 Draw Irons	RE*AX 55 Graphite	Fujikura	M,R,S	59 - 64	.370"	.600"	2B2M / 3B2M / 4B2M
2006	RAC MB TP Irons	Tour Flighted Rifle	Royal Precision	5.0/6.0/6.5	119 - 130	.355"	.600"	RP Tour Flighted Rifle Taper Tip - 3B2M / 4B1M / 5B1M
2006	RAC Black TP Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT- Dynamic Gold Taper Tip - 4C1M
2006	RAC Satin TP Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT- Dynamic Gold Taper Tip - 4C1M
2007	Rescue Burner	Re*Ax Superfast Graphite	Fujikura	M,R,S	66	.370"		2B2M / 3B2M / 4B2M
2007	Rescue Burner	T Step Steel	FST	M,R,S	90	.370"	.600"	2B3H / 3B3H / 4B3H
2007	Rescue TP	RE*AX 85 Graphite	Fujikura	R,S,X	85	.355"		3B1H / 4B1H / 5B1H Taper Tip
2007	Rescue TP	Dynamic Gold Steel	True Temper	R300	127	.355"	.580"	TT Dynamic Gold Taper Tip - 3C1M
2007	Rescue TP	Dynamic Gold Steel	True Temper	S300, X100	130	.355"	.600"	TT Dynamic Gold Taper Tip - 4C1M / 5C1M
2007	R7 CGB Max Driver	Re*Ax SF 45 Graphite	Mitsubishi Rayon		45	.350"		2D2S / 3B2S / 4B2S *
2008	R7 CGB Max Limited Driver	Taylor Made Interchangeable Shaft System				.350"	.600"	
2008	Tour Burner Driver	RE*AX Superfast 60 Graphite	Fujikura	R,S,X	60	.350"		3B2M / 4B2H / 5B2H (BB9008) *
2008	Tour Burner TP Driver	Custom Shaft Options Available		R,S,X		.335"		
2008	R7 CGB Max Driver	RE*AX SF 45 Graphite	Mitsubishi Rayon		45	.350"		2D2S / 3B2S / 4B2S (BB9008) *
2008	R7 CGB Max Fairway Woods	RE*AX SF 45 Graphite	Mitsubishi Rayon		45	.350"		2D2S / 3B2S / 4B2S (BB9008) *

Taylor Made

2008	Burner Steel Fairway Woods	RE*AX 50 Fairway Graphite			50	.350"		2B2M / 3B2M / 4B2M (BB9008) *
2008	Burner TP Fairway Woods	RE*AX SF TP 75 Graphite			75	.335"	.600"	3B2M / 4B2M
<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>	<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip. Dia</b>	<b>Butt Dia.</b>	<b>Replacement Shaft / MPF Code</b>
2008	R7 CGB Max Rescue	RE*AX Superfast 55 Graphite	Mitsubishi Rayon	M,R,S	55	.370"	.600"	2D3S / 3D3S / 4D3S
2008	Tour Burner Irons	RE*AX 65 Graphite	Fujikura	R,S,X	65	.370"		3B2M / 4B2M / 5B2M
2008	Tour Burner Irons	Burner Steel			105	.370"		3B3H / 4B3H
2008	R7 CGB Max Irons	RE*AX Superfast 55 Graphite			55	.370"		2D3S / 3D3S / 4D3S
2008	Z TP Wedges	Dynamic Gold	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold Taper Tip - 4C1M
2008	R7 Limited Driver	Matrix Ozik XCON 5.5 Graphite	MCC	A,R,S	60	.350"	.600"	
2008	Burner High Launch Fairway	RE*AX 70 Fairway Graphite		M,R,S	74	.350"	.600"	2B2M / 3B2M / 4B2M (BB9008) *
2008	Burner Tour Launch Fairway	RE*AX 70 Fairway Graphite		M,R,S	74	.350"	.600"	2B2M / 3B2M / 4B2M (BB9008) *
2008	Burner Rescue High Launch	RE*AX SF 60 Graphite		M,R,S	60	.370"	.600"	2D3S / 3D3S / 4D2S
2008	Burner Rescue High Launch	RE*AX SF 85 H Graphite		R,S,X	90	.355"	.600"	3B2H / 4B2H / 5B2H (.355" Taper Tip)
2008	Burner Rescue Tour Launch	RE*AX SF 60 Graphite		M,R,S	60	.370"	.600"	2D3S / 3D3S / 4D2S
2008	Burner Rescue Tour Launch	RE*AX SF 85 H Graphite		R,S,X	90	.355"	.600"	3B2H / 4B2H / 5B2H (.355" Taper Tip)
2008	TP MB Irons	Rifle Tour Flighted Steel	Royal Precision	6	120	.355"	.600"	RP Rifle Tour Flighted 6.0 taper tip - 4B2M
2008	Burner Plus Irons	Burner Superfast 85 Steel		R,S	85	.370"	.600"	3B3H / 4B3H
2008	Burner Plus Irons	Burner Superfast 60 Graphite		M,R,S	60	.370"	.600"	2B3H / 3B3H / 4B3H
2008	Tour Preferred Irons	Dynamic Gold Steel	True Temper	R300	127	.355"	.600"	TT Dynamic Gold R300 taper tip - 3C1M
2008	Tour Preferred Irons	Dynamic Gold Steel	True Temper	S3, X1	130	.355"	.600"	TT Dynamic Gold S3, X1 taper tip - 4C1M / 5C1M
2008	TP MB Irons	Rifle Tour Flighted Steel	Royal Precision	6.0	120	.355"	.600"	RP Rifle Tour Flighted 6.0 taper tip - 4B2M
2008	TP MB Smoke Irons	Rifle Tour Flighted Steel	Royal Precision	6.0	120	.355"	.600"	RP Rifle Tour Flighted 6.0 taper tip - 4B2M
2009	R9 Driver	Motore Graphite	Fujikura	M,R,S,X	65	.350"	.600"	2B2M / 3B2M / 4B2M / 5B2M **
2009	R9 TP Driver	Motore F1 Graphite	Fujikura	R,S,X	65	.335"	.610"	3B2M / 4B2M / 5B2M **
2009	R9 460 Driver	Motore Graphite	Fujikura	M,R,S,X	65	.335"	.600"	2B2M / 3B2M / 4B2M / 5B2M **
2009	R9 460 TP Driver	Motore F1 Graphite	Fujikura	R,S,X	65	.335"	.600"	3B2M / 4B2M / 5B2M **
2009	R9 Fairway Woods	Motore 70 Graphite	Fujikura	R,S,X	73	.335"	.600"	3B2M / 4B2M / 5B2M **
2009	R9 TP Fairway Woods	Motore F1 65 Graphite	Fujikura	R,S,X	65	.335"	.610"	3B2M / 4B2M / 5B2M **
2009	R9 Hybrid	RE*AX 65	Adila	M,R,S	64	.370"	.600"	2B2M / 3B2M / 4B2M
2009	R9 TP Hybrid	Project X	Royal Precision	5.5/6.0/6.5	115 - 130	.355"	.600"	RP Project X taper tip - 3.5B1m / 4B1M / 5B1M
2009	Burner 1.0 Irons	Superfast 85 Steel		R,S	85	.370"	.600"	3B3H / 4B3H
2009	Burner 1.0 Irons	Superfast 65 Graphite		M,R,S	65	.370"	.600"	2B3H / 3B3H / 4B3H
2010	R9 Irons	KBS Tour Parallel Tip Steel	FST	R,S	120 - 133	.370"	.600"	KBS Tour Parallel Tip - 3B2H / 4C2H
2010	R9 TP Irons	KBS Tour Taper Tip Steel	FST	R,S,X	110 - 130	.355"	.600"	KBS Tour Taper Tip - 3B2H / 4B1H / 5C1H
2010	XFT Wedge	Hi-Rev Wedge	FST	S	120	.355"	.600"	FST Hi-Rev Wedge - 4B2H
2010	R9 Supertri Driver	Motore 60 Graphite	Fujikura	M,R,S,X	59	.350"	.600"	2B2M / 3B2M / 4B2M / 5B2M **
2010	R9 Supertri TP Driver	Motore 65 Graphite	Fujikura	R,S,X	65	.335"	.610"	3B2M / 4B2M / 5B2M **
2010	Burner Superfast Driver	Matrix Xcon 4.8 Graphite	MCC	M,R,S,X	47	.350"	.620"	2B2M / 3B2M / 4B2M / 5B2M
2010	Burner High Launch Rescue Hybrid	RE*AX 85 Steel		R,S	85	.370"	.600"	3B3H / 4B3H
2010	Burner Super Launch Rescue	RE*AX 60 Graphite		M,R,S	60	.370"	.600"	2B2M / 3B2M / 4B2M
2011	R11 Driver	Blur 60 Graphite	Fujikura	MR,S,X	60	.350"	.600"	2B2M / 3B2M / 4B2M / 5B2M
2011	R11 TP Driver	Blur 65 Graphite	Fujikura	R,S	63	.335"	.600"	3B1M / 4B1M
2011	R11 TP Driver	Blur 65 Graphite	Fujikura	X	64	.335"	.605"	5B1M
2011	R11 Fairway Woods	Blur 70 Graphite	Fujikura	M,R,S,X	57/59	.350"	.600"	2B2M / 3B2M / 4B2M / 5B2M
2011	R11 TP Fairway Woods	Motore F3 Graphite	Fujikura	R,S,X	80	.335"	.600"	3B2M / 4B2M / 5B2M
2011	Burner Superfast 2.0 Driver	Matrix Xcon 4.8 Graphite	MCC	X	46	.350"	.620"	5B2M

## Taylor Made

2011	Burner Superfast 2.0 Driver	Matrix Xcon 4.8 Graphite	MCC	R,S	45	.350"	.620"	3B2M / 4B2M
2011	Burner Superfast 2.0 Driver	Matrix Xcon 4.8 Graphite	MCC	M	44	.350"	.620"	2B2M
2011	Burner Superfast 2.0 Driver	Matrix Xcon 4.8 Graphite	MCC	L	44	.350"	.600"	1B2M
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Replacement Shaft / MPF Code
2011	Burner Superfast 2.0 TP Driver	Matrix Xcon 5 Graphite	MCC	R	56	.335"	.600"	3B2M
2011	Burner Superfast 2.0 TP Driver	Matrix HD6 Graphite	MCC	S,X	65	.335"	.615"	4B2H / 5B2H
2011	Burner Superfast 2.0 Fairway Woods	Matrix Xcon 4.8 Graphite	MCC	X	46	.350"	.620"	5B2M
2011	Burner Superfast 2.0 Fairway Woods	Matrix Xcon 4.8 Graphite	MCC	R,S	45	.350"	.620"	3B2M / 4B2M
2011	Burner Superfast 2.0 Fairway Woods	Matrix Xcon 4.8 Graphite	MCC	M	44	.350"	.620"	2B2M
2011	Burner Superfast 2.0 Fairway Woods	Matrix Xcon 4.8 Graphite	MCC	L	44	.350"	.600"	1B2M
2011	Burner Superfast 2.0 TP Fairway Woods	Matrix HD6 Graphite	MCC	S,X	65	.335"	.615"	4B2H / 5B2H
2011	Rescue 11	RIP 65 Graphite	Aldila	R,S	65	.370"	.610"	3B2H / 4B2H
2011	Rescue 11 TP	RIP 85 HB Graphite	Aldila	R,S,X	85	.355"	.615"	3B1H / 4B1H
2011	Burner Superfast 2.0 Rescue	RE*AX SL 60 Graphite		R,S	60	.370"	.600"	3B3H / 4B3H
2011	Burner 2.0 Irons	Burner 2.0 85 Steel		R,S	85	.370"	.600"	3B3H / 4B3H
2011	Burner 2.0 Irons	RE*AX Superfast 65 Graphite		M,R,S	65	.370"	.600"	3B3H / 4B3H
2011	Tour Preferred MB Irons	Dyanmic Gold Steel	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 taper tip - 3C1M
2011	Tour Preferred MB Irons	Dyanmic Gold Steel	True Temper	S3, X1	130	.355"	.600"	TT Dynamic Gold S3, X1 taper tip - 4C1M / 5C1M
2011	Tour Preferred MC Irons	Dyanmic Gold Steel	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 taper tip - 3C1M
2011	Tour Preferred MC Irons	Dyanmic Gold Steel	True Temper	S3, X1	130	.355"	.600"	TT Dynamic Gold S3, X1 taper tip - 4C1M / 5C1M
2011	Tour Preferred CB Irons	Dynamic Gold XP Steel	True Temper	R3, S3, X1	110 - 115	.355"	.600"	3B2H / 4B2H / 5B2H
2011	Tour Preferred CB Irons	TP 90 Graphite	Fujikura	R,S	84, 90	.355"	.600"	3B2M / 4B2M
2011	R11 Irons	KBS Tour 90 Steel	FST	R,S	95 - 100	.370"	.600"	KBS Tour 90 - 3B2H / 4B1H
2011	R11 Irons	Motore Graphite	Fujikura	M,R,S	55 - 75	.370"	.610"	2B2M / 3B2M / 4B2M
2012	R11S Driver	RIP Phenom 60 Graphite	Aldila	M,R,S,X	60	.350"		2B2M / 3B2M / 4B2M / 5B2M
2012	R11S Fairway Woods	RIP Phenom 70 Graphite	Aldila	M,R,S,X	72	.350"		2B2M / 3B2M / 4B2H / 5B2H
2012	R11S TP Fairway Woods	RIP Phenom 80 Graphite	Aldila	R,S,X	85	.335"		3B1M / 4B1M / 5B1M
2012	R11S TP Driver	RIP Phenom 65 Graphite	Aldila	R,S,X	58 / 63 / 68	.335"		3B2M / 4B2M / 5B2M
2012	RocketBallz Driver	RIP Phenom 60 Graphite	Aldila	M,R,S,X	60	.350"		2B2M / 3B2M / 4B2M
2012	RocketBallz Fairway Woods	Xcon 5 Graphite	Matrix	M,R,S,X	45	.350"		2B2M / 3B2M / 4B2M
2012	RocketBallz Rescue	RBZ Graphite		M,R,S	65	.370"		2D3H / 3B3H / 4B3H
2012	RocketBallz Tour Driver	Xcon 6 or HD6 Graphite	Matrix	R,S,X	67	.350"		3B2M / 4B2M / 5B2M
2012	RocketBallz Tour Fairway Woods	Xcon 7 or RUL 70 Graphite	Matrix	R,S,X	76	.335"		3B2H / 4B2H / 5B2H
2012	RocketBallz Tour Rescue	RE*AX 85 HB Graphite		R,S,X	85	.355"	.600"	3B2H / 4B2H / 5B2H
2012	RocketBallz Tour TP Driver	Xcon 6 or HD6 Graphite	Matrix	R,S,X	67	.335"		3B2M / 4B2M / 5B2H
2012	RocketBallz Tour TP Fairway Woods	Xcon 7 or RUL 70 Graphite	Matrix	R,S,X	73	.335"		3B2H / 4B2H / 5B2H
2012	RocketBallz Tour TP Rescue	Altus 85 Hybrid graphite	Matrix	R,S,X	87	.355"	.600"	3B2M / 4B2H / 5B2H
2012	RocketBallz Irons	RBZ Steel		R,S	106	.370"	.600"	3B2M / 4B2M
2012	RocketBallz Irons	RBZ 65 Graphite		L,A,R,S	65	.370"	.600"	1D3M / 2D3M / 3B3M / 4B3M
2012	RocketBallz Max Irons	KBS Satin 90 Steel	FST	R,S	90	.370"	.600"	3B2H / 4B2H
2012	RocketBallz Max Irons	Matrix Program 55 Graphite	Matrix	M,R,S	55	.370"	.610"	1D3M / 2D3M / 3B3M / 4B3M
2012	ATV Wedge	KBS Tour Steel	FST	Wedge	130	.355"	.600"	4B2H
2013	Rocketbladez Irons	Rocketfuel 85 Flighted Steel	FST	R, S	85	.370"	.600"	3D3H / 4B3H
2013	Rocketbladez Irons	Rocketfuel 65 Graphite		M,R,S	65	.370"	.600"	2D3H / 3B3H / 4B3H
2013	Rocketbladez Irons Women's	Rocketfuel 45 Graphite		L	45	.370"	.600"	1D3H
2013	Rocketbladez Tour Irons	KBS Tour Steel	FST	R,S,X	130	.355"	.600"	KBS Tour taper tip 3B3H / 4B2H / 5C2H

Taylor Made

2013	R1 Driver	RIP Phenom Graphite	Aldila	R,S,X	55	.350"		Aldila RIP Phenom 3B2S / 4B2M / 5B2M	
2013	R1 TP Driver			R,S,X		.335"			
2013	Rocketballz Stage 2 Driver	Rocket Fuel 50 Graphite	Fujikura	M,R,S,X	49 - 53	.350"	.620"	2B2M / 3B2M / 4B2M	
2013	Rocketballz Stage 2 Fairway Woods	Matrix Rocketfuel 50 Graphite	Matrix	M,R,S,X	55 - 61	.350"	.620"	2B2M / 3B2M / 4B2M	
<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>	<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip. Dia</b>	<b>Butt Dia.</b>	<b>Replacement Shaft / MPF Code</b>	
2013	Rocketballz Stage 2 Tour Driver	Matrix 6Q3 Graphite	Matrix	R,S,X	58 - 60	.350"	.600"	3B2M / 4B2M / 5B1M	
2013	Rocketballz Stage 2 Tour Fairway Woods	Matrix Rocketfuel 70 Graphite	Matrix	R,S,X	68 - 72	.335"	.600"	3B2M / 4B2M / 5B1H	
2013	Rocketballz Stage 2 TP Driver	Matrix 7Q3 TP Graphite	Matrix	R,S,X	70 - 74	.335"	.600"	3B2H / 4B2H / 5B2H	
2013	Rocketballz Stage 2 Tour TP Fairway Woods	Matrix RUL 80 Graphite	Matrix	R,S,X	78 - 82	.335"	.600"	3B2H / 4B1H / 5B1H	
2013	Rocketballz Stage 2 Rescue	Matrix Rocketfuel 65 Graphite	Matrix	M,R,S	61 - 62	.370"	.600"	2B2M / 3B2M / 4B2H	
2013	Rocketballz Stage 2 Tour Rescue	Matrix Rocketfuel 80 Graphite	Matrix	R,S,X	78 - 82	.370"	.600"	3B2M / 4B2M / 5B2M	
2013	Rocketballz Stage 2 Tour TP Rescue	Matrix Altus 85 Graphite	Matrix	S,X	81 - 85	.370"	.600"	4B1H / 5B1H	
2013	Rocketbladz Max Irons	Matrix Program 55 Graphite	Matrix	M,R,S	55	.370"	.600"	2D3M / 3B3M / 4B3M	
2013	Rocketballz HP Irons	RBZ Steel 85 Steel	FST	R,S	85	.370"	.600"	3B2M / 4B2M	
2013	R1 Black Driver	RIP Phenom 55 Graphite	Aldila	M,R,S,X	53-61	.350"	.600"	3B2S / 4B2M / 5B2M	
2013	R1 Black TP Driver	RIP Phenom 65 Graphite	Aldila	R,S,X	65	.335"	.600"	3B2M / 4B2M / 5B2M	
2013	SLDR Driver	Speeder 57 Graphite	Fujikura	R,S,X	58	.350"	.620"	3B2M / 4B2M / 5B2M	
2013	SLDR TP Driver	Motore Speeder TS 6.3 (TP) Graphite	Fujikura	R,S,X	65	.335"	.600"	3B2H / 4B2H / 5B2H	
2013	SLDR Fairway Woods	Speeder 77 Graphite	Fujikura	R,S,X	70	.350"	.600"	3B2M / 4B2M / 5B2M	
2013	SLDR TP Fairway Woods	Motore Speeder TS 8.3 (TP) Graphite	Fujikura	R,S,X	80	.335"	.600"	3B2H / 4B2H / 5B2H	
2013	SLDR Rescue Hybrids	Speeder 82 Graphite	Fujikura	R,S,X	80	.370"	.600"	3B2M / 4B2M / 5B2M	
2013	SLDR Rescue Hybrids	Motore Speeder TS 9.3 (TP) Graphite	Fujikura	S,X	83	.370"	.600"	4B2H / 5B2H	
2013	SpeedBlade Irons	SpeedBlade 85 Steel	FST	R,S	85	.370"	.600"	3B3H / 4B3H	
2013	SpeedBlade Irons	Velox T Graphite	Matrix	M,R,S	55,65,75	.370"	.610"	2B2M / 3B2M / 4B2M	
2014	Jet Speed Driver	Velox T 49 Graphite	Matrix	M,R,S,X	48 - 53	.350"	.620"	2B2M / 3B2M / 4B2M	
2014	Jet Speed TP Driver	Velox SP 60 (TP) Graphite	Matrix	R,S,X	58 - 62	.335"	.600"	3B1M / 4B1M / 5B1M	
2014	Jet Speed Fairway Woods	Velox T 69 Graphite	Matrix	M,R,S,X	66 - 72	.350"	.620"	2B2M / 3B2M / 4B2M / 5B2M	
2014	Jet Speed Rescue Hybrid	Velox T 55 M, 65 R, 75 S	Matrix	M,R,X	55, 65, 75	.370"	.600"	2B2M / 3B2M / 4B2M	
2014	Tour Preferred MC Irons	KBS Tour Steel	FST	R,S,X	110 - 130	.355"	.600"	KBS Tour 3B2H / 4B1H / 5C1H	
2014	Tour Preferred MB Irons	KBS Tour Steel	FST	R,S,X	110 - 130	.355"	.600"	KBS Tour 3B2H / 4B1H / 5C1H	
2014	Tour Preferred CB Irons	KBS Tour Steel	FST	R,S,X	110 - 130	.355"	.600"	KBS Tour 3B2H / 4B1H / 5C1H	
2014	SLDR Mini Driver	Speeder 57 Graphite	Fujikura	M,R,S	54	.350"	.600"	2B2M / 3B2M / 4B2M	
2014	SLDR Mini TP Driver	Motore Speeder TS 7.3 Graphite	Fujikura	M,S,X	70	.335"	.600"	3B2H / 4B2H / 5B2H	
2014	SLDR White Driver	Speeder 57 Graphite	Fujikura	M,R,S,X	53 - 61	.350"	.620"	2B2M / 3B2M / 4B2M / 5B2M	
2014	SLDR S Driver	Speeder 57 Graphite	Fujikura	M,R,S,X	53 - 61	.350"	.620"	2B2M / 3B2M / 4B2M / 5B2M	
2014	SLDR S Fairway Woods	Speeder 65 Graphite	Fujikura	M,R,S,X	67 - 72	.350"	.620"	2B2M / 3B2M / 4B2M / 5B2M	
2014	SLDR S Hybrids	Speeder 72 Graphite	Fujikura	M,R,S	64 - 67	.370"	.600"	2B2M / 3B2M / 4B2M	
2014	SLDR Irons	KBS C-Taper 90 Steel	FST	R,S	90	.370"	.600"	3B2H / 4B1H	
2014	SLDR Irons	SLDR Graphite	Fujikura	M,R,S	57 67 77	.370"		2B2M / 3B2M	
2014	Tour Preferred Wedge	KBS Tour V Wedge	FST	Wedge	110	.355"	.600"	KBS Tour V taper tip 4B1H	
2014	Tour Preferred ATV Grind Wedge	KBS Tour V Wedge	FST	Wedge	110	.355"	.600"	KBS Tour V taper tip 4B1H	
2014	UDI Iron	KBS Tour C-taper Lite Steel	FST	R,S,X	105 - 115	.355"	.600"	KBS Tour C-taper Lite 3B2H / 4B1H / 5B1H	
2014	UDI Iron	<i>Taylor Made made the UDI in both .355" taper and .370" parallel hosel bores.</i>					.370"		
2014	Rsi 1 Irons	REAX Steel	FST	R,S	90, 95	.370"	.600"	3B2M / 4B2M	
2014	Rsi 1 Irons	REAX Graphite		L,M,R,S	55 - 75	.370"		1D3M / 2D2M / 3B2M / 4B2M	
2014	Rsi 2 Irons	KBS 105 Steel	FST	R,S	100, 105	.370"	.600"	3B2H / 4B1H	

Taylor Made

2014	Rsi 2 Irons	Program F15 Graphite	Matrix	R,S	77, 79	.370"	.600"	3B2M / 4B2M
2014	Rsi TP Irons	KBS Tour Steel	FST	R,S,X	110 - 130	.355"	.600"	KBS Tour taper tip 3B2H / 4B1H / 5C1H
2015	Rsi Ladies Irons	REAX Graphite		L	45	.370"		1D3S
2015	R15 Driver (White & Black finishes)	Speeder 57 Evolution graphite	Fujikura	M,R,S,X	57	.335"		2B2M / 3B2M / 4B2M / 5B2M
2015	R15 430 Driver	Speeder 67 Evolution graphite	Fujikura	R,S,X	67	.335"		3B2M / 4B2M / 5B2M
<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>	<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip. Dia</b>	<b>Butt Dia.</b>	<b>Replacement Shaft / MPF Code</b>
2015	R15 Fairway Woods	Speeder 67 Evolution graphite	Fujikura	M,R,S,X	67	.335"		3B2M / 4B2M / 5B2M
2015	R15 Rescue	Speeder 77 Evolution graphite	Fujikura	R,S,X	77	.370"		3B2M / 4B2M / 5B2M
2015	R15 TP Driver (White & Black finishes)	Speeder 661 Evolution TS graphite	Fujikura	R,S,X		.335"		3B2M / 4B2M / 5B2M
2015	R15 430 TP Driver	Speeder 661 Evolution TS graphite	Fujikura	R,S,X		.335"		3B2M / 4B2M / 5B2M
2015	R15 TP Fairway Woods	Speeder 757 Evolution TS graphite	Fujikura	R,S,X		.335"		3B2H / 4B2H / 5B2H
2015	R15 TP Rescue	Speeder 869 Evolution TS graphite	Fujikura	R,S,X		.370"		3B1M / 4B1M / 5B1M
2015	AeroBurner Driver	Speed RUL-Z50 graphite	Matrix	M,R,S,X	50	.350"		2B2M / 3B2M / 4B2M / 5B2M
2015	AeroBurner Fairway Woods	Speed RUL-Z60 graphite	Matrix	R,S,X	60	.350"		3B2M / 4B2M / 5B2M
2015	AeroBurner Rescue	Speed RUL-Z70 graphite	Matrix	M,R,S,X	70	.370"		3B2M / 4B2M / 5B2M
2015	AeroBurner TP Driver	OZIK White Tie 60X4 graphite	Matrix	R,S,X	60	.335"		3B3M / 4B3M / 5B2M
2015	AeroBurner TP Mini Driver	OZIK White Tie 70X4 graphite	Matrix	R,S,X	70	.335"		3B3M / 4B3M / 5B2M
2015	AeroBurner TP Fairway Woods	OZIK White Tie 70X4 graphite	Matrix	M,S,X	70	.335"		3B3M / 4B3M / 5B2M
2015	AeroBurner TP Rescue	OZIK White Tie HX4 graphite	Matrix	R,S,X		.370"		3B3M / 4B3M / 5B2M
2015	AeroBurner Irons	REAX 88 HL Steel	FST	R,S	88	.370"	.600"	3B3H / 4B3H
2015	AeroBurner Irons	REAX 60 Graphite		A,R,S	60	.370"		2B2M / 3B2M / 4B2M
2015	Tour Preferred EF Wedge	KBS Tour Wedge Steel	FST	Wedge	125	.355"	.600"	KBS Tour Wedge 4B1H
2015	M1 Driver	Pro 60 Graphite	Fujikura	M,R,S,X	60,64,65,68	.335"	.620"	2B2M / 3B2M / 4B2M / 5B2M
2015	M1 430 Driver	Pro 60 Graphite	Fujikura	M,R,S,X	60,64,65,68	.335"	.620"	2B2M / 3B2M / 4B2M / 5B2M
2015	M1 Fairway Woods	Pro 70 Graphite	Fujikura	M,R,S,X	71,74,75,77	.335"	.600"	2B2M / 3B2M / 4B2M / 5B2M
2015	M1 Rescue	Pro 80 Graphite	Fujikura	M,R,S,X	79,84,86,87	.370"	.600"	2B2M / 3B2M / 4B2M / 5B2M
2015	Psi Irons	KBS 105 Steel	FST	R,S	100, 105	.370"	.600"	3B2H / 4B1H
2015	Psi Tour Irons	Dynamic Gold Steel	True Temper	S300	130	.355"	.600"	TT Dynamic Gold - 4C1M
2016	M2 Driver	Fujikura Pro 50 graphite	Fujikura	M,R	50	.335"	.602"	Fujikura Pro 50 - 2B1M / 3B1M
2016	M2 Driver	Fujikura Pro 60 graphite	Fujikura	S,X	60	.335"	.610"	Fujikura Pro 60 - 4B1M / 5B1M
2016	M2 Fairway Woods	TM REAX 65 graphite		R,S,X	65	.335"		3B2M, 4B2M, 5B2M
2016	M2 Rescue	TM REAX 55, 65 & 75 graphite		M,R,S	55, 65, 75	.370"		2B2M / 3B2M / 4B2M
2016	M2 Irons	REAX 88SL steel		R,S	88	.370"		3B3H / 4B3H
2016	M2 Irons	TM REAX 55, 65 & 75 graphite		M,R,S	55, 65, 75	.370"		2B2M / 3B2M / 4B2M
2016	M2 Tour Irons	XP 95 steel	True Temper	R3, S3	98, 100	.370"	.605"	TT XP 95 - 3B3H / 4B3H
2016	M1 Driver Special Edition	Speeder Evolution TS 661 graphite	Fujikura	R,S		.335"		
2017	M1 Driver (2017 Model)	Pro XRL8 56 graphite	Fujikura	A,R,S,X		.335"		Numerous Stock Graphite Options
2017	M1 440 Driver (2017 Model)	Pro XRL8 56 graphite	Fujikura	A,R,S,X		.335"		Numerous Stock Graphite Options
2017	M1 Fairway Woods (2017)	Kuro Kage Silver TiNi 70FW graphite	Mitsubishi Rayon	R,S,X	70	.335"		3B2M / 4B2M / 5B2M
2017	M1 Rescue (2017 Model)	Kuro Kage Silver 80HY graphite	Mitsubishi Rayon	R,S,X	80	.370"		3B2M / 4B2M / 5B2M
2017	M2 Driver (2017 Model)	Pro XRL8 56 graphite	Fujikura	A,R,S,X		.335"		2B2M / 3B2M / 4B2M / 5B2M
2017	M2 D-Type Driver	MFS5 White Tie 55 graphite	Matrix	A,R,S	55	.335"		2B3M / 3B3M / 4B2M
2017	M2 Fairway Woods (2017)	REAX 55 & 65 graphite		A,R,S,X	55, 65	.335"		2B3M / 3B3M / 4B2M / 5B2M
2017	M2 Tour Fairway Woods (2017)	Kuro Kage TiNi 70FW graphite	Mitsubishi Rayon	R,S,X	70	.335"		3B2M / 4B2M / 5B2M
2017	M2 Rescue (2017 Model)	REAX 45,55,65,75 graphite		L,A,R,S	45,55,65,75	.370"		2B2M / 3B2M / 4B2M
2017	M1 Irons (2017 Model)	XP 95 steel	True Temper	R,S	98,100	.370"	.605"	TT XP 95 - 3B3H / 4B3H
2017	M2 Irons (2017 Model)	REAX 88 HL Steel	FST	R,S	88	.370"		3B3H / 4B3H

Taylor Made

2017	Milled Grind Wedges	Dynamic Gold Steel	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 - 4C1H
2017	P790 Irons	Dynamic Gold 105 Steel	True Temper	R3, S3	101, 103	.355"	.600"	TT Dynamic Gold 105
2017	P770 Irons	KBS Tour FLT Steel	FST	S,X	110, 120	.355"	.600"	KBS Tour FLT - 3B2H / 4B1H
2017	P750 Tour Proto Irons	Dynamic Gold Steel	True Temper	S3, X1	127,130	.355"	.600"	TT Dynamic Gold - 4C1H / 5C1H
2017	P730 Forged Irons	Dynamic Gold Steel	True Temper	S300	130	.355"	.600"	TT Dynamic Gold - 4C1M
<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>	<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip. Dia</b>	<b>Butt Dia.</b>	<b>Replacement Shaft / MPF Code</b>
2017	M CGB Irons	N.S. Pro 840 Steel	Nippon	R,S	82, 84	.370"	.600"	3B3H / 4B2H
2017	M CGB Irons	Recoil 460ES Graphite	UST Mamiya	F2,F3,F4	65	.370"	.600"	UST Recoil 460ES 2B2M / 3B2M / 4B2M
2017	M2 L.I.F.T.	Hrzdrus Black Graphite	Project X			.355"		
2018	M3 Driver	Tensei Blue 60 Graphite	Mitsubishi Rayon	R,S,X	64, 67, 70	.335"		Mitsubishi Tensei CK Blue 60 3B2M / 4B2M / 5B2M
2018	M3 440 Driver	Tensei Blue 60 Graphite	Mitsubishi Rayon	R,S,X	64, 67, 70	.335"		Mitsubishi Tensei CK Blue 60 3B2M / 4B2M / 5B2M
2018	M3 Fairway Woods	Tensei Blue 65 Graphite	Mitsubishi Rayon	R,S,X	63, 66, 68	.335"		Mitsubishi Tensei CK Blue 60 3B2M / 4B2M / 5B2M
2018	M3 Rescue	Tensei Blue 70 Graphite	Mitsubishi Rayon	A,R	70, 75	.370"		Mitsubishi Tensei CK Blue Hybrid 2B2M / 3B2M / 4B2M
2018	M3 Rescue	Tensei Blue 80 Graphite	Mitsubishi Rayon	S,X	79, 82	.370"		Mitsubishi Tensei CK Blue Hybrid 2B2M / 3B2M / 4B2M
2018	M4 Driver	Atmos Red 5 Graphite	Fujikura	A,R,S	53, 54, 55	.335"		Fujikura Atmos Red 5 2.5D3S / 3D2S / 4B2S
2018	M4 D-Type Driver	Platinum White Tie MFS55 55 Graphite	Matrix	R,S	55, 57	.335"		3D3M / 4B3M
2018	M4 Fairway Woods	Atmos Red 5 Fairway Graphite	Fujikura	A,R	54, 55	.335"		3B2M / 4B2M
2018	M4 Fairway Woods	Atmos Red 6 Fairway Graphite	Fujikura	S,X	65, 67	.335"		3B2M / 4B2M
2018	M4 Tour Fairway Woods	Tensei Blue 65 Graphite	Mitsubishi Rayon	A,R,S	63, 66, 68	.335"		2B2S / 3B2M / 4B2M
2018	M4 Rescue	Atmos Red Graphite	Fujikura	A,R,S	61, 72.5, 83	.370"		2D3M / 3B3H / 4B2H
2018	M4 Women's Driver	Taylor Made Tuned 45 Graphite		L	59.7	.370"		1D3M
2018	M4 D-Type Women's Driver	Platinum White Tie MFS55 45 Graphite	Matrix	L, A	48, 49	.370"		1D3S / 2D3S
2018	M4 Women's Fairway Woods	Taylor Made Tuned 45 Graphite		L	59.7	.370"		1D3M
2018	M4 Ladies Rescue	Taylor Made Tuned 45 Graphite		L	59.7	.370"		1D3M
2018	M3 Irons	XP 100 Steel	True Temper	R300, S300	105, 107	.370"		TT XP 100 3B3H / 4B3H
2018	M3 Irons	Tensei Blue Graphite Iron	Mitsubishi Rayon	A,R,S	74, 77, 80	.370"		2D3H / 3B3H / 4B2H
2018	M4 Irons	KBS Max 85 Steel	FST (KBS)	R,S	108	.370"	.600"	KBS Max 80 3B3H / 4B3H
2018	M4 Irons	Atmos Red Graphite Iron	Fujikura	A,R,S	61, 72.5, 83	.370"		2D3M / 3B3H / 4B2H
2018	P790 UDI Irons	Hrzdrus 85 Graphite Iron	Project X	R,S,X	85	.355"		3B1H / 4C1H
2018	Milled Grind Hi-Toe Wedges	Hi-Rev 2.0 Wedge Steel	FST (KBS)	Wedge	115	.355"	.600"	KBS Hi Rev 2.0 Wedge 3B3H / 4B3H / 5B3H
2018	M3 Wedges	XP 100 Steel	True Temper	R300, S300	105, 107	.370"		TT XP 100 3B3H / 4B3H
2018	M4 Wedges	KBS Max 85 Steel	FST (KBS)	R,S	108	.370"	.600"	KBS Max 80 3B3H / 4B3H
2018	GARP LO Hybrid Iron	KBS Hybrid Graphite	FST (KBS)	A,R,S,X	70, 77, 81, 82	.370"		2B2H / 3B2H / 4B2H / 5B2H
2018	GARP MID Hybrid Iron	KBS Hybrid Graphite	FST (KBS)	A,R,S,X	70, 77, 81, 82	.370"		2B2H / 3B2H / 4B2H / 5B2H
2018	GARP HI Hybrid	KBS Hybrid Graphite	FST (KBS)	A,R,S,X	70, 77, 81, 82	.370"		2B2H / 3B2H / 4B2H / 5B2H
2018	P790 Black Irons	Dynamic Gold 105 Black Steel	True Temper	R3, S3, X1	101, 103, 105	.355"	.600"	TT Dynamic Gold 105 3B1H / 4B1H / 5B1H
2018	P760 Irons	Dynamic Gold 120 Steel	True Temper	R3, S3, X1	116, 118, 120	.355"	.600"	TT Dynamic Gold 120 3B1H / 4C1H / 5C1H
2019	M5 Driver	Tensei CK Orange 60 Graphite	Mitsubishi Rayon	R,S,X	66, 66, 69	.335"		3B2M / 4B2M / 5B2M
2019	M5 Tour Driver	Hrzdrus Smoke 70 Graphite	Project X	S,X	68, 70	.335"	.600"	4C1M / 5C1M
2019	M5 Fairway Woods	Tensei CK Orange 65 & 75Graphite	Mitsubishi Rayon	R,S,X	68, 70, 72	.335"		3B2M / 4B2M / 5B2M
2019	M5 Irons	XP 100 Steel	True Temper	R,S	105, 107	.370"	.600"	TT XP 100 3B3H / 4B3H
2019	M5 Irons	Tensei Orange Graphite	Mitsubishi Rayon	R,S	80, 82	.370"		3B2M / 4B2M
2019	M6 Irons	KBS Max 85 Steel	FST (KBS)	R,S	108, 108	.370"	.600"	KBS Max 80 3B3H / 4B3H
2019	M6 & M6 Combo Irons	Atmos Orange Graphite	Fujikura	A,R,S	57, 68, 78	.370"		2D3M / 3B1M / 4C1H
2019	M6 Driver	Atmos Orange 5 Graphite	Fujikura	A,R,S	53, 54, 55	.335"		2D3S / 3B2S / 4B2S
2019	M6 D-Type Driver	Even Flow Max Carry 45 Graphite	Project X	A,R,S	51, 52, 53	.335"	.625"	2D3S / 3D3S / 4D3S



Taylor Made

2019	M6 Fairway Woods	Atmos Orange 5 & 6 Graphite	Fujikura	A,R,S,X	56, 57, 63, 66	.335"		2D3M / 3B2M / 4B2M / 5B2M	
2019	M6 D-Type Fairway Woods	Even Flow Max Carry 50 Graphite	Project X	A,R,S	53, 54, 55	.335"		2D3S / 3D3S / 4D3S	
2019	M6 Rescue	Atmos Orange Graphite	Fujikura	A,R,S	57, 68, 78	.370"		2D3M / 3B3M / 4B2H	
2019	M6 Ladies Driver	Taylor Made Tuned 45 Graphite		L	59.7	.370"		1D3M	
2019	M6 D-Type Ladies Driver	Taylor Made Tuned 45 Graphite		L	59.7	.370"		1D3M	
2019	M6 Ladies Fairway Woods	Taylor Made Tuned 45 Graphite		L	59.7	.370"		1D3M	
<b>Year</b>	<b>Club Model</b>	<b>Shaft Description</b>		<b>Shaft Manufacture</b>	<b>Flex</b>	<b>Shaft Wt.</b>	<b>Tip. Dia</b>	<b>Butt Dia.</b>	<b>Replacement Shaft / MPF Code</b>
2019	M6 D-Type Ladies Fairway Woods	Taylor Made Tuned 45 Graphite		L	59.7	.370"		1D3M	
2019	M6 Ladies Rescue	Taylor Made Tuned 45 Graphite	L	59.7	.370"		1D3M		
2019	M6 Ladies Irons	Taylor Made Tuned 45 Graphite	L	59.7	.370"		1D3M		
2019	P790 (2019) Irons	Dynamic Gold 105 VSS steel	True Temper	R,S,X	102, 104, 106	.355"	.600"	TT Dynamic Gold 105 taper tip 3B1H / 4B1H / 5B1H	
2019	P790 Ti Irons	N.S. Pro 950GH Neo steel	Nippon	R,S	94.5, 98	.355"		Nippon N.S. Pro 950GH Neo	
2019	P7TW Irons (Tiger)	Dynamic Gold Tour Issue steel	True Temper	X100	130	.355"	.600"	TT Dynamic Gold Tour Issue 5C1H	
2019	Milled Grind 2 Wedges Chrome & Black	Dynamic Gold Steel	True Temper	S200	129	.355"	.600"	TT Dynamic Gold S200 taper tip 4C1M	
2019	Milled Grind Hi-Toe Big Foot Wedges	Hi-Rev 2.0 Wedge Steel	FST (KBS)	Wedge	115	.355"	.600"	KBS Hi Rev 2.0 Wedge 3B3H / 4B3H / 5B3H	
2020	SIM Driver	Diamana S Limited 60 Graphite	Mitsubishi Rayon	R,S,X	60, 63, 66	.335"		3B1M / 4B1M / 5B1M	
2020	SIM Max Driver	Ventus Blue 6 Graphite	Fujikura	R,S,X	63, 64, 65	.335"		UST Helium 40/50 2D2S / 3B2S / 4B2S	
2020	SIM Max D Driver	Helium Graphite	UST Mamiya	R,S	53, 54	.335"		UST Helium 40/50 2D2S / 3B2S / 4B2S	
2020	SIM Fairway Wood	Diamana FW Limited 75 Graphite	Mitsubishi Rayon	R,S,X	68, 72, 75	.335"		3B2M / 4B2M / 5B2M	
2020	SIM Max Fairway Woods	Ventus Blue 6 FW Graphite	Fujikura	S,X	62, 63	.335"		3B2M / 4B2M	
2020	SIM Max D Fairway Woods	Helium FW 5 Graphite	UST Mamiya	A,R,S	52, 54, 56	.335"		UST Helium 40/50 2D2S / 3B2S / 4B2S	
2020	SIM Rescue Hybrid	Ventus Bue Hybrid Graphite	Fujikura	A,R,S	56, 66, 76	.370"		2D3M / 3B3M / 4B2H	
2020	SIM Max Irons	MAX 85 Steel	FST (KBS)	R,S	108, 108	.370"	.600"	3B3H / 4B3H	
2020	SIM Max Irons	Ventus Blue 5,6,7 Graphite	Fujikura	A,R,S	56, 66, 76	.370"		2D3M / 3B3M / 4B2H	
2020	SIM Max OS Irons	MAX 85 Steel	FST (KBS)	R,S	108, 108	.370"	.600"	3B3H / 4B3H	
2020	SIM Max OS Irons	Ventus Blue 5,6,7 Graphite	Fujikura	A,R,S	56, 66, 76	.370"		2D3M / 3B3M / 4B2H	
2020	SIM Max Women's Irons	NV Ladies 45 graphite	Aldila	L	47	.370"		1D3S	
2020	SIM Max OS Women's Irons	NV Ladies 45 graphite	Aldila	L	47	.370"		1D3S	
2020	SIM DHY Hybrid	Diamana Limited Hybrid Graphite	Mitsubishi Rayon	M,R,S	55, 65, 75	.370"		2B2M / 3B1M / 4B1M	
2020	SIM UDI Hybrid	Diamana Thump 90 & 100 Hybrid	Mitsubishi Rayon	90-S, 100-X	92, 105	.370"		4B2H / 5B2H	
2020	P770 Irons	KBS Tour Steel	FST (KBS)	S,X	120, 130	.355"	.600"	KBS Tour .355" 3B2H / 4B1H	
2020	P7MC Irons	KBS Tour Steel	FST (KBS)	S,X	120, 130	.355"	.600"	KBS Tour .355" 3B2H / 4B1H	
2020	P7MB Irons	KBS Tour Steel	FST (KBS)	S,X	120, 130	.355"	.600"	KBS Tour .355" 3B2H / 4B1H	
2020	MG2 Tour Tiger Woods Grind Wedge	Dynamic Gold Tour Issue Steel	True Temper	S400	130	.355"	.600"	Dynamic Gold Tour Issue 4C1H	
2021	SIM 2 Driver	Tensei AV Raw Blue Graphite	Mitsubishi Rayon	R,S,X	65,68,71	.335"	.598"	3B2M / 4B2M / 5B2M	
2021	SIM 2 Max Driver	Ventus Blue Graphite	Fujikura	A,R,S	53,54,55	.335"	.605"	3B2M / 4B2M / 5B2M	
2021	SIM 2 Max D Driver	Air Speeder Graphite	Fujikura	A,R,S	47,49,51	.335"		2D3S / 3D3S / 4D3S	
2021	SIM 2 Fairway Woods	Tensei AV Blue Graphite	Mitsubishi Rayon	R,S,X	66,68,73	.335"	.598"	3B2M / 4B2M / 5B2M	
2021	SIM 2 Max Fairway Woods	Ventus Blue 5 & 6 Graphite	Fujikura	A,R,S,X	55,56,62,63	.335"		2B2M / 3B2M / 4B2M / 5B2M	
2021	SIM 2 Max D Fairway Woods	Air Speeder Graphite	Fujikura	A,R,S	47,49,51	.335"		2D3S / 3D3S / 4D3S	
2021	SIM 2 Rescue	Tensei AV Raw Blue Graphite	Mitsubishi Rayon	R,S,X	78,80,83	.370"		3B2M / 4B2M / 5B2M	
2021	SIM 2 Max Rescue	Ventus Blue Graphite	Fujikura	A,R,S	56,66,76	.370"		2B3M / 3B3M / 4B2H	
2021	SIM 2 Max Irons	KBX Max 85 MT Steel	FST (KBS)	R,S	93.3, 93.3	.370"	.600"	3B3H / 4B3H	
2021	SIM 2 Max Irons	Ventus Blue Graphite	Fujikura	A,R,S	56,66,76	.370"		2B3M / 3B3M / 4B2H	
2021	SIM 2 Max OS Irons	KBX Max 85 MT Steel	FST (KBS)	R,S	93.3, 93.3	.370"	.600"	3B3H / 4B3H	
2021	SIM 2 Max OS Irons	KBX Max 85 MT Steel	FST (KBS)	R,S	93.3, 93.3	.370"	.600"	3B3H / 4B3H	

